

GUAIFENESIN- guaifenesin tablet
Innovida Pharmaceutique Corporation

Active Ingredient (in each tablet)

Guaifenesin 400mg

Purpose

Expectorant

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus
- helps make coughs more productive

Warnings

Ask doctor before use if you have

- persistent or chronic cough, such as occurs with smoking, asthma, bronchitis or emphysema
- cough is accompanied by excessive phlegm (mucus)

Stop use and ask doctor if

- Symptoms are accompanied by fever, rash or persistent headache
- cough persists for more than 1 week or tends to recur

A persistent cough may be a sign of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center immediately.

Directions

- **Adults and children 12 years of age and over:** take 1 tablet every 4 hours as needed
- **Children 6 to 10 under 12 years of age:** take 1/2 tablet every 4 hours as needed
- **Children under 6 years of age:** consult a doctor

Do not exceed 6 doses in a 24 hour period or as directed by a doctor

Inactive Ingredients

magnesium stearate, microcrystalline cellulose. May also contain (colloidal) silicon dioxide, (co) povidone, dicalcium phosphate, maltodextrin, sodium starch glycolate, stearic acid.

Other information

store at 15°-30°C (59°-86°F)

Questions or Comments? 1-888-462-4166

Product label

NDC: 71800-049-06

INN

VIDA

PHARMACEUTIQUE CORPORATION

Guaifenesin

400 mg

EXPECTORANT

60

Immediate Release Tablets

Caution: do not use if imprinted seal under cap is missing or broken.

Drug Facts

Active ingredient (in each tablet)

Guaifenesin 400mg.....Expectorant

Uses

• helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus

• helps make coughs more productive

Warnings

Ask doctor before use if you have

• persistent or chronic cough, such as occurs with smoking, asthma, bronchitis or emphysema

• cough is accompanied by excessive phlegm (mucus)

Stop use and ask doctor if

• Symptoms are accompanied by fever, rash or persistent headache

• cough persists for more than 1 week or tends to recur

A persistent cough may be a sign of a serious condition.

If pregnant or breast-feeding

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center immediately.

Directions

Adults and children 12 years of age and over

take 1 tablet every 4 hours as needed

Children 6 to 10 under 12 years of age

take 1/2 tablet every 4 hours as needed

Children under 6 years of age

consult a doctor

Do not exceed 6 doses in a 24 hour period or as directed by a doctor

Other Information

store at 15°-30°C (59°-86°F)

Inactive ingredients

magnesium stearate, microcrystalline cellulose. May also contain (colloidal) silicon dioxide, (co) povidone, dicalcium phosphate, maltodextrin, sodium starch glycolate, stearic acid.

Questions or Comments? 1-888-462-4166

Mfd. for:

Innovida Pharmaceutical Corporation, Phoenix, AZ 85040

Tel.: 888-462-4166

GUAIFENESIN

guaifenesin tablet

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:71800-049
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)		GUAIFENESIN	400 mg
Inactive Ingredients			
Ingredient Name			Strength
MALTODEXTRIN (UNII: 7CVR7L4A2D)			
STEARIC ACID (UNII: 4ELV7Z65AP)			
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)			
COPOVIDONE K25-31 (UNII: D9C330MD8B)			
MAGNESIUM STEARATE (UNII: 70097M6I30)			
Product Characteristics			
Color	white	Score	no score

Shape		ROUND	Size	17mm	
Flavor			Imprint Code		
Contains					
Packaging					
#	Item Code	Package Description		Marketing Start Date	Marketing End Date
1	NDC:71800-049-06	60 in 1 BOTTLE; Type 0: Not a Combination Product		02/10/2025	
Marketing Information					
Marketing Category		Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
OTC Monograph Drug		M012		02/10/2025	

Labeler - Innovida Pharmaceutique Corporation (080892908)