

**RITE AID CALA ITCH RELIEF- pramoxine hcl 1%, zinc acetate 0.1% spray**  
**Rite Aid**

-----  
**Rite Aid Itch Relief Spray, Pramoxine HCl 1%, Zinc Acetate 0.1%**

Pramoxine HCl 2%, Zinc Acetate 0.1%

Topical Analgesic, Skin Protectant

For the temporary relief of pain and itching associated with insect bites, minor burns, sunburn, minor cuts, scrapes, minor skin irritations, and rashes due to poison ivy, oak, and sumac. Dries the oozing and weeping of poison ivy, oak, and sumac.

**For external use only. Flammable--**Keep away from fire or flame. **Do not use on** deep or puncture wounds, animal bites, or serious burns. **When using this product** avoid contact with eyes. In case of contact with eyes, flush thoroughly with water. Contents under pressure. Do not puncture or incinerate. Do not store at temperature above 120F. . **Stop use and ask a doctor if** condition worsens, if symptoms persist for more than 7 days or clear up and occur again within a few days.

If swallowed, get medical help or contact a Poison Control Center right away.

Shake well before use. Adults and children 12 years of age and older, apply to the affected area not more than 3 to 4 times daily. Children under 12 years of age: ask a doctor. To apply to face, spray into palm of hand and gently apply.

Alcohol Denat., Camphor, Citric Acid, Ethylhexylglycerin, Fragrance, glycerin, Hydroxypropyl Methylcellulose, Phenoxyethanol, Polysorbate 40, Propylene Glycol, Sodium Citrate, Water.

**Drug Facts**

Active ingredients	Purpose
Pramoxine HCl 1%.....	Topical Analgesic
Zinc Acetate 0.1%.....	Skin Protectant

**Uses** For the temporary relief of pain and itching associated with  
 • rashes due to poison ivy, oak and sumac • insect bites • minor skin irritations • minor cuts • dries the oozing and weeping of poison ivy, oak and sumac.

**Warnings**

**Flammable** - Keep away from fire or flame.

**For external use only.**

**Do not use** • deep or puncture wounds • animal bites • serious burns.

**When using this product** • avoid spraying in eyes • In case of contact with eyes, flush thoroughly with water. Contents under pressure. Do not puncture or incinerate. Do not store at temperature above 120°F.

**Stop use and ask a doctor if** • condition worsens • symptoms last more than 7 days or clear up again within a few days.

**Keep out of the reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions** • shake well before use • adults and children 2 years or older; apply to affected area not more than 3 to 4 times daily • children under 2 years of age: ask a doctor • to apply to face, spray into palm of hand and gently apply.

**Other information** • do not store above 120°F • may discolor some fabrics • harmful to wood finishes and plastics.

**Inactive ingredients**  
 Alcohol Denat., Camphor, Citric Acid, Ethylhexylglycerin, Fragrance, Glycerin, Hydroxypropyl Methylcellulose, Phenoxyethanol, Polysorbate 40, Propylene Glycol, Sodium Citrate, Water.





**DISTRIBUTED BY:**  
 RITE AID, 30 HUNTER LANE,  
 CAMP HILL, PA 17011  
[www.riteaid.com](http://www.riteaid.com)



Compare to active ingredients in Caladryl®\*

# CALA-SPRAY ITCH RELIEF

**PRAMOXINE HCL 1%**

**CLEAR SKIN PROTECTANT**

Fast relief from poison ivy,  
oak, sumac, insect bites &  
minor scrapes & cuts

Quick drying  
Sprays at any angle



NET WT 3 OZ (85 g)

RITE AID CALA ITCH RELIEF			
pramoxine hcl 1%, zinc acetate 0.1% spray			
Product Information			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:11822-3101
<b>Route of Administration</b>	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
PRAMOXINE HYDROCHLORIDE (UNII: 88AYB867L5) (PRAMOXINE - UNII:068X84E056)		PRAMOXINE HYDROCHLORIDE	1 g in 100 g
ZINC ACETATE (UNII: FM5526K07A) (ZINC CATION - UNII:13S1S8SF37)		ZINC ACETATE	0.1 g in 100 g
Inactive Ingredients			
Ingredient Name			Strength
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)			

<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>HYPROMELLOSES</b> (UNII: 3NXW29V3WO)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>CAMPHOR (SYNTHETIC)</b> (UNII: 5TJD82A1ET)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>SODIUM CITRATE</b> (UNII: 1Q73Q2JULR)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>POLYSORBATE 40</b> (UNII: STI11B5A2X)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	

<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-3101-3	85 g in 1 CAN; Type 0: Not a Combination Product	03/31/2021	

<b>Marketing Information</b>				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M017	03/31/2021		

**Labeler** - Rite Aid (014578892)

**Registrant** - Derma Care Research Labs, LLC (116817470)

<b>Establishment</b>				
Name	Address	ID/FEI	Business Operations	
Derma Care Research Labs, LLC		116817470	manufacture(11822-3101)	