

**ANTACID ANTIGAS NTA- aluminum hydroxide, magnesium hydroxide,  
simethicone liquid  
Preferred Pharmaceuticals, Inc.**

-----  
**Good Neighbor Pharmacy Antacid Anti-Gas max cherry**

**Active ingredients (in each 5 mL, 1 teaspoon)**

Aluminum hydroxide (equivalent to dried gel, USP) 400 mg

Magnesium hydroxide 400 mg

Simethicone 40 mg

**Purposes**

Antacid

Antigas

**Uses**

relieves

- heartburn
- sour stomach
- acid indigestion
- upset stomach due to these symptoms
- symptoms of gas

**Warnings**

**Ask a doctor before use if you have**

- kidney disease
- a magnesium-restricted diet

**Ask a doctor or pharmacist before use if you are** presently taking a prescription drug.

Antacids may interact with certain prescription drugs.

**Stop use and ask a doctor if** symptoms last more than 2 weeks

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222) immediately.

**Directions**

- shake well before use
- adults and children 12 years of age and older: take 2 to 4 teaspoonfuls two times a day or as directed by a doctor
- do not exceed 8 teaspoonfuls in a 24 hour period or use the maximum dosage for more than 2 weeks
- children under 12 years of age: ask a doctor

### **Other information**

- **each 5 mL teaspoonful contains:** magnesium 165 mg, sodium 5 mg
- store at room temperature tightly closed
- protect from freezing

### **Inactive ingredients**

benzyl alcohol, butylparaben, carboxymethylcellulose sodium, flavor, hypromellose, microcrystalline cellulose, propylparaben, purified water, saccharin sodium, sorbitol solution

### **Questions or Comments?**

1-800-540-3765

### **package label**

#### **Relabeled by Preferred Pharmaceuticals, Inc.**

Compare To Maalox® Maximum Strength active ingredients\*

NDC 68788-7641-03

MAXIMUM STRENGTH

Antacid

Anti-Gas

Alumina, Magnesia, and Simethicone Oral Suspension

Fast Relief of:

- Acid Indigestion
- Heartburn
- Sour Stomach
- Pressure and Bloating

Cherry Creme Flavor

12 FL OZ (355 mL)

# Maximum Strength Mi-Acid

Generic for: Mylanta II

Each 5 mL teaspoonful contains: Aluminum hydroxide 400mg (equivalent to dried gel, USP)...Antacid / Magnesium hydroxide 400mg g...Antacid / Simethicone 40mg...Antigas

**Pkg Size:** Exp Date:

Lot#:

Batch#:


Ins:

Mfg: Good Neighbor Pharmacy

Prod#:

Warning

Ask a doctor before use if you have kidney disease, a magnesium-restricted diet. Ask a doctor or pharmacist before use if you are taking a prescription drug. Antacids may interact with certain prescription drugs. Stop use and ask a doctor if symptoms last more than 2 weeks. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. Store at room temperature. Protect from freezing. Keep tightly closed. Tamper-Evident: do not use if breakaway band on bottle cap is missing or broken.



Directions English  
Take as Directed

Instrucciones Espanol:  
Tomelo como se indica

Maximum Strength Mi-Acid

Qty: Ins:

Lot#: Bat#:

Prod# (NDC):

Maximum Strength Mi-Acid

Qty: Ins:

Lot#: Bat#:

Prod# (NDC):

Maximum Strength Mi-Acid

Qty:

Insurance NDC:

Lot#: Bat#:

Maximum Strength Mi-Acid

Qty: Ins:

Lot#: Bat#:

Prod# (NDC):

Log

Chart

Billing

Patient

## ANTACID ANTIGAS NTA

aluminum hydroxide, magnesium hydroxide, simethicone liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:68788-7641(NDC:46122-432)
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0) (ALUMINUM HYDROXIDE - UNII:5QB0T2IUN0)	ALUMINUM HYDROXIDE	400 mg in 5 mL
<b>MAGNESIUM HYDROXIDE</b> (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838, HYDROXIDE ION - UNII:9159UV381P)	MAGNESIUM HYDROXIDE	400 mg in 5 mL
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O)	DIMETHICONE	40 mg in 5 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)	
<b>BUTYLPARABEN</b> (UNII: 3QPI1U3FV8)	
<b>CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED</b> (UNII: K679OBS311)	
<b>HYPROMELLOSE, UNSPECIFIED</b> (UNII: 3NXW29V3WO)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SACCHARIN SODIUM</b> (UNII: SB8ZUX40TY)	
<b>SORBITOL</b> (UNII: 506T60A25R)	

### Product Characteristics

<b>Color</b>		<b>Score</b>	
--------------	--	--------------	--

<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	CHERRY	<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68788-7641-3	355 mL in 1 BOTTLE; Type 0: Not a Combination Product	02/28/2020	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M001	02/28/2020	

**Labeler** - Preferred Pharmaceuticals, Inc. (791119022)

**Registrant** - Preferred Pharmaceuticals, Inc. (791119022)

### Establishment

Name	Address	ID/FEI	Business Operations
Preferred Pharmaceuticals, Inc.		791119022	RELABEL(68788-7641)

Revised: 7/2024

Preferred Pharmaceuticals, Inc.