

**ACETAMINOPHEN- acetaminophen tablet, extended release**  
**The Kroger Company**

-----  
**Acetaminophen**

***Drug Facts***

**Active ingredient (in each caplet)**

Acetaminophen USP, 650 mg

**Purpose**

Pain reliever/fever reducer

**Uses**

- temporarily relieves minor aches and pains due to:
  - muscular aches
  - backache
  - minor pain of arthritis
  - toothache
  - premenstrual and menstrual cramps
  - headache
  - the common cold
- temporarily reduces fever

**Warnings**

**Liver warning**

This product contains acetaminophen. Severe liver damage may occur if you take

- more than 6 caplets in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

- if you are allergic to acetaminophen or any of the inactive ingredients in this product.

**Ask a doctor before use if you have** liver disease.

**Ask a doctor or pharmacist before use if you are** taking the blood thinning drug warfarin.

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.**

**Overdose warning**

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- **do not take more than directed (see overdose warning)**

adults and children 12 years and over	<ul style="list-style-type: none"> <li>▪ take 2 caplets every 8 hours with water</li> <li>▪ swallow whole; do not crush, chew, split or dissolve</li> <li>▪ do not take more than 6 caplets in 24 hours</li> <li>▪ do not use for more than 10 days unless directed by a doctor</li> </ul>
children under 12 years	<ul style="list-style-type: none"> <li>▪ do not use</li> </ul>

**Other information**

- store at 20 - 25° C (68 - 77° F). Avoid excessive heat 40° C (104° F).
- see end panel for batch number and expiration date
- **TAMPER EVIDENT: DO NOT USE IF IMPRINTED SEAL IS BROKEN OR MISSING FROM BOTTLE.**

## **Inactive ingredients**

crospovidone, hypromellose, magnesium stearate, microcrystalline cellulose, povidone, pregelatinized starch, propylene glycol, sodium lauryl sulfate, stearic acid, titanium dioxide

## **Questions?**

call **1-800-632-6900**

DISTRIBUTED BY THE KROGER CO.  
CINCINNATI, OHIO 45202

## **PRINCIPAL DISPLAY PANEL - 650 mg Caplet Bottle Carton**

COMPARE TO the active ingredient of  
TYLENOL<sup>®</sup> 8HR \*See side panel

NDC 30142-968-01

Kroger<sup>®</sup>

USE ONLY AS DIRECTED

OUR PHARMACIST RECOMMENDED

8 Hour Pain Relief †

Acetaminophen  
Extended-Release  
Tablets USP, 650 mg  
Pain Reliever/Fever Reducer

†For up to 8 Hour Relief of Minor Muscle Aches & Pain

actual  
size

100 CAPLETS\*\*

\*\*capsule-shaped tablets

DO NOT USE WITH OTHER MEDICINES  
CONTAINING ACETAMINOPHEN

COMPARE TO the active ingredient of  
**TYLENOL® 8HR** \*See side panel

NDC 30142-968-01

USE ONLY AS DIRECTED



8 Hour Pain Relief†

**Acetaminophen  
 Extended-Release  
 Tablets USP, 650 mg**

**Pain Reliever/Fever Reducer**

†For up to 8 Hour Relief of Minor Muscle Aches & Pain

actual  
 size



**100 CAPLETS\*\***

\*\*capsule-shaped tablets

**DO NOT USE WITH OTHER MEDICINES  
 CONTAINING ACETAMINOPHEN**

COMPARE TO the active ingredient of  
**TYLENOL® 8HR** \*See side panel

NDC 30142-968-01

USE ONLY AS DIRECTED



8 Hour Pain Relief†

**Acetaminophen  
 Extended-Release  
 Tablets USP, 650 mg**

**Pain Reliever/Fever Reducer**

†For up to 8 Hour Relief of Minor Muscle Aches & Pain

actual  
 size



**100 CAPLETS\*\***

\*\*capsule-shaped tablets

**DO NOT USE WITH OTHER MEDICINES  
 CONTAINING ACETAMINOPHEN**

**DO NOT USE WITH OTHER  
 MEDICINES CONTAINING  
 ACETAMINOPHEN**



**Acetaminophen  
 Extended-Release  
 Tablets USP, 650 mg**

**Pain Reliever/Fever Reducer**

†For up to 8 Hour Relief of  
 Minor Muscle Aches & Pain

KEEP THE CARTRON IT CONTAINS  
 IMPROVED INFORMATION.  
 Our Brands. Our Guarantee.  
 Love It or Your Money Back.  
 www.kroger.com



Batch No.



STANDARD  
 RECYCLE

\*\*Kroger is a registered  
 trademark of Kroger &  
 Johnson Corporation. Love  
 It or Your Money Back is a  
 trademark of Johnson &  
 Johnson Corporation and is not  
 affiliated with the Kroger Co.  
 or this product.

Non-Vanishing Area

**Drug Facts**

**Active Ingredient (in each caplet)** Acetaminophen USP, 650 mg

**Purpose** Pain reliever/fever reducer

**Uses**

- temporarily relieves minor aches and pains due to:
  - muscular aches
  - minor pain of arthritis
  - premenstrual and menstrual cramps
  - toothache
  - headache
- temporarily reduces fever

**Warnings**

Liver warnings: This product contains acetaminophen. Severe liver damage may occur if you take more than the recommended dose, or if you drink alcohol while taking this product. Do not take more than 6 caplets in 24 hours, which is the maximum daily amount.

Other warnings: Do not take more than 6 caplets in 24 hours for more than 10 days unless directed by a doctor.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product.

**Ask a doctor before use if you have liver disease, are taking the blood thinning drug warfarin, or have had alcohol or drug abuse.**

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- upset stomach or vomiting is present
- rash or hives occur

**These could be signs of a serious condition. If pregnant or breast-feeding, ask a health professional before use.**

**Drug Facts (continued)**

**Keep out of reach of children.** Overdose symptoms such as vomiting, sweating, or feeling of oppression may occur. These symptoms are not dangerous by themselves but could be serious if they continue. If overdose is suspected, call your nearest Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- do not take more than directed (see overdose warning)
- take 2 caplets every 8 hours with water, with or without food
- do not crush, chew, split or dissolve
- do not take more than 6 caplets in 24 hours for more than 10 days unless directed by a doctor
- do not use if you are under 12 years of age

**Other Information**

- Store at 20° to 25° C (68° to 77° F). Avoid excessive heat and moisture.
- See our website for more information.
- TAMPER EVIDENT: DO NOT USE IF IMPRINTED SEAL IS BROKEN OR MISSING FROM BOTTLE.**

**Inactive Ingredients** croscarmellose, hydroxypropyl methylcellulose, polyethylene glycol, polyethylene glycol, sodium lauryl sulfate, titanium dioxide, and other inactive ingredients.

**Questions?** 1-800-432-4900

**CONTAINS NO ASPIRIN!**

DISTRIBUTED BY THE KROGER CO., CINCINNATI, OHIO 45202

For More Product Information, Scan UPC Using Your Kroger App or Call 800-632-6900



7690225

5230697

**ACETAMINOPHEN**  
 acetaminophen tablet, extended release

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:30142-968
Route of Administration	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	650 mg

## Inactive Ingredients

Ingredient Name	Strength
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6130)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
STARCH, CORN (UNII: O8232NY3SJ)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
CROSPVIDONE (UNII: 2S7830E561)	

## Product Characteristics

Color	white	Score	no score
Shape	OVAL (Capsule Shaped)	Size	19mm
Flavor		Imprint Code	cor116
Contains			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:30142-968-01	1 in 1 CARTON	02/19/2021	12/31/2025
1		100 in 1 BOTTLE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA076200	02/19/2021	12/31/2025

**Labeler** - The Kroger Company (006999528)

**Registrant** - Ohm Laboratories Inc. (051565745)

**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Ohm Laboratories Inc.		184769029	manufacture(30142-968)

Revised: 1/2025

The Kroger Company