

**CHILDRENS ALLEGRA ALLERGY- fexofenadine hydrochloride suspension**  
**Chattem, Inc.**

-----  
**Childrens Allegra Allergy Oral Suspension**

***Drug Facts***

***Active ingredient***

***(in each 5 mL)***

Fexofenadine HCl 30 mg

***Purpose***

Antihistamine

***Uses***

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, water eyes
- itching of the nose or throat

***Warnings***

**Do not use**

if you have ever had an allergic reaction to this product or any of its ingredients.

**Ask a doctor before use if you have**

kidney disease. Your doctor should determine if you need a different dose.

**When using this product**

- do not take more than directed
- do not take at the same time as aluminum or magnesium antacids
- do not take with fruit juices (see Directions)

**Stop use and ask a doctor if**

an allergic reaction to this product occurs. Seek medical help right away.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

***Directions***

- shake well before using

- use only with enclosed dosing cup

adults and children 12 years of age and over	take 10 mL every 12 hours; do not take more than 20 mL in 24 hours
children 2 to under 12 years of age	take 5 mL every 12 hours; do not take more than 10 mL in 24 hours
children under 2 years of age	ask a doctor
adults 65 years of age and older	ask a doctor
consumers with kidney disease	ask a doctor

Note: mL = milliliters

### ***Other information***

- each 5 mL contains: **sodium 18 mg**
- safety sealed: do not use if carton is opened or if printed foil inner seal on bottle is torn or missing
- store between 20° and 25° C (68° and 77° F)

### ***Inactive ingredients***

butylparaben, edetate disodium, flavor, poloxamer 407, propylene glycol, propylparaben, purified water, sodium phosphate dibasic heptahydrate, sodium phosphate monobasic monohydrate, sucrose, titanium dioxide, xanthan gum, xylitol

### ***Questions or comments?***

call toll-free **1-800-633-1610** or [www.allegra.com](http://www.allegra.com)

### **PRINCIPAL DISPLAY PANEL**

NDC 41167-4244-4  
 Children's  
 Allegra®  
 ALLERGY  
 fexofenadine HCl  
 oral suspension  
 12 HR  
 30 mg/5 ml antihistamine



## CHILDRENS ALLEGRA ALLERGY

fexofenadine hydrochloride suspension

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41167-4244
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name		Basis of Strength	Strength	
FEXO FENADINE HYDRO CHLORIDE (UNII: 2S068B75ZU) (FEXOFENADINE - UNII:E6582LOH6V)		FEXOFENADINE HYDROCHLORIDE	30 mg in 5 mL	
<b>Inactive Ingredients</b>				
Ingredient Name		Strength		
BUTYLPARABEN (UNII: 3QP1U3FV8)				
EDETATE DISODIUM (UNII: 7FLD91C86K)				
POLOXAMER 407 (UNII: TUF2IVW3M2)				
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)				
PROPYLPARABEN (UNII: Z8IX2SC1OH)				
WATER (UNII: 059QF0K00R)				
SODIUM PHOSPHATE, DIBASIC, HEPTAHYDRATE (UNII: 70WT22SF4B)				
SODIUM PHOSPHATE, MONOBASIC, MONOHYDRATE (UNII: 593YOG76RN)				
SUCROSE (UNII: C151H8M554)				
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)				
XANTHAN GUM (UNII: TTV12P4NEE)				
XYLITOL (UNII: VCQ006KQ1E)				
<b>Product Characteristics</b>				
Color	WHITE	Score		
Shape		Size		
Flavor	BERRY	Imprint Code		
Contains				
<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41167-4244-4	1 in 1 CARTON	03/03/2011	
1		120 mL in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:41167-4244-7	3 in 1 CELLO PACK	03/03/2011	
2		120 mL in 1 BOTTLE; Type 0: Not a Combination Product		
3	NDC:41167-4244-1	1 in 1 CARTON	03/03/2011	
3		240 mL in 1 BOTTLE; Type 0: Not a Combination Product		
<b>Marketing Information</b>				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
NDA	NDA201373	03/03/2011		

**Labeler** - Chattem, Inc. (003336013)