

ZINC COLD THERAPY- zinc gluconate tablet
THE KROGER CO.,

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Kroger Zinc Cold therapy Citrus Flavor 25 Chewable Tablets

Drug Facts

Active ingredient (in each tablet)	Purpose
Zincum Gluconicum 1x (11 mg Zinc)	Cold Remedy

Uses

- may help reduce duration and severity of cold symptoms:
 - sore throat
 - stuffy nose
 - sneezing
 - coughing
- This product was formulated to help reduce the duration and severity of cold symptoms and was not formulated to be effective for flu or allergies.

Warnings

Ask a doctor before use if you have

- a sensitivity to zinc or are allergic to zinc
- are taking minocycline, doxycycline, tetracycline or are on Coumadin therapy, zinc treatment may inhibit the absorption of these medicines.

Stop use and ask a doctor if symptoms persist beyond 7 days.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222

Directions

- **For best results, use at the first sign of a cold and continue to use as directed**
- **adults and children 12 years of age and older:**
 - chew one tablet at the onset of symptoms
 - repeat every 3 hours until symptoms are gone

- to avoid minor stomach upset, do not take on an empty stomach.
- do not eat or drink for 15 minutes after use. Do not eat or drink citrus fruits or juices for 30 minutes before or after use. Otherwise, drink plenty of fluids
- recommended daily dose is 6 tablets for adults and 4 tablets for ages 12 through 17
- **Children under 12 years of age:**Consult a doctor before use.

Other information

- Do not take zinc tablets on an empty stomach to avoid possible minor stomach upset.
- Store at room temperature

Inactive ingredients

ascorbic acid, crospovidone, FD&C yellow # 6 lake, magnesium stearate, natural and artificial flavor sorbitol, starch ,sucralose

Questions or comments?

1-800-632-6900

PRINCIPAL DISPLAY PANEL

COMPARE To the active ingredient of ZICAM[®] COLD REMEDY RAPID MELTS[®] see side panel

Zinc Cold Therapy

Zincum Gluconicum

May help reduce duration and severity of cold symptoms**

- Sugar Free
- Homeopathic†
- Citrus Flavor

Naturally and Artificially Flavored

25CHEWABLE TABLETS

DO NOT USE IF PRINTED INNER SEAL UNDER CAP IS BROKEN OR MISSING

†CLAIM IS BASED ONLY ON THEORIES OF HOMEOPATHY FROM 1700S NOT ACCEPTED BY MOST MODERN MEDICAL EXPERTS .THERE IS NO SCIENTIFIC EVIDENCE THAT THE PRODUCT WORKS

**THIS PRODUCT IS A HOMEOPATHIC REMEDY, AS SUCH, IT HAS NOT UNDERGONE REVIEW ON APPROVAL BY THE FDA AND THEREFORE HAS NOT BEEN DEMONSTRATED TO BE SAFE OR EFFECTIVE TO DIAGNOSE, TREAT, PREVENT, MITIGATE OR CURE ANY

CONDITION OR DISEASE.

IMPORTANT: Keep this carton for future reference on full labeling.

***ZICUM[®] IS A REGISTERED TRADEMARK OF MATRIXX INITIATIVES OF MATRIXX INITIATIVES, INC., BRIDGEWATER NJ 08807. MATRIXX INITIATIVES, INC. IS NOT AFFILIATED WITH THE KROGER CO. OR THIS PRODUCT.**

DISTRIBUTED BY THE KROGER CO., CINCINNATI, OHIO 45202

QUALITY GUARANTEE

800-632-6900

www.Kroger.com

DO NOT USE IF PRINTED INNER SEAL UNDER CAP IS BROKEN OR MISSING

Drug Facts

Active ingredient (in each tablet)	Purpose
Zincum Gluconicum 1x (11mg Zinc)	Cold Remedy

Uses

- may help reduce duration and severity of cold symptoms
- sore throat
- stuffy nose
- snoring
- coughing

This product was formulated to help reduce the duration and severity of cold symptoms and was not formulated to be effective for flu or allergies.

Warnings

Ask a doctor before use if you have

- a sensitivity to zinc or are allergic to zinc
- are taking minocycline, doxycycline, tetracycline or are on Coumadin therapy, zinc treatment may inhibit the absorption of these medicines.

Stop use and ask a doctor if symptoms persist beyond 7 days

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222.

Directions

- for best results, use at the first sign of a cold and continue to use as directed
- adults and children 12 years of age and older:
 - chew one tablet completely at the onset of symptoms. Do not swallow tablets whole.
 - repeat every 3 hours until symptoms are gone
 - to avoid minor stomach upset, do not take on an empty stomach
 - do not eat or drink for 15 minutes after use. Do not eat or drink citrus fruits or juices for 30 minutes before or after use. Otherwise, drink plenty of fluids
 - recommended daily dose is 6 tablets for adults and 4 tablets for ages 12 through 17
- children under 12 years of age: Consult a doctor before use

Other information

- do not take zinc tablets on an empty stomach to avoid possible minor stomach upset.
- store at room temperature

Inactive ingredients
ascorbic acid, croscollidone, FD&C Yellow No. 6, flavors, magnesium stearate, sorbitol, starch, sucralose

Questions or comments? 1-800-632-6900

118NCT25KROFC

Zinc Cold Therapy
Zincum Gluconicum

COMPARE TO the active ingredient of ZICAM[®] COLD REMEDY RAPIDMELTS[®] *See side panel

NDC 30142-999-25

Zinc Cold Therapy
Zincum Gluconicum

Package Contains One Bottle

Zinc Cold Therapy
Zincum Gluconicum

May Help Reduce Duration & Severity of Cold Symptoms**

Sugar Free Homeopathic[†]

Citrus Flavor
Naturally & Artificially Flavored

25 CHEWABLE TABLETS

†THIS PRODUCT IS A HOMEOPATHIC REMEDY. AS SUCH, IT HAS NOT UNDERGONE REVIEW OR APPROVAL BY THE FDA AND THEREFORE HAS NOT BEEN DEMONSTRATED TO BE SAFE OR EFFECTIVE TO DIAGNOSE, TREAT, PREVENT, MITIGATE OR CURE ANY CONDITION OR DISEASE. †CLAIM IS BASED ONLY ON THEORIES OF HOMEOPATHY FROM 1700s NOT ACCEPTED BY MOST MODERN MEDICAL EXPERTS. THERE IS NO SCIENTIFIC EVIDENCE THAT THE PRODUCT WORKS.

DISTRIBUTED BY THE KROGER CO., CINCINNATI, OHIO 45202

QUALITY GUARANTEE 800-632-6900 www.kroger.com

PLEASE RECYCLE

KEEP THIS CARTON FOR FUTURE REFERENCE ON FULL LABELING.

GLUTEN FREE

0 41260 35821 0

LOT:

EXP:

ZINC COLD THERAPY

zinc gluconate tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:30142-999
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC GLUCONATE (UNII: U6WSN5SQ1Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC GLUCONATE	1 [hp_X]

Inactive Ingredients

Ingredient Name	Strength
ASCORBIC ACID (UNII: PQ6CK8PD0R)	
CROSPVIDONE (120 .MU.M) (UNII: 68401960MK)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
SORBITOL (UNII: 506T60A25R)	
STARCH, CORN (UNII: O8232NY3SJ)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	

Product Characteristics

Color	orange	Score	no score
Shape	ROUND (Biconcave)	Size	16mm
Flavor	CITRUS	Imprint Code	r8
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:30142-999-25	25 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	01/12/2018	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		01/12/2018	

Labeler - THE KROGER CO., (006999528)

