

# **STOOL SOFTENER LAXATIVE- docusate sodium and sennosides tablet Walgreens**

-----

## **Drug Facts**

### **Active ingredients (in each tablet)**

Docusate sodium 50 mg

Sennosides 8.6 mg

### **Purpose**

Stool softener

Stimulant laxative

### **Uses**

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 6 to 12 hours

### **Warnings**

#### **Do not use**

- laxative products for longer than 1 week unless told to do so by a doctor
- if you are presently taking mineral oil, unless told to do so by a doctor

#### **Ask a doctor before use if you have**

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that lasts over a period of 2 weeks

#### **Stop use and ask a doctor if**

you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.

#### **If pregnant or breast-feeding,**

ask a health professional before use.

#### **Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

## Directions

- Take only by mouth. Doses may be taken as a single daily dose, preferably in the evening, or in divided doses.

|  |                           |
|--|---------------------------|
| adults and children 12 years and older | take 2-4 tablets daily    |
| children 6 to under 12 years of age    | take 1-2 tablets daily    |
| children 2 to under 6 years of age     | take up to 1 tablet daily |
| children under 2                       | ask a doctor              |

## Other information

- **each tablet contains:** calcium 21 mg
- **each tablet contains:** sodium 5 mg VERY LOW SODIUM
- store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

## Inactive ingredients

carnauba wax, croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C red #40 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, silicon dioxide, sodium benzoate, stearic acid, titanium dioxide

## Questions or comments?

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

## Principal Display Panel

Compare to the active ingredients in Colace® 2-IN-1††

### Stool Softener + Stimulant Laxative

DOCUSATE SODIUM 50 mg / STOOL SOFTENER

SENNOSIDES 8.6 mg / STIMULANT LAXATIVE

GENTLE DEPENDABLE

- Relief in 6 to 12 hours
- 2-in1

TABLETS

††This product is not manufactured or distributed by Avrio Health L.P., owner of the registered trademark Colace® 2-IN-1.


**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION

DISTRIBUTED BY: WALGREENS CO,  
200 WILMOT RD., DEERFIELD, IL 60015  
walgreens.com

Product Label

VALUE SIZE



NDC 0363-8780-20

Compare to the active ingredients  
in Colace® 2-IN-1™

Stool Softener +  
Stimulant Laxative


DOCUSATE SODIUM 50 mg / STOOL SOFTENER  
SENNOSIDES 8.6 mg / STIMULANT LAXATIVE

Gentle Dependable

• Relief in 6 to 12 hours  
• 2-in-1

200

TABLETS



ACTUAL SIZE

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY  
SEAL UNDER CAP IS BROKEN OR MISSING

Drug Facts

Active ingredients (in each tablet)

Docosate sodium 50 mg.....Stool softener  
Sennosides 8.6 mg.....Stimulant laxative

Uses

■ relieves occasional constipation (irregularity)  
■ generally produces bowel movement in 6 to 12 hours

Warnings

Do not use  
■ laxative products for longer than 1 week unless directed by a doctor  
■ if you are presently taking mineral oil, unless told to do so by a doctor

Ask a doctor before use if you have  
■ stomach pain ■ nausea ■ vomiting  
■ noticed a sudden change in bowel habits that lasts over a period of 2 weeks

Drug Facts (continued under label)

Walgreens Pharmacist Recommended.  
Our pharmacists recommend the Walgreens brand.  
We invite you to compare to national brands.  
\*\*This product is not manufactured or distributed by Avrio  
Health L.P., owner of the registered trademark  
Colace® 2-in-1.  
DISTRIBUTED BY: WALGREEN CO., 200 WILMOT RD., DEERFIELD, IL 60015  
100% SATISFACTION GUARANTEED walgreens.com ©2021 Walgreen Co.

how2recycle.info



PLASTIC  
BOTTLE

PLD-H677A  
LB008508

Lot No.:  
Exp. Date:

3 11917110912 1

ITEM 484738 W10064-0921-F

PEEL HERE

Drug Facts (continued)

Stop use and ask a doctor if you have rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition.

If pregnant or breast-feeding, ask a health professional before use.  
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

■ take only by mouth. Doses may be taken as a single daily dose, preferably in the evening, or in divided doses.

adults and children  
12 years and over

take 2-4 tablets daily

children 6 to under  
12 years of age

take 1-2 tablets daily

children 2 to under 6  
years of age

take up to 1 tablet daily

children under 2

ask a doctor

Other information

■ each tablet contains: calcium 21 mg  
■ each tablet contains: sodium 5 mg VERY LOW SODIUM  
■ store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

Inactive ingredients

carnauba wax, croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C red #40 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, silicon dioxide, sodium benzoate, stearic acid, titanium dioxide

Questions or comments?

Call 1-877-753-9935 Monday-Friday 9AM-5PM EST

WALGREENS Stool Softener Laxative

STOOL SOFTENER LAXATIVE

docusate sodium and sennosides tablet

| Product Information             |                |                    |               |
|---------------------------------|----------------|--------------------|---------------|
| Product Type                    | HUMAN OTC DRUG | Item Code (Source) | NDC:0363-8780 |
| Route of Administration         | ORAL           |                    |               |
| Active Ingredient/Active Moiety |                |                    |               |

| Ingredient Name  | Basis of Strength | Strength |
|--|-------------------|----------|
| <b>DOCUSATE SODIUM</b> (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG) | DOCUSATE SODIUM   | 50 mg    |
| <b>SENNOSIDES</b> (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX)    | SENNOSIDES        | 8.6 mg   |

**Inactive Ingredients**

| Ingredient Name   | Strength |
|---|----------|
| <b>CARNAUBA WAX</b> (UNII: R12CBM0EIZ)                        |          |
| <b>CROSCARMELLOSE SODIUM</b> (UNII: M28OL1HH48)               |          |
| <b>DIBASIC CALCIUM PHOSPHATE DIHYDRATE</b> (UNII: O7TSZ97GEP) |          |
| <b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)                 |          |
| <b>HYPROMELLOSES</b> (UNII: 3NXW29V3WO)                       |          |
| <b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)                  |          |
| <b>CELLULOSE, MICROCRYSTALLINE</b> (UNII: OP1R32D61U)         |          |
| <b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)    |          |
| <b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)                     |          |
| <b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)                     |          |
| <b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)                        |          |
| <b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)                    |          |
| <b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)                      |          |

**Product Characteristics**

|                 |       |                     |          |
|-----------------|-------|---------------------|----------|
| <b>Color</b>    | red   | <b>Score</b>        | no score |
| <b>Shape</b>    | ROUND | <b>Size</b>         | 10mm     |
| <b>Flavor</b>   |       | <b>Imprint Code</b> | TCL097   |
| <b>Contains</b> |       |                     |          |

**Packaging**

| # | Item Code        | Package Description   | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:0363-8780-20 | 200 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product | 07/30/2020           | 07/30/2026         |
| 2 | NDC:0363-8780-60 | 1 in 1 BOX  | 07/30/2020           | 07/30/2026         |
| 2 |                  | 60 in 1 BOTTLE; Type 0: Not a Combination Product           |                      |                    |

**Marketing Information**

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M007                                     | 07/30/2020           | 07/30/2026         |

**Labeler** - Walgreens (008965063)