

**CHOCOLATED LAXATIVE- sennosides stimulant laxative tablet, chewable
Cardinal Health (Leader)**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredient (in each piece of 12 piece block)

Sennosides, USP, 15 mg

Purpose

Stimulant laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 6 to 12 hours

Warnings

Do not use

laxative products when abdominal pain, nausea or vomiting are present unless directed by a doctor

Ask a doctor before use if you have

- noticed a sudden change in bowel habits that persists over a period of 2 weeks

Ask a doctor or pharmacist before use if you

- are taking any other drug. Laxatives may affect how other drugs work. Take this product 2 or more hours before or after other drugs.

When using this product

- do not use for a period longer than 1 week

Stop use and ask a doctor if

- rectal bleeding or failure to have a bowel movement occur after use of a laxative. These may be signs of a serious condition.

If pregnant or breast-feeding

ask a health professional before use.

Keep out of reach of children

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

□□□

adults and children 12 years of age and older	• chew 2 chocolated pieces once or twice daily
children 6 to under 12 years of age	• chew 1 chocolated piece once or twice daily
children under 6 years of age	• ask a doctor

Other Information

- **Each piece contains:** □potassium 5 mg
- contains milk and soy ingredients
- gluten free
- store at 15°- 25°C (59°- 77°F)

Inactive Ingredients

cocoa, partially hydrogenated vegetable oils (cottonseed, palm kernel), salt, soy lecithin (an emulsifier), sugar, vanilla, and whey powder (milk)

Questions or comments? 1-877-586-7979

PRINCIPAL DISPLAY PANEL - 15 mg CHEWABLE TABLET CARTON

□LEADER®

NDC 49781-044-24

Chocolated Laxative

Sennosides, USP, 15 mg

Stimulant Laxative

- Relieves Occasional Constipation
- Chocolate Flavored

Compare to ex-lax® active ingredient

Satisfaction Guaranteed

Regular Strength

24 pieces

DISTRIBUTED BY CARDINAL HEALTH,

DUBLIN, OHIO 43017

www.myleader.com 1-800-200-6313

CIN 4914032 Made in the USA

All Leader Brand products are 100% satisfaction guaranteed or return to place of purchase for a full refund

TAMPER EVIDENT: DO NOT USE IF "LAXATIVE" PRINTED INNER POUCH IS TORN OR

OPEN

* This product is not manufactured or distributed by Novartis Consumer Health, Inc., distributor of ex-lax® ex-lax®

is a registered trademark of Novartis AG Basel, Switzerland

CTLE24 Rev 05/13

Void Aqueous

(Questions or comments? 1-877-586-7979)

Inactive ingredients cocoa, partially hydrogenated vegetable oils (coconut oil, palm kernel oil, soy lecithin (an emulsifier), sugar, vanilla, and whey powder (milk))

Other information ■ each piece contains: potassium 5 mg ■ contains milk and soy ingredients ■ gluten free ■ store at 15°-25°C (59°-77°F)

Directions ■ adults and children 12 years of age and older: chew 2 chocolate pieces once or twice daily ■ children 6 to under 12 years of age: chew 1 chocolate piece once or twice daily ■ children under 6 years of age: ask a doctor

Warnings ■ Do not use laxative products when abdominal pain, nausea or vomiting are present unless directed by a doctor

Uses ■ relieves occasional constipation (regularly) ■ generally produces bowel movement in 6 to 12 hours

Active ingredient (in each piece of 12 piece block) Sennosides, USP, 15 mg Stimulant laxative

Drug Facts ■ **Stop use and ask a doctor if:** ■ rectal bleeding or failure to have bowel movement occur after use of a laxative. These may be signs of a serious condition. ■ **When using this product:** ■ do not use for a period longer than 1 week

■ **Take a doctor or pharmacist before use if you:** ■ are taking any other drug. Laxatives may affect how other drugs work. Take this product 2 or more hours before or after other drugs. ■ noticed a sudden change in bowel habits that persists over a period of 2 weeks

■ **Ask a doctor before use if you have:** ■ noticed a sudden change in bowel habits that persists over a period of 2 weeks

■ **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

Warnings ■ Do not use laxative products when abdominal pain, nausea or vomiting are present unless directed by a doctor

Uses ■ relieves occasional constipation (regularly) ■ generally produces bowel movement in 6 to 12 hours

Active ingredient (in each piece of 12 piece block) Sennosides, USP, 15 mg Stimulant laxative

Drug Facts ■ **Stop use and ask a doctor if:** ■ rectal bleeding or failure to have bowel movement occur after use of a laxative. These may be signs of a serious condition. ■ **When using this product:** ■ do not use for a period longer than 1 week

■ **Take a doctor or pharmacist before use if you:** ■ are taking any other drug. Laxatives may affect how other drugs work. Take this product 2 or more hours before or after other drugs. ■ noticed a sudden change in bowel habits that persists over a period of 2 weeks

■ **Ask a doctor before use if you have:** ■ noticed a sudden change in bowel habits that persists over a period of 2 weeks

■ **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

Warnings ■ Do not use laxative products when abdominal pain, nausea or vomiting are present unless directed by a doctor

Uses ■ relieves occasional constipation (regularly) ■ generally produces bowel movement in 6 to 12 hours

Active ingredient (in each piece of 12 piece block) Sennosides, USP, 15 mg Stimulant laxative

Drug Facts ■ **Stop use and ask a doctor if:** ■ rectal bleeding or failure to have bowel movement occur after use of a laxative. These may be signs of a serious condition. ■ **When using this product:** ■ do not use for a period longer than 1 week

■ **Take a doctor or pharmacist before use if you:** ■ are taking any other drug. Laxatives may affect how other drugs work. Take this product 2 or more hours before or after other drugs. ■ noticed a sudden change in bowel habits that persists over a period of 2 weeks

■ **Ask a doctor before use if you have:** ■ noticed a sudden change in bowel habits that persists over a period of 2 weeks

■ **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

Warnings ■ Do not use laxative products when abdominal pain, nausea or vomiting are present unless directed by a doctor

Uses ■ relieves occasional constipation (regularly) ■ generally produces bowel movement in 6 to 12 hours

Active ingredient (in each piece of 12 piece block) Sennosides, USP, 15 mg Stimulant laxative

Drug Facts ■ **Stop use and ask a doctor if:** ■ rectal bleeding or failure to have bowel movement occur after use of a laxative. These may be signs of a serious condition. ■ **When using this product:** ■ do not use for a period longer than 1 week

■ **Take a doctor or pharmacist before use if you:** ■ are taking any other drug. Laxatives may affect how other drugs work. Take this product 2 or more hours before or after other drugs. ■ noticed a sudden change in bowel habits that persists over a period of 2 weeks

■ **Ask a doctor before use if you have:** ■ noticed a sudden change in bowel habits that persists over a period of 2 weeks

■ **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

Warnings ■ Do not use laxative products when abdominal pain, nausea or vomiting are present unless directed by a doctor

Uses ■ relieves occasional constipation (regularly) ■ generally produces bowel movement in 6 to 12 hours

Active ingredient (in each piece of 12 piece block) Sennosides, USP, 15 mg Stimulant laxative

Drug Facts ■ **Stop use and ask a doctor if:** ■ rectal bleeding or failure to have bowel movement occur after use of a laxative. These may be signs of a serious condition. ■ **When using this product:** ■ do not use for a period longer than 1 week

■ **Take a doctor or pharmacist before use if you:** ■ are taking any other drug. Laxatives may affect how other drugs work. Take this product 2 or more hours before or after other drugs. ■ noticed a sudden change in bowel habits that persists over a period of 2 weeks

■ **Ask a doctor before use if you have:** ■ noticed a sudden change in bowel habits that persists over a period of 2 weeks

■ **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

Warnings ■ Do not use laxative products when abdominal pain, nausea or vomiting are present unless directed by a doctor

Uses ■ relieves occasional constipation (regularly) ■ generally produces bowel movement in 6 to 12 hours

Active ingredient (in each piece of 12 piece block) Sennosides, USP, 15 mg Stimulant laxative

Drug Facts ■ **Stop use and ask a doctor if:** ■ rectal bleeding or failure to have bowel movement occur after use of a laxative. These may be signs of a serious condition. ■ **When using this product:** ■ do not use for a period longer than 1 week

■ **Take a doctor or pharmacist before use if you:** ■ are taking any other drug. Laxatives may affect how other drugs work. Take this product 2 or more hours before or after other drugs. ■ noticed a sudden change in bowel habits that persists over a period of 2 weeks

■ **Ask a doctor before use if you have:** ■ noticed a sudden change in bowel habits that persists over a period of 2 weeks

■ **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

Warnings ■ Do not use laxative products when abdominal pain, nausea or vomiting are present unless directed by a doctor

Uses ■ relieves occasional constipation (regularly) ■ generally produces bowel movement in 6 to 12 hours

Active ingredient (in each piece of 12 piece block) Sennosides, USP, 15 mg Stimulant laxative

Chocolated Laxative

NDC 49781-044-24

LEADER

LEADER

Compare to ex-lax[®] active ingredients

Chocolated Laxative

Sennosides, USP, 15 mg Stimulant Laxative

• Relieves Occasional Constipation • Chocolate Flavored

Regular Strength

24 Pieces



TAMPER EVIDENT: DO NOT USE IF "LAXATIVE" PRINTED INNER POUCH IS TORNI OR OPEN.

*This product is not manufactured or distributed by Novartis Consumer Health, Inc. "ex-lax" is a registered trademark of Novartis AG, Basel, Switzerland.

CTLE24 Rev. 05/13



0 962951 12507 8

Lot No:
Exp Date:

Void Aqueous & Color

DISTRIBUTED BY CARDINAL HEALTH, DUBLIN, OHIO 43017 www.myleader.com CIN 4914032

All Leader[®] Brand products are 100% satisfaction guaranteed or return to place of purchase for a full refund.

1-800-200-6313 Made in the USA

CHOCOLATED LAXATIVE

sennosides stimulant laxative tablet, chewable

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49781-044
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SENNOSIDES (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX)	SENNOSIDES	15 mg

Inactive Ingredients

Ingredient Name	Strength
COCOA (UNII: D9108TZ9KG)	
COTTON SEED (UNII: D10ZRJ0MXN)	
PALM KERNEL OIL (UNII: B0S90M0233)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
SUCROSE (UNII: C151H8M554)	
VANILLA (UNII: Q74T35078H)	
WHEY (UNII: 8617Z5FMF6)	

Product Characteristics

Color	brown	Score	no score
Shape	RECTANGLE	Size	9mm
Flavor	CHOCOLATE	Imprint Code	CL
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49781-044-24	2 in 1 CARTON		
1		12 in 1 POUCH		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part334	04/01/2014	

Labeler - Cardinal Health (Leader) (097537435)

Registrant - Aphenia Pharma Solutions-NewYork, LLC (078573647)

Establishment

Name	Address	ID/FEI	Business Operations
Aphenia Pharma Solutions-New York, LLC		078573647	manufacture(49781-044) , pack(49781-044) , label(49781-044)

Revised: 4/2014

Cardinal Health (Leader)