

BERKLEY AND JENSEN SLEEP AID- diphenhydramine hcl solution

BJWC

BJWC Sleep-Aid Drug Facts

Active ingredient (in each 30 mL)

Diphenhydramine HCl 50 mg

Purpose

Nighttime sleep-aid

Uses

- for the relief of occasional sleeplessness
- reduces time to fall asleep if you have difficulty falling asleep

Warnings

Do not use

- for children under 12 years of age
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers

When using this product

- avoid alcoholic beverages

Stop use and ask a doctor if

sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of serious underlying medical illness.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- take only one dose per day (24 hours)
- only use the dose cup provided

adults & children 12 yrs & over	30 mL at bed time if needed or as directed by a doctor
children under 12 yrs	do not use

Other information

- **each 30 mL contains:** sodium 20 mg
- store at 20-25°C (68-77°F)

Inactive ingredients

alcohol, anhydrous citric acid, FD&C blue #1, FD&C red #40, flavor, high fructose corn syrup, poloxamer 407, propylene glycol, purified water, saccharin sodium, sodium benzoate, sodium citrate

Questions or comments?

1-800-BJS-CLUB

Package/Label Principal Display Panel

Compare to the Active Ingredient in Vicks[®] ZzzQuil[®]

berkley jensen[®]

Compare to the Active Ingredient in Vicks[®] ZzzQuil[®]

berkley jensen[®]

SLEEP-AID

DIPHENHYDRAMINE HCl 50 mg PER 30 mL

NIGHTTIME SLEEP-AID

NON-HABIT FORMING

NOT FOR TREATING COLD OR FLU

10% ALCOHOL

NIGHTTIME SLEEP-AID

SLEEP-AID

DIPHENHYDRAMINE HCl 50 mg PER 30 mL

HELPS YOU FALL ASLEEP • NON-HABIT FORMING

100% MONEY-BACK GUARANTEE

BERRY FLAVOR

THREE 12 FL OZ (355mL) BOTTLES, TOTAL 36 FL OZ (2.25 pt) 1.06L

Compare to the Active Ingredient in Vicks® ZzzQuil®*

berkley
jensen®

Compare to the Active
Ingredient in Vicks® ZzzQuil®*

berkley
jensen.

SLEEP-AID

DIPHENHYDRAMINE HCl
50mg PER 30mL

NIGHTTIME SLEEP-AID

NON-HABIT FORMING
NOT FOR TREATING COLD OR FLU
10% ALCOHOL

Compare to the Active
Ingredient in Vicks® ZzzQuil®*

berkley
jensen.

SLEEP-AID

DIPHENHYDRAMINE HCl
50mg PER 30mL

NIGHTTIME SLEEP-AID

NON-HABIT FORMING
NOT FOR TREATING COLD OR FLU
10% ALCOHOL

Compare to the Active
Ingredient in Vicks® ZzzQuil®*

berkley
jensen.

SLEEP-AID

DIPHENHYDRAMINE HCl
50mg PER 30mL

NIGHTTIME SLEEP-AID

NON-HABIT FORMING
NOT FOR TREATING COLD OR FLU
10% ALCOHOL

NIGHTTIME SLEEP-AID



BERRY FLAVOR

SLEEP-AID

DIPHENHYDRAMINE HCl 50 mg PER 30 mL
HELPS YOU FALL ASLEEP • NON-HABIT FORMING

100%
MONEY-BACK
GUARANTEE

THREE **12** FL OZ (355mL) BOTTLES, TOTAL **36** FL OZ (2.25pt) 1.06L

EJ #244610
Manf. #17 5709008



Compare to the Active Ingredient in Vicks® ZzzQuil®*



SLEEP-AID

DIPHENHYDRAMINE HCl 50mg PER 30mL

NIGHTTIME SLEEP-AID

HELPS YOU FALL ASLEEP • NON-HABIT FORMING

Drug Facts		Drug Facts (continued)	
Active ingredient (in each 30 mL) Diphenhydramine HCl 50 mg	Purpose Nighttime sleep-aid	If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).	
Uses <ul style="list-style-type: none"> For the relief of occasional sleeplessness reduces time to fall asleep if you have difficulty falling asleep 		Directions <ul style="list-style-type: none"> take only one dose per day (24 hours) only use the dose cup provided 	
Warnings Do not use <ul style="list-style-type: none"> for children under 12 years of age with any other product containing diphenhydramine, even one used on skin 		adults & children 12 yrs & over	30 mL at bed time if needed or as directed by a doctor
Ask a doctor before use if you have <ul style="list-style-type: none"> a breathing problem such as emphysema or chronic bronchitis glaucoma difficulty in urination due to enlargement of the prostate gland 		children under 12 yrs	do not use
Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers		Other information <ul style="list-style-type: none"> each 30 mL contains: sodium 20 mg store at 20-25°C (68-77°F) 	
When using this product	avoid alcohol; beverage	Inactive ingredients alcohol, anhydrous citric acid, FD&C blue #1, FD&C red #40, flavor, high fructose corn syrup, polyoxamer 407, propylene glycol, purified water, saccharin sodium, sodium benzoate, sodium citrate	
Stop use and ask a doctor if sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of serious underlying medical illness.		Questions or comments? 1-800-BJS-CLUB	

DO NOT USE IF PRINTED NECKBAND IS BROKEN OR MISSING

GLUTEN FREE



Every Berkley Jensen product comes with our 100% Money-Back Guarantee.

Distributed by:
BJS Wholesale Club, Inc.
350 Campus Drive
Marlborough, MA 01752

*This product is not manufactured or distributed by Procter & Gamble, distributor of Vicks® ZzzQuil®.

BERKLEY AND JENSEN SLEEP AID

diphenhydramine hcl solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68391-186
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	50 mg in 30 mL

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
HIGH FRUCTOSE CORN SYRUP (UNII: XY6UN3QB6S)	
POLOXAMER 407 (UNII: TUF21VW3M2)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	

Product Characteristics

Color	PURPLE	Score	
Shape		Size	
Flavor	BERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68391-186-40	3 in 1 CARTON	07/23/2020	
1		355 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M010	07/23/2020	

Labeler - BJWC (159082692)