

**TRIPLE ANTIBIOTIC PLUS PAIN RELIEF- bacitracin, neomycin, polymyxin b,  
pramoxine hcl ointment  
Kroger Company**

-----  
**Kroger Co. Triple Antibiotic + Pain Relieving Ointment Drug Facts**

**Active ingredients (in each gram)**

Bacitracin zinc 500 units

Neomycin sulfate equivalent to 3.5 mg of neomycin base

Polymyxin B 10,000 units as polymyxin B sulfate

Pramoxine HCl 10 mg

**Purpose**

First aid antibiotic

External analgesic

**Uses**

first aid to help prevent infection and for temporary relief of pain or discomfort in minor:

- cuts
- scrapes
- burns

**Warnings**

**For external use only.**

**Do not use**

- if you are allergic to any of the ingredients
- in the eyes
- over large areas of the body

**Ask a doctor before use if you have**

- deep or puncture wounds
- animal bites
- serious burns

**Stop use and ask a doctor if**

- you need to use longer than 1 week

- condition persists or gets worse
- symptoms persist for more than 1 week, or clear up and occur again within a few days
- rash or other allergic reaction develops

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

**Directions**

- adults and children 2 years of age or older:
- clean the affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage
- children under 2 years of age: ask a doctor

**Other information**

- store at 20-25°C (68-77°F)

**Inactive ingredient**

white petrolatum

**Questions or comments?**

**1-800-632-6900**

**Principal Display Panel**

COMPARE TO active ingredients of NEOSPORIN® + PAIN RELIEF See back panel

Maximum Strength

Triple Antibiotic + Pain Relieving Ointment

First Aid Antibiotic/Pain Relieving Ointment

Bacitracin Zinc

Neomycin Sulfate

Polymyxin B Sulfate

Pramoxine HCl

NET WT 1 OZ (28g)

COMPARE TO active ingredients  
of NEOSPORIN® + PAIN RELIEF  
\*See back panel



NDC 30142-679-64

Maximum Strength

# Triple Antibiotic + Pain Relieving Ointment

First Aid Antibiotic/Pain Relieving Ointment

Bacitracin Zinc  
Neomycin Sulfate

Polymyxin B Sulfate  
Pramoxine HCl

NET WT 1 OZ (28g)



DISTRIBUTED BY THE KROGER CO.  
CINCINNATI, OHIO 45202  
QUALITY GUARANTEE  
www.kroger.com

This product is not affiliated with, manufactured by, or produced by the makers of Neosporin®.

Questions or comments? 1-800-632-6900

Inactive ingredient white petrolatum

Other information store at 20-25°C (68-77°F)

Drug Facts (continued)

**Drug Facts (continued)**

**Directions**

- adults and children 2 years of age or older
- clean the affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage
- children under 2 years of age: ask a doctor

**Drug Facts (continued)**

Stop use and ask a doctor if

- condition persists or gets worse
- symptoms persist for more than 1 week, or clear up and occur again within a few days
- rash or other allergic reaction develops

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

**Drug Facts (continued)**

**Warnings**

- Do not use
- if you are allergic to any of the ingredients
- in the eyes
- External analgesic

**Purpose**

First aid antibiotic

**Active ingredients (in each gram)**

Bacitracin zinc 500 units

Neomycin sulfate equivalent to 3.5 mg of neomycin base

Polymyxin B 10,000 units as polymyxin B sulfate

Pramoxine HCl 10 mg

**Uses**

first aid to help prevent infection and for temporary relief of pain or discomfort in minor:

- cuts
- scrapes
- burns

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

**Drug Facts (continued)**

**Warnings**

- Do not use
- if you are allergic to any of the ingredients
- in the eyes
- External analgesic

**Purpose**

First aid antibiotic

**Active ingredients (in each gram)**

Bacitracin zinc 500 units

Neomycin sulfate equivalent to 3.5 mg of neomycin base

Polymyxin B 10,000 units as polymyxin B sulfate

Pramoxine HCl 10 mg

**Uses**

first aid to help prevent infection and for temporary relief of pain or discomfort in minor:

- cuts
- scrapes
- burns

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

## Triple Antibiotic + Pain Relieving Ointment

Maximum Strength

## TRIPLE ANTIBIOTIC PLUS PAIN RELIEF

bacitracin, neomycin, polymyxin b, pramoxine hcl ointment

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:30142-679
Route of Administration	TOPICAL		

<b>Active Ingredient/Active Moiety</b>				
<b>Ingredient Name</b>		<b>Basis of Strength</b>	<b>Strength</b>	
<b>BACITRACIN ZINC</b> (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)		BACITRACIN	500 [USP'U] in 1 g	
<b>NEOMYCIN SULFATE</b> (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)		NEOMYCIN	3.5 mg in 1 g	
<b>POLYMYXIN B SULFATE</b> (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ 07J96K)		POLYMYXIN B	10000 [USP'U] in 1 g	
<b>PRAMOXINE HYDROCHLORIDE</b> (UNII: 88AYB867L5) (PRAMOXINE - UNII:068X84E056)		PRAMOXINE HYDROCHLORIDE	10 mg in 1 g	
<b>Inactive Ingredients</b>				
<b>Ingredient Name</b>			<b>Strength</b>	
<b>PETROLATUM</b> (UNII: 4T6H12BN9U)				
<b>Product Characteristics</b>				
<b>Color</b>	YELLOW (Translucent)		<b>Score</b>	
<b>Shape</b>			<b>Size</b>	
<b>Flavor</b>			<b>Imprint Code</b>	
<b>Contains</b>				
<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:30142-679-64	1 in 1 CARTON	04/27/2017	
1		28 g in 1 TUBE; Type 0: Not a Combination Product		
<b>Marketing Information</b>				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M004	04/27/2017		

**Labeler** - Kroger Company (006999528)

Revised: 10/2024

Kroger Company