

**RITE AID ANTI-ITCH- diphenhydramine hcl 2% gel**  
**Rite Aid**

-----  
**Rite Aid Anti-Itch Gel, Diphenhydramine HCl 2%**

Diphenhydramine HCl 2%

Topical Analgesic.

For the temporary relief of pain and itching associated with insect bites, minor burns, sunburn, minor cuts, scrapes, minor skin irritations, and rashes due to poison ivy, oak, and sumac.

**For external use only. Do not use** on large areas of the body, with any other products containing diphenhydramine, even one taken by mouth. **Ask a doctor before use** on chicken pox or measles. **When using this product** avoid contact with eyes. **Stop use and ask a doctor if** condition worsens, if symptoms persist for more than 7 days or clear up and occur again within a few days.

If swallowed, get medical help or contact a Poison Control Center right away.

Do not use more than directed. Adults and children 12 years of age and older, apply to the affected area not more than 3 to 4 times daily. Children under 12 years of age: ask a doctor.

Camphor, Citric Acid, Ethylhexylglycerin, Glycerin, Hydroxypropyl Methylcellulose, Phenoxyethanol, Propylene Glycol, SD Alcohol 38-B, Sodium Citrate, Water.

Compare to the active ingredient in **Benadryl®\***

**FREE** FROM **PARABEN FREE**  
**FRAGRANCE FREE**

# EXTRA STRENGTH ANTI-ITCH GEL

**DIPHENHYDRAMINE HCl 2%**

**TOPICAL ANALGESIC  
FOR SKIN USE ONLY**

cooling relief for  
most outdoor itches,  
insect bites, poison ivy,  
oak & sumac, mosquito bites,  
sunburn, minor cuts  
& scrapes



**3.5 FL OZ (103 mL)**

## Drug Facts

Active ingredient	Purpose
Diphenhydramine HCl 2%.....	Topical Analgesic

## Uses

For the temporary relief of pain and itching associated with:

- insect bites
- minor burns
- sunburn
- minor cuts
- scrapes
- minor skin irritations
- rashes due to poison ivy, poison oak and poison sumac

## Warnings

**For external use only**

**Do not use** • on large areas of the body  
• with any other products containing diphenhydramine, even one taken by mouth

**Ask a doctor before use** • on chicken pox • on measles

**When using this product** avoid contact with eyes

**Stop use and ask a doctor if** • condition worsens • symptoms persist for more than 7 days or clear up and occur again within a few days

**Keep out of the reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away

## Directions

- do not use more than directed
- adults and children 2 years or older: apply to affected area not more than 3 to 4 times daily
- children under 2 years of age: ask a doctor

**Other Information** store at room temperature

## Inactive ingredients

camphor, citric acid, ethylhexylglycerin, glycerin, hydroxypropyl methylcellulose, phenoxyethanol, propylene glycol, SD alcohol 38-B, sodium citrate, water.

\*This product is not manufactured or distributed by Johnson & Johnson Consumer Inc, owner of the registered trademark Benadryl®



**DISTRIBUTED BY: RITE AID,**  
30 HUNTER LANE, CAMP HILL, PA 17011  
[www.riteaid.com](http://www.riteaid.com)

**SATISFACTION GUARANTEE:**  
If you're not satisfied,  
we'll happily refund your money.

## RITE AID ANTI-ITCH

diphenhydramine hcl 2% gel

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:11822-1070
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>DIPHENHYDRAMINE HYDROCHLORIDE</b> (UNII: TC2D6JAD40)	DIPHENHYDRAMINE	2 g

(DIPHENHYDRAMINE - UNII:8GTS82S83M) HYDROCHLORIDE in 100 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>CAMPHOR (SYNTHETIC)</b> (UNII: 5TJD82A1ET)	
<b>HYPROMELLOSES</b> (UNII: 3NXW29V3WO)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>SODIUM CITRATE</b> (UNII: 1Q73Q2JULR)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-1070-3	103 mL in 1 TUBE; Type 0: Not a Combination Product	03/31/2021	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	03/31/2021	

**Labeler** - Rite Aid (014578892)

**Registrant** - Derma Care Research Labs, LLC (116817470)

Revised: 12/2024

Rite Aid