

ACETAMINOPHEN- acetaminophen tablet
WAL-MART STORES INC

8 Hour
Arthritis Pain Relief
Acetaminophen Extended-release Tablets USP, 650 mg

Active ingredient

(in each caplet)
Acetaminophen USP, 650 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
- minor pain of arthritis
- muscular aches
- backache
- premenstrual and menstrual cramps
- the common cold
- headache
- toothache

- temporarily reduces fever

Liver warning

This product contains acetaminophen. Severe liver damage may occur if you take

- more than 6 caplets in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert

acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have

liver disease

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast feeding

ask a health professional before use.

Keep out of reach of children

Keep out of reach of children

Overdose warning

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than directed (see overdose warning)**

adults

- take 2 caplets every 8 hours with water
- swallow whole; do not crush, chew, split or dissolve

- do not take more than 6 caplets in 24 hours
- do not use for more than 10 days unless directed by a doctor under 18 years of age
- ask a doctor

Other information

- store between 20-25°C (68-77°F)
- **do not use if foil inner seal is broken or missing**

Inactive ingredients

hydroxy ethyl cellulose, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, povidone, pregelatinized starch, sodium starch glycolate, stearic acid.

Questions or comments?

1-888-297-1915

Principal Display Panel

78180000007
56070000002

equate™
8HR Arthritis
Pain Relief
Acetaminophen
Extended-Release
Tablets USP, 650 mg

Drug Facts (continued)
If a skin reaction occurs, stop use and seek medical help right away.
Do not use
with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
if you are allergic to acetaminophen or any of the inactive ingredients in this product.
Ask a doctor before use if you have liver disease.
Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.
Stop use and ask a doctor if
pain gets worse or lasts more than 10 days
fever gets worse or lasts more than 3 days
new symptoms occur
redness or swelling is present.
These could be signs of a serious condition.
If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children.
Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away, (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.
Directions
do not take more than directed (see overdose warning)
adults take 2 caplets every 8 hours with water
swallow whole; do not crush, chew, split or dissolve

Drug Facts (continued)
do not take more than 6 caplets in 24 hours
do not use for more than 10 days unless directed by a doctor
ask a doctor
under 18 years of age
Other information
store between 20-25°C (68-77°F)
do not use if foil inner seal is broken or missing
Inactive ingredients
hydroxy ethyl cellulose, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, povidone, pregelatinized starch, sodium starch glycolate, stearic acid.
Questions or comments? 1-888-282-4915
Satisfaction guaranteed - Or we'll replace it or give you your money back. For questions or comments or to report an undesired reaction or side effect, please call 1-888-282-4915.
DISTRIBUTED BY: Wal-Mart Inc., Bentonville, AR 72716
PRODUCT OF INDIA
This product is not manufactured or distributed by McNeil Consumer Healthcare, owner of the registered trademark Tylenol® 8HR Arthritis Pain.
PAPER BOX
PLASTIC BOTTLE
See important information on the back of the box.

NDC 79503-157-24

equate™
8HR Arthritis
Pain Relief
Acetaminophen
Extended-Release
Tablets USP, 650 mg



Pain Reliever/Fever Reducer
For the Temporary Relief of Minor Arthritis Pain
Contains No Aspirin
650 mg EACH
24 CAPLETS**
Actual Size
**Capsule-Shaped Bi-Layer Tablets

Important: Read all product information before using. Keep the carton for important information.
Do not use if foil inner seal is broken or missing

Drug Facts
Active ingredient (in each caplet) Acetaminophen USP, 650 mg
Purpose Pain reliever/fever reducer
Uses
temporarily relieves minor aches and pains due to:
minor pain of arthritis
muscular aches
backache
premenstrual and menstrual cramps
the common cold
headache
toothache
temporarily reduces fever
Warnings
Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take more than 6 caplets in 24 hours, which is the maximum daily amount.
with other drugs containing acetaminophen
3 or more alcoholic drinks every day while using this product
Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include:
skin redness
hives
rash

200000004095
700000003187

* 634803
1 94346 02913 6

Lot
Exp.



Principal Display Panel

equate™ NDC 79903-137-99
 TO OPEN: PUSH AND TURN CAP. READ THE LABEL →

8HR Arthritis Pain Relief Acetaminophen
 Extended-Release Tablets USP, 650 mg

Compare to Tylenol® 8HR Arthritis Pain active ingredient*

650 mg EACH **100 CAPLETS**

Actual Size

Pain Reliever/Fever Reducer For the Temporary Relief of Minor Arthritis Pain Contains No Aspirin

DO NOT USE WITH OTHER MEDICINES CONTAINING ACETAMINOPHEN

***Capulet-Shaped Bi-Layer Tablets

Important: Read product information before using.
 Do not use if foil inner seal is broken or missing.

Drug Facts
Active Ingredient (in each caplet) Acetaminophen USP 650 mg Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - muscular aches
 - backache
 - premenstrual and menstrual cramps
 - the common cold
 - headache
 - toothache
- temporarily reduces fever

Warnings
 Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 6 caplets in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 2 or more alcoholic drinks every day while using this product

Always alert: acetaminophen may cause severe skin reactions. Symptoms may include:

- skin redness
- hives
- itch

 Do not use if a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist
- if you are allergic to acetaminophen or any of the inactive ingredients in this product.

 (CONTINUED ON BACK OF LABEL)

Satisfaction guaranteed. For questions or comments please call 1-800-321-2485.

©2011 Bayer HealthCare Pharmaceuticals Inc., Berkeley, CA 94705

Recycling info: how2recycle.com

Check it out! Recycle your plastic bottle.

LOT: 20C00004466 EXP: 70C000030318

1 94346 02914 3



Inside (adhesive side)

Drug Facts (continued)

Ask a doctor before use if you have liver disease. Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.

Stop use and ask a doctor if:

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- nausea or vomiting is present

 These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.

Directions
 Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away: (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- do not take more than directed (see overdose warning)
- adults:
 - take 2 caplets every 8 hours with water
 - swallow whole; do not crush, chew, split or break
 - do not take more than 6 caplets in 24 hours
 - do not use for more than 10 days unless directed by a doctor
- children under 18 years:
 - ask a doctor

Other information
 store between 20°-25° C (68°-77°)
 do not use if foil inner seal is broken or missing

Inactive ingredients
 hydroxy ethyl cellulose, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polybutyl methacrylate, polyvinyl alcohol, sodium starch glycolate, stearic acid.

Questions or comments?
 1-888-267-1815

ACETAMINOPHEN

acetaminophen tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:79903-137
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	650 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
POVIDONE (UNII: FZ989GH94E)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B)	
HYDROXYETHYL CELLULOSE (4000 MPA.S AT 1%) (UNII: ZYD53NBL45)	
HYPROMELLOSE 2910 (6 MPA.S) (UNII: 0WZ8WG20P6)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	

Product Characteristics

Color	white (White to off white)	Score	no score
Shape	OVAL (CAPSULE SHAPED, BICONVEX INTACT FILM COATED TABLETS)	Size	19mm
Flavor		Imprint Code	G;650
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:79903-137-99	100 in 1 BOTTLE; Type 0: Not a Combination Product	11/29/2022	
2	NDC:79903-137-24	24 in 1 BOTTLE; Type 0: Not a Combination Product	11/29/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA211544	11/29/2022	

Labeler - WAL-MART STORES INC (051957769)

Revised: 12/2025

WAL-MART STORES INC