

**DOLCE AND GABBANA GET YOUR HEALTHY GLOWY SKIN BERGAMOT GLOW
PRIMER BLUEBERRY NUTRI TINT- zinc oxide
Dolce & Gabbana Beauty S.R.L**

**Dolce & Gabbana Get Your Healthy Glow Skin Bergamot Glow Primer
Blueberry Nutri-Tint**

Drug Facts

Active ingredients

Zinc Oxide 6.7%

Purpose

Sunscreen

Uses

- Helps prevent sunburn
- If uses directed with others sun protection measures (see **Directions**) decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use

on damaged or broken skin.

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away

Directions

- Apply generously 15 minutes before sun exposure
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin

cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m. - 2 p.m.
- Wear long-sleeved shirts, pants, hats, and sunglasses
- Children under 6 months of age: ask a doctor

SHAKE WELL BEFORE USE

Other information

Protect the product in this container from excessive heat and direct sun.

Inactive ingredients

WATER/EAU (AQUA), DIMETHICONE, C12-15 ALKYL BENZOATE, PHENYL TRIMETHICONE, TALC, PEG-10 DIMETHICONE, DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, TRIMETHYLSILOXYSILICATE, GLYCERIN, ISOSTEARYL NEOPENTANOATE, GLYCERYL GLUCOSIDE, BIS-PEG/PPG 14/14 DIMETHICONE, ISODODECANE, PHENOXYETHANOL, SODIUM CHLORIDE, MICA, MAGNESIUM SULFATE, MENTHOXYPROPANEDIOL, SODIUM DEHYDROACETATE, HYDROGEN DIMETHICONE, TRIETHOXYCAPRYLYLSILANE, BENZOIC ACID, C24-28 ALKYL METHICONE, DISTEARDIMONIUM HECTORITE, SILICA, ALUMINUM HYDROXIDE, DEHYDROACETIC ACID, VACCINIUM MYRTILLUS FRUIT EXTRACT, PROPYLENE CARBONATE, ETHYLHEXYLGLYCERIN, LAURETH-4, POTASSIUM SORBATE, SODIUM BENZOATE, LACTIC ACID, PENTAERYTHRITYL TETRA-DI-T-BUTYL HYDROXYHYDROCINNAMATE: +/- MAY CONTAIN: TITANIUM DIOXIDE (CI 77891), IRON OXIDES (CI 77491), IRON OXIDES (CI 77492), IRON OXIDES (CI 77499)

Drug Facts

Active ingredients

Zinc Oxide 6.7%

Purpose

Sunscreen

Uses

- Helps prevent sunburn
- If uses directed with others sun protection measures (see **Directions**) decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use

on damaged or broken skin.

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away

Directions

- Apply generously 15 minutes before sun exposure
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m. - 2 p.m.
 - Wear long-sleeved shirts, pants, hats, and sunglasses
 - Children under 6 months of age: ask a doctor

SHAKE WELL BEFORE USE**Other information**

Protect the product in this container from excessive heat and direct sun.

Inactive ingredients

WATER/EAU (AQUA), DIMETHICONE, C12-15 ALKYL BENZOATE, PHENYL TRIMETHICONE, TALC, PEG-10 DIMETHICONE, DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, TRIMETHYLSILOXYSILICATE, GLYCERIN, ISOSTEARYL NEOPENTANOATE, GLYCERYL GLUCOSIDE, BIS-PEG/PPG 14/14 DIMETHICONE, ISODODECANE, PHENOXYETHANOL, SODIUM CHLORIDE, MICA, MAGNESIUM SULFATE, MENTHOXYPROPANEDIOL, SODIUM DEHYDROACETATE, HYDROGEN DIMETHICONE, TRIETHOXYCAPRYLYLSILANE, BENZOIC ACID, C24-28 ALKYL METHICONE, DISTEARDIMONIUM HECTORITE, SILICA, ALUMINUM HYDROXIDE, DEHYDROACETIC ACID, VACCINIUM MYRTILLUS FRUIT EXTRACT, PROPYLENE CARBONATE, ETHYLHEXYLGLYCERIN, LAURETH-4, POTASSIUM SORBATE, SODIUM BENZOATE, LACTIC ACID, PENTAERYTHRITYL TETRA-DI-T-BUTYL HYDROXYHYDROCINNAMATE: +/- MAY CONTAIN: TITANIUM DIOXIDE (CI 77891), IRON OXIDES (CI 77491), IRON OXIDES (CI 77492), IRON OXIDES (CI 77499)

Drug Facts

Active ingredients

Zinc Oxide 6.7%

Purpose

Sunscreen

Uses

- Helps prevent sunburn
- If uses directed with others sun protection measures (see **Directions**) decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use

on damaged or broken skin.

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply generously 15 minutes before sun exposure
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m. - 2 p.m.
 - Wear long-sleeved shirts, pants, hats, and sunglasses
 - Children under 6 months of age: ask a doctor

SHAKE WELL BEFORE USE

Other information

Protect the product in this container from excessive heat and direct sun.

Inactive ingredients

WATER/EAU (AQUA), DIMETHICONE, C12-15 ALKYL BENZOATE, PHENYL TRIMETHICONE, TALC, PEG-10 DIMETHICONE, DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, TRIMETHYLSILOXYSILICATE, GLYCERIN, ISOSTEARYL NEOPENTANOATE, GLYCERYL GLUCOSIDE, BIS-PEG/PPG-14/14 DIMETHICONE, ISODODECANE, PHENOXYETHANOL, SODIUM CHLORIDE, MICA, MAGNESIUM SULFATE, MENTHOXYPROPANEDIOL, SODIUM DEHYDROACETATE, HYDROGEN DIMETHICONE, TRIETHOXYCAPRYLYLSILANE, BENZOIC ACID, C24-28 ALKYL METHICONE, DISTEARDIMONIUM HECTORITE, SILICA, ALUMINUM HYDROXIDE, DEHYDROACETIC ACID, VACCINIUM MYRTILLUS FRUIT EXTRACT, PROPYLENE CARBONATE, ETHYLHEXYLGLYCERIN, LAURETH-4, POTASSIUM SORBATE, SODIUM BENZOATE, LACTIC ACID, PENTAERYTHRITYL TETRA-DI-T-BUTYL HYDROXYHYDROCINNAMATE: +/- MAY CONTAIN: TITANIUM DIOXIDE (CI 77891), IRON OXIDES (CI 77491), IRON OXIDES (CI 77492), IRON OXIDES (CI 77499)

Drug Facts

Active ingredients

Zinc Oxide 6.7%

Purpose

Sunscreen

Uses

- Helps prevent sunburn
- If uses directed with others sun protection measures (see **Directions**) decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use

on damaged or broken

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply generously 15 minutes before sun exposure
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m. - 2 p.m.
 - Wear long-sleeved shirts, pants, hats, and sunglasses
 - Children under 6 months of age: ask a doctor

SHAKE WELL BEFORE USE

Other information

Protect the product in this container from excessive heat and direct sun.

Inactive ingredients

WATER/EAU (AQUA), DIMETHICONE, C12-15 ALKYL BENZOATE, PHENYL TRIMETHICONE, TALC, PEG-10 DIMETHICONE, DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, TRIMETHYLSILOXYSILICATE, GLYCERIN, ISOSTEARYL NEOPENTANOATE, GLYCERYL GLUCOSIDE, BIS-PEG/PPG-14/14 DIMETHICONE, ISODODECANE, PHENOXYETHANOL, SODIUM CHLORIDE, MICA, MAGNESIUM SULFATE, MENTHOXYPROPANEDIOL, SODIUM DEHYDROACETATE, HYDROGEN DIMETHICONE, TRIETHOXYCAPRYLYLSILANE, BENZOIC ACID, C24-28 ALKYL METHICONE, DISTEARDIMONIUM HECTORITE, SILICA, ALUMINUM HYDROXIDE, DEHYDROACETIC ACID, VACCINIUM MYRTILLUS FRUIT EXTRACT, PROPYLENE CARBONATE, ETHYLHEXYLGLYCERIN, LAURETH-4, POTASSIUM SORBATE, SODIUM BENZOATE, LACTIC ACID, PENTAERYTHRITYL TETRA-DI-T-BUTYL HYDROXYHYDROCINNAMATE: +/- MAY CONTAIN: TITANIUM DIOXIDE (CI 77891), IRON OXIDES (CI 77491), IRON OXIDES (CI 77492), IRON OXIDES (CI 77499)

Drug Facts

Active ingredients

Zinc Oxide 6.7%

Purpose

Sunscreen

Uses

- Helps prevent sunburn
- If uses directed with others sun protection measures (see **Directions**) decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use

on damaged or broken skin.

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply generously 15 minutes before sun exposure
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m. - 2 p.m.
 - Wear long-sleeved shirts, pants, hats, and sunglasses
 - Children under 6 months of age: ask a doctor

SHAKE WELL BEFORE USE

Other information

Protect the product in this container from excessive heat and direct sun.

Inactive ingredients

WATER/EAU (AQUA), DIMETHICONE, C12-15 ALKYL BENZOATE, PHENYL TRIMETHICONE, TALC, PEG-10 DIMETHICONE, DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, TRIMETHYLSILOXYSILICATE, GLYCERIN, ISOSTEARYL NEOPENTANOATE, GLYCERYL GLUCOSIDE, BIS-PEG/PPG-14/14 DIMETHICONE, ISODODECANE, PHENOXYETHANOL, SODIUM CHLORIDE, MICA, MAGNESIUM SULFATE,

MENTHOXYPROPANEDIOL, SODIUM DEHYDROACETATE, HYDROGEN DIMETHICONE, TRIETHOXYCAPRYLYLSILANE, BENZOIC ACID, C24-28 ALKYL METHICONE, DISTEARDIMONIUM HECTORITE, SILICA, ALUMINUM HYDROXIDE, DEHYDROACETIC ACID, VACCINIUM MYRTILLUS FRUIT EXTRACT, PROPYLENE CARBONATE, ETHYLHEXYLGLYCERIN, LAURETH-4, POTASSIUM SORBATE, SODIUM BENZOATE, LACTIC ACID, PENTAERYTHRITYL TETRA-DI-T-BUTYL HYDROXYHYDROCINNAMATE: +/- MAY CONTAIN: TITANIUM DIOXIDE (CI 77891), IRON OXIDES (CI 77491), IRON OXIDES (CI 77492), IRON OXIDES (CI 77499)

Drug Facts

Active ingredients

Zinc Oxide 6.7%

Purpose

Sunscreen

Uses

- Helps prevent sunburn
- If uses directed with others sun protection measures (see **Directions**) decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use

on damaged or broken skin.

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply generously 15 minutes before sun exposure
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin

cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m. - 2 p.m.
- Wear long-sleeved shirts, pants, hats, and sunglasses
- Children under 6 months of age: ask a doctor

SHAKE WELL BEFORE USE

Other information

Protect the product in this container from excessive heat and direct sun.

Inactive ingredients

WATER/EAU (AQUA), DIMETHICONE, C12-15 ALKYL BENZOATE, PHENYL TRIMETHICONE, TALC, PEG-10 DIMETHICONE, DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, TRIMETHYLSILOXYSILICATE, GLYCERIN, ISOSTEARYL NEOPENTANOATE, GLYCERYL GLUCOSIDE, BIS-PEG/PPG-14/14 DIMETHICONE, ISODODECANE, PHENOXYETHANOL, SODIUM CHLORIDE, MICA, MAGNESIUM SULFATE, MENTHOXYPROPANEDIOL, SODIUM DEHYDROACETATE, HYDROGEN DIMETHICONE, TRIETHOXYCAPRYLYLSILANE, BENZOIC ACID, C24-28 ALKYL METHICONE, DISTEARDIMONIUM HECTORITE, SILICA, ALUMINUM HYDROXIDE, DEHYDROACETIC ACID, VACCINIUM MYRTILLUS FRUIT EXTRACT, PROPYLENE CARBONATE, ETHYLHEXYLGLYCERIN, LAURETH-4, POTASSIUM SORBATE, SODIUM BENZOATE, LACTIC ACID, PENTAERYTHRITYL TETRA-DI-T-BUTYL HYDROXYHYDROCINNAMATE: +/- MAY CONTAIN: TITANIUM DIOXIDE (CI 77891), IRON OXIDES (CI 77491), IRON OXIDES (CI 77492), IRON OXIDES (CI 77499)

Kit

| | |
|---|---|
| <p>TRY IT ON YOUR SKIN</p> <p>PRIMER 04W 10N 1BN 28W 40C</p> <p>For the ultimate healthy skin glow, first apply the primer to improve the skin texture & boost hydration, then follow with the skin tint for radiant, sheer to buildable skin coverage.</p> | <p>STEP 2: TINT & GLOW</p> <p>DOLCE & GABBANA</p> <p>BLUEBERRY NUTRI-TINT HYDRA-GLOW & FRESH SKIN TINT SUNSCREEN BROAD SPECTRUM SPF 20</p> <p>BERGAMOT GLOW PRIMER LASTING MAKEUP & GLOW ENHANCER*</p> <p>MADE IN ITALY</p> |
| <p>BERGAMOT GLOW PRIMER LASTING MAKEUP & GLOW ENHANCER*</p> <p>INCI: AQUA, Glycerin, Phenyl Trimethicone, Dimethicone/Vinyl Dimethicone Crosspolymer, Trimethylsiloxysilicate, Glycerin, Isostearyl Neopentanoate, Glyceryl Glucoside, Bis-Peg/Ppg-14/14 Dimethicone, Isododecane, Phenoxyethanol, Sodium Chloride, Mica, Magnesium Sulfate, Menthoxypropanediol, Sodium Dehydroacetate, Hydrogen Dimethicone, Triethoxycaprylylsilane, Benzoic Acid, C24-28 Alkyl Methicone, Disteardimonium Hectorite, Silica, Aluminum Hydroxide, Dehydroacetic Acid, Vaccinium Myrtillus Fruit Extract, Propylene Carbonate, Ethylhexylglycerin, Laureth-4, Potassium Sorbate, Sodium Benzoate, Lactic Acid, Pentaerythrityl Tetra-Di-T-Butyl Hydroxyhydrocinnamate: +/- MAY CONTAIN: Titanium Dioxide (CI 77891), Iron Oxides (CI 77491), Iron Oxides (CI 77492), Iron Oxides (CI 77499)</p> <p>Drug Facts Active Ingredients Sunscreen 6% Purpose Dehydrated When using this product, reapply every 2 hours if exposed to water or sweat. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. Directions Wait 15 minutes before applying makeup. Apply a thin layer of primer to your face, neck and chest. Wait 15 minutes. Then apply a thin layer of tint to your face, neck and chest. Wait 15 minutes. Blend until it is set, especially the 10N shade. Wear long-sleeved shirts, pants, hats, and sunglasses when exposed to the sun. Shake well before use. Inactive Ingredients For the ultimate healthy skin glow, first apply the primer to improve the skin texture & boost hydration, then follow with the skin tint for radiant, sheer to buildable skin coverage.</p> <p>SAMPLE NOT FOR SALE DOLCE&GABBANA.COM/BEAUTY DISTRIBUTED BY DOLCE&GABBANA USA LLC 100-CAIRO DESIGN 101 - MIRANDA BEACH FL 33714-3000 USA MADE IN ITALY RECOMMENDED USE: DERMATOLOGIST TESTED 6x 0.02 FL.OZ (5x 0.6ml)</p> | <p>STEP 1: PREP</p> <p>DOLCE & GABBANA</p> <p>BERGAMOT GLOW PRIMER LASTING MAKEUP & GLOW ENHANCER*</p> <p>MADE IN ITALY</p> |

BERGAMOT GLOW PRIMER



IMPROVED SKIN TEXTURE**
24H HYDRATION**
90% FEEL FRESHNESS***

With Italian Bergamot
known to improve
skin radiance

With Sea Water
known to improve
skin texture

*Clinical test in combination with D&G Blueberry Nutri-tint
Clinical/instrumental test, *Self-evaluation test

BLUEBERRY NUTRI-TINT



24H HYDRATION*
87% FIND SKIN INSTANTLY REFRESHED**
83% FIND SKIN TINT BREATHABLE**

With Italian Blueberry
to improve skin tone
& radiance

With Glyceryl Glucoside
for hydration

*Instrumental test, **Self-evaluation test

Available in 30 shades

LIGHT

01N 02C 03W 05N 06W 07N

LIGHT MEDIUM

09C 10N 11W 12N 15N 16N

MEDIUM

17W 18N 19W 21W 22N 24N

MEDIUM DEEP

25W 26C 28W 29W 30N 31N

DEEP

34W 35W 36N 37W 39N 40C

DOLCE & GABBANA

06W

PRIMER

18N

10N

40C

28W

BERGAMOT GLOW PRIMER
& BLUEBERRY NUTRI-TINT

DOLCE & GABBANA

06W

PRIMER

18N

10N

40C

28W

BERGAMOT GLOW PRIMER
& BLUEBERRY NUTRI-TINT

**DOLCE AND GABBANA GET YOUR HEALTHY GLOWY SKIN
BERGAMOT GLOW PRIMER BLUEBERRY NUTRI TINT**

zinc oxide kit

Product Information

| | | | |
|--------------|----------------|--------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:84003-077 |
|--------------|----------------|--------------------|---------------|

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---------------------|----------------------|--------------------|
| 1 | NDC:84003-077-01 | 1 in 1 KIT | 01/01/2025 | |

Quantity of Parts

| Part # | Package Quantity | Total Product Quantity |
|--------|------------------|------------------------|
| Part 1 | 1 BLISTER PACK | 0.6 mL |
| Part 2 | 1 BLISTER PACK | 0.6 mL |
| Part 3 | 1 BLISTER PACK | 0.6 mL |
| Part 4 | 1 BLISTER PACK | 0.6 mL |
| Part 5 | 1 BLISTER PACK | 0.6 mL |

Part 1 of 5

DOLCE AND GABBANA GET YOUR HEALTHY GLOWY SKIN BERGAMOT GLOW PRIMER AND BLUEBERRY NUTRI TINT 06 W

zinc oxide emulsion

Product Information

| | |
|-------------------------|---------------|
| Item Code (Source) | NDC:84003-078 |
| Route of Administration | TOPICAL |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------|---------------|
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37) | ZINC CATION | 67 mg in 1 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|---|----------|
| WATER (UNII: 059QF0KO0R) | |
| DIMETHICONE (UNII: 92RU3N3Y1O) | |
| ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ) | |
| PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R) | |
| TALC (UNII: 7SEV7J4R1U) | |
| GLYCERIN (UNII: PDC6A3C00X) | |
| ISOSTEARYL NEOPENTANOATE (UNII: 411THY156Q) | |
| GLYCERYL GLUCOSIDE (UNII: 3297VXM8Z6) | |
| BIS-PEG/PPG-14/14 DIMETHICONE (UNII: X2I70H0QE) | |

ISODODECANE (UNII: A8289P68Y2)

PHENOXYETHANOL (UNII: HIE492ZZ3T)

SODIUM CHLORIDE (UNII: 451W47IQ8X)

MICA (UNII: V8A1AW0880)

MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB)

3-((L-MENTHYL)OXY)PROPANE-1,2-DIOL (UNII: KD6TZ2QICH)

SODIUM DEHYDROACETATE (UNII: 8W46YN971G)

TRIETHOXCAPRYLYLSILANE (UNII: LDC331P08E)

BENZOIC ACID (UNII: 8SKN0B0MIM)

DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)

SILICON DIOXIDE (UNII: ETJ7Z6XBU4)

ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)

DEHYDROACETIC ACID (UNII: 2KAG279R6R)

BILBERRY (UNII: 9P2U39H18W)

PROPYLENE CARBONATE (UNII: 8D08K3S51E)

ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)

LAURETH-4 (UNII: 6HQ855798J)

POTASSIUM SORBATE (UNII: 1VPU26JZ4)

SODIUM BENZOATE (UNII: OJ245FE5EU)

LACTIC ACID (UNII: 33X04XA5AT)

PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:84003-078-01 | 1 in 1 CARTON | | |
| 1 | | 0.6 mL in 1 BLISTER PACK; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020 | 01/01/2025 | |

Part 2 of 5

DOLCE AND GABBANA GET YOUR HEALTHY GLOWY SKIN BERGAMOT GLOW PRIMER AND BLUEBERRY NUTRI TINT 10 N
zinc oxide emulsion

Product Information

Item Code (Source) NDC:84003-079

Route of Administration

TOPICAL

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|--------------------------|-----------------|
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37) | ZINC CATION | 67 mg in 1 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|---|-----------------|
| WATER (UNII: 059QF0KO0R) | |
| DIMETHICONE (UNII: 92RU3N3Y1O) | |
| ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ) | |
| PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R) | |
| TALC (UNII: 7SEV7J4R1U) | |
| GLYCERIN (UNII: PDC6A3C00X) | |
| ISOSTEARYL NEOPENTANOATE (UNII: 411THY156Q) | |
| GLYCERYL GLUCOSIDE (UNII: 3297VXM8Z6) | |
| BIS-PEG/PPG-14/14 DIMETHICONE (UNII: X2I70H0QJE) | |
| ISODODECANE (UNII: A8289P68Y2) | |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) | |
| SODIUM CHLORIDE (UNII: 451W47IQ8X) | |
| MICA (UNII: V8A1AW0880) | |
| MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB) | |
| 3-((L-MENTHYL)OXY)PROPANE-1,2-DIOL (UNII: KD6TZ2QICH) | |
| SODIUM DEHYDROACETATE (UNII: 8W46YN971G) | |
| TRIETHOXCAPRYLYLSILANE (UNII: LDC331P08E) | |
| BENZOIC ACID (UNII: 8SKNOB0MIM) | |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L) | |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | |
| ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0) | |
| DEHYDROACETIC ACID (UNII: 2KAG279R6R) | |
| BILBERRY (UNII: 9P2U39H18W) | |
| PROPYLENE CARBONATE (UNII: 8D08K3S51E) | |
| ETHYLHEXYLGLYCERIN (UNII: 147D247K3P) | |
| LAURETH-4 (UNII: 6HQ855798J) | |
| POTASSIUM SORBATE (UNII: 1VPU26JZZ4) | |
| SODIUM BENZOATE (UNII: OJ245FE5EU) | |
| LACTIC ACID (UNII: 33X04XA5AT) | |
| PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|-----------------------------|---------------------------|
| 1 | NDC:84003-079-01 | 1 in 1 CARTON | | |
| 1 | | 0.6 mL in 1 BLISTER PACK; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020 | 01/01/2025 | |

Part 3 of 5

**DOLCE AND GABBANA GET YOUR HEALTHY GLOWY SKIN
BERGAMOT GLOW PRIMER AND BLUEBERRY NUTRI TINT 18 N**
zinc oxide emulsion

Product Information

| | |
|-------------------------|---------------|
| Item Code (Source) | NDC:84003-080 |
| Route of Administration | TOPICAL |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------|---------------|
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37) | ZINC CATION | 67 mg in 1 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| WATER (UNII: 059QF0KOOR) | |
| DIMETHICONE (UNII: 92RU3N3Y1O) | |
| ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ) | |
| PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R) | |
| TALC (UNII: 7SEV7J4R1U) | |
| GLYCERIN (UNII: PDC6A3C00X) | |
| ISOSTEARYL NEOPENTANOATE (UNII: 411THY156Q) | |
| GLYCERYL GLUCOSIDE (UNII: 3297VXM8Z6) | |
| BIS-PEG/PPG-14/14 DIMETHICONE (UNII: X2I70H0QJE) | |
| ISODODECANE (UNII: A8289P68Y2) | |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) | |
| SODIUM CHLORIDE (UNII: 451W47IQ8X) | |
| MICA (UNII: V8A1AW0880) | |
| MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB) | |
| 3-((L-MENTHYL)OXY)PROPANE-1,2-DIOL (UNII: KD6TZ2QICH) | |
| SODIUM DEHYDROACETATE (UNII: 8W46YN971G) | |
| TRIETHOXCAPRYLYLSILANE (UNII: LDC331P08E) | |
| BENZOIC ACID (UNII: 8SKN0B0MIM) | |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L) | |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | |

| |
|--|
| ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0) |
| DEHYDROACETIC ACID (UNII: 2KAG279R6R) |
| BILBERRY (UNII: 9P2U39H18W) |
| PROPYLENE CARBONATE (UNII: 8D08K3S51E) |
| ETHYLHEXYLGLYCERIN (UNII: 147D247K3P) |
| LAURETH-4 (UNII: 6HQ855798J) |
| POTASSIUM SORBATE (UNII: 1VPU26JZZ4) |
| SODIUM BENZOATE (UNII: OJ245FE5EU) |
| LACTIC ACID (UNII: 33X04XA5AT) |
| PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS) |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:84003-080-01 | 1 in 1 CARTON | | |
| 1 | | 0.6 mL in 1 BLISTER PACK; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020 | 01/01/2025 | |

Part 4 of 5

DOLCE AND GABBANA GET YOUR HEALTHY GLOWY SKIN BERGAMOT GLOW PRIMER AND BLUEBERRY NUTRI TINT 28 W

zinc oxide emulsion

Product Information

| | |
|-------------------------|---------------|
| Item Code (Source) | NDC:84003-081 |
| Route of Administration | TOPICAL |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------|---------------|
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37) | ZINC CATION | 67 mg in 1 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|--------------------------|----------|
| WATER (UNII: 059QF0KO0R) | |

| |
|---|
| DIMETHICONE (UNII: 92RU3N3Y1O) |
| ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ) |
| PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R) |
| TALC (UNII: 7SEV7J4R1U) |
| GLYCERIN (UNII: PDC6A3C00X) |
| ISOSTEARYL NEOPENTANOATE (UNII: 411THY156Q) |
| GLYCERYL GLUCOSIDE (UNII: 3297VXM8Z6) |
| BIS-PEG/PPG-14/14 DIMETHICONE (UNII: X2I70H0QJE) |
| ISODODECANE (UNII: A8289P68Y2) |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) |
| SODIUM CHLORIDE (UNII: 451W47IQ8X) |
| MICA (UNII: V8A1AW0880) |
| MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB) |
| 3-((L-MENTHYL)OXY)PROPANE-1,2-DIOL (UNII: KD6TZ2QICH) |
| SODIUM DEHYDROACETATE (UNII: 8W46YN971G) |
| TRIETHOXCAPRYLYLSILANE (UNII: LDC331P08E) |
| BENZOIC ACID (UNII: 8SKN0B0MIM) |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L) |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) |
| ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0) |
| DEHYDROACETIC ACID (UNII: 2KAG279R6R) |
| BILBERRY (UNII: 9P2U39H18W) |
| PROPYLENE CARBONATE (UNII: 8D08K3S51E) |
| ETHYLHEXYLGLYCERIN (UNII: 147D247K3P) |
| LAURETH-4 (UNII: 6HQ855798J) |
| POTASSIUM SORBATE (UNII: 1VPU26JZZ4) |
| SODIUM BENZOATE (UNII: OJ245FE5EU) |
| LACTIC ACID (UNII: 33X04XA5AT) |
| PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS) |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:84003-081-01 | 1 in 1 CARTON | | |
| 1 | | 0.6 mL in 1 BLISTER PACK; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020 | 01/01/2025 | |

Part 5 of 5

DOLCE AND GABBANA GET YOUR HEALTHY GLOWY SKIN

BERGAMOT GLOW PRIMER AND BLUEBERRY NUTRI TINT 40 C

zinc oxide emulsion

Product Information

| | |
|--------------------------------|---------------|
| Item Code (Source) | NDC:84003-082 |
| Route of Administration | TOPICAL |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|--------------------------|-----------------|
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37) | ZINC CATION | 67 mg in 1 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|---|-----------------|
| WATER (UNII: 059QF0KO0R) | |
| DIMETHICONE (UNII: 92RU3N3Y1O) | |
| ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ) | |
| PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R) | |
| TALC (UNII: 7SEV7J4R1U) | |
| GLYCERIN (UNII: PDC6A3C00X) | |
| ISOSTEARYL NEOPENTANOATE (UNII: 411THY156Q) | |
| GLYCERYL GLUCOSIDE (UNII: 3297VXM8Z6) | |
| BIS-PEG/PPG-14/14 DIMETHICONE (UNII: X2I70H0QJE) | |
| ISODODECANE (UNII: A8289P68Y2) | |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) | |
| SODIUM CHLORIDE (UNII: 451W47IQ8X) | |
| MICA (UNII: V8A1AW0880) | |
| MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB) | |
| 3-((L-MENTHYL)OXY)PROPANE-1,2-DIOL (UNII: KD6TZ2QICH) | |
| SODIUM DEHYDROACETATE (UNII: 8W46YN971G) | |
| TRIETHOXCAPRYLYLSILANE (UNII: LDC331P08E) | |
| BENZOIC ACID (UNII: 8SKN0B0MIM) | |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L) | |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | |
| ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0) | |
| DEHYDROACETIC ACID (UNII: 2KAG279R6R) | |
| BILBERRY (UNII: 9P2U39H18W) | |
| PROPYLENE CARBONATE (UNII: 8D08K3S51E) | |
| ETHYLHEXYLGLYCERIN (UNII: 147D247K3P) | |
| LAURETH-4 (UNII: 6HQ855798J) | |
| POTASSIUM SORBATE (UNII: 1VPU26JZ4) | |
| SODIUM BENZOATE (UNII: OJ245FE5EU) | |
| LACTIC ACID (UNII: 33X04XA5AT) | |
| PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:84003-082-01 | 1 in 1 CARTON | | |
| 1 | | 0.6 mL in 1 BLISTER PACK; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020 | 01/01/2025 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020 | 01/01/2025 | |

Labeler - Dolce & Gabbana Beauty S.R.L (442254105)

Revised: 10/2024

Dolce & Gabbana Beauty S.R.L