MOTION SICKNESS RELIEF- meclizine hcl tablet Pharmacy Value Alliance, LLC

PV 778L

Active ingredient (in each tablet)

Meclizine HCI 25mg

Purpose

Antiemetic

Uses

For the prevention and treatment of these symptoms associated with motion sickness • nausea • vomiting • dizziness

Warnings

Do not use in children under 12 years of age unless directed by a doctor.

Ask a doctor before use if you have

- breathing problems, such as emphysema or chronic bronchitis
- glaucoma
- difficulty urinating due to an enlarged prostate gland

A sk a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

When using this product

- drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery
- I f pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- take the first dose ½ hour to 1 hour before starting activity
- Adults and children 12 years of age and over: Take 1-2 tablets once daily, or as

directed by a doctor.

Do not exceed 2 tablets in 24 hours.

Other information

- TAMPER EVIDENT: Do not use if imprinted seal under cap is broken or missing.
- store at 20-25°C (68-77°F); excursions permitted between 15°-30°C (59°-86°F)
- protect from humidity

Inactive ingredients

colloidal silicon dioxide, D&C yellow #10 lake, lactose monohydrate, magnesium stearate, pregelatinized starch.

Questions or comments?

1-800-540-3765

package label

Drug Facts (continued)

Other information

- Tamper Evident: Do not use if imprinted seal under cap is broken or missing.
- store at 20-25°C (68-77°F); excursions permitted between 15°-30°C (59°-86°F)
- protect from heat and humidity

Inactive ingredients colloidal silicon dioxide, D&C yellow #10 lake, lactose monohydrate, magnesium stearate, pregelatinized starch.

Questions or Comments? 1-800-540-3765

*This product is not manufactured or distributed by the owner of the registered trademark DRAMAMINE ®.

Distributed By: Pharmacy Value Alliance, LLC. 407 East Lancaster Avenue Wayne, PA 19087



If for any reason you are not satisfied with this product, please return it to the store where purchased for a full refund.



Less Drowsy Formula

Motion Sickness Relief

MECLIZINE HCI TABLETS/ANTIEMETIC

For Prevention and Treatment of Motion Sickness

All Day Relief

20 Tablets 25 mg each





COMPARE TO ACTIVE INGREDIENT IN DRAMAMINE® LESS DROWSY*

Tablets

Less Drowsy Formula

Motion Sickness Relief

MECLIZINE HYDROCHLORIDE TABLETS/ANTIEMETIC

For Prevention and Treatment of Motion Sickness

All Day Relief

Ages 12 and Over 20 Tablets • 25 mg each



WestRock

Drug Facts SAVE CARTON FOR COMPLETE DRUG FACTS

Active ingredient (in each tablet) Purpose Meclizine HCl 25 mg. Antiemetic

For the prevention and treatment of these symptoms associated with motion sickness nausea • vomiting • dizziness

Do not use for children under 12 years of age unless directed by a doctor.

Ask a doctor before use if you have

- · breathing problems such as emphysema or chronic bronchitis
- glaucoma difficulty urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers,

Drug Facts (continued)

When using this product

- drowsiness may occur avoid alcoholic drinks
- alcohol, sedatives and tranquilizers may increase drowsiness
- · use caution when driving a motor vehicle or operating machinery If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- take the first dose ½ hour to 1 hour before starting activity
- Adults and children 12 years of age and over:

Take 1 to 2 tablets once daily, or as directed by a doctor. Do not exceed 2 tablets in 24 hours.



MOTION SICKNESS RELIEF

meclizine hcl tablet

Product Information

HUMAN OTC DRUG NDC:68016-714 **Product Type** Item Code (Source) **Route of Administration ORAL**

000000

31

00/00

Active Ingredient/Active Moiety Ingredient Name Basis of Strength MECLIZINE HYDROCHLORIDE (UNII: HDP7W44CIO) (MECLIZINE UNII: 3L5TQ84570) MECLIZINE HYDROCHLORIDE 25 mg

Inactive Ingredients			
Ingredient Name	Strength		
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)			
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)			
STARCH, CORN (UNII: O8232NY3SJ)			
MAGNESIUM STEARATE (UNII: 70097M6I30)			
D&C YELLOW NO. 10 ALUMINUM LAKE (UNII: CQ3XH3DET6)			

Product Characteristics					
Color	yellow	Score	no score		
Shape	ROUND	Size	9mm		
Flavor		Imprint Code	44;403		
Contains					

P	Packaging						
#	Item Code	Package Description	Marketing Start Date	Marketing End Date			
1	NDC:68016-714- 20	1 in 1 CARTON	05/01/2022				
1		20 in 1 BOTTLE; Type 0: Not a Combination Product					

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M009	05/01/2022		

Labeler - Pharmacy Value Alliance, LLC (101668460)

Registrant - Geri-Care Pharmaceutical Corp (611196254)

Revised: 10/2023 Pharmacy Value Alliance, LLC