#### **LEMNA MINOR- lemna minor pellet Hahnemann Laboratories, INC.**

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

### LEMNA MINOR 6C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901
TWIST TO OPEN - USE ONLY IF SEALED

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



# LEMNA MINOR 12C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



## LEMNA MINOR 12C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



## LEMNA MINOR 12C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



#### Hahnemann Labs Inc.

#### LEMNA MINOR 30C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE HPUS
Active ingredient:
Listed above
Use:Traditional use
such as diarrhea.
Keep out of reach
of children
Directions: Take 5
pellets orally once

Inactive ingredients:

sucrose

emann Labs Inc. 1940 Fourth St. San Rafael,
TWIST TO OPEN - USE ONLY IF SEA

## LEMNA MINOR 30C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



# LEMNA MINOR 30C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



# LEMNA MINOR 30C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



#### Hahnemann Labs Inc.

#### **LEMNA MINOR** 100C

Min. net wt: 1g **HOMEOPATHIC** MEDICINE HPUS Active ingredient: Listed above Use: Traditional use such as diarrhea. Keep out of reach of children Directions: Take 5 pellets orally once

00000

sucrose

Inactive ingredients:

# LEMNA MINOR 100C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



# LEMNA MINOR 100C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



## LEMNA MINOR 100C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



#### Hahnemann Labs Inc.

#### **LEMNA MINOR** 200C

Min. net wt: 1g **HOMEOPATHIC** MEDICINE HPUS Active ingredient: Listed above Use: Traditional use such as diarrhea. Keep out of reach of children Directions: Take 5 pellets orally once

sucrose 00000

Inactive ingredients:

## LEMNA MINOR 200C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



## LEMNA MINOR 200C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



## LEMNA MINOR 200C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



#### Hahnemann Labs Inc.

#### **LEMNA MINOR** 500C

Min. net wt: 1g **HOMEOPATHIC** MEDICINE HPUS Active ingredient: Listed above Use: Traditional use such as diarrhea. Keep out of reach of children Directions: Take 5 pellets orally once

00000

sucrose

Inactive ingredients:

# LEMNA MINOR 500C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



## LEMNA MINOR 500C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



## LEMNA MINOR 500C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



#### Hahnemann Labs Inc.

#### **LEMNA MINOR 1M**

Min. net wt: 1g **HOMEOPATHIC** MEDICINE HPUS Active ingredient: Listed above Use: Traditional use such as diarrhea. Keep out of reach of children Directions: Take 5 pellets orally once Inactive ingredients:

sucrose 00000

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



#### Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

## LEMNA MINOR 1M

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE **HPUS** 

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: • If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

**Directions:** Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

#### LEMNA MINOR

lemna minor pellet

				ation	

**Product Type** 

HUMAN OTC DRUG

**Route of Administration ORAL**  **Item Code (Source)** 

NDC:37662-0944

**Active Ingredient/Active Moiety** 

	Ingredient Name	<b>Basis of Strength</b>	Strength
l	LEMNA MINOR (UNII: 621HHM46SV) (LEMNA MINOR - UNII:621HHM46SV)	LEMNA MINOR	30 [hp_C]

Inactive Ingredients					
Ingredient Name	Strength				
SUCROSE (UNII: C151H8M554)					

Product Characteristics						
Color	white	Score	no score			
Shape	ROUND	Size	3mm			
Flavor		Imprint Code				
Contains						

P	Packaging						
#	Item Code	Package Description	Marketing Start Date	Marketing End Date			
1	NDC:37662- 0944-1	80 in 1 VIAL, GLASS; Type 0: Not a Combination Product	07/15/2022				
2	NDC:37662- 0944-2	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	07/15/2022				
3	NDC:37662- 0944-3	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	07/15/2022				
4	NDC:37662- 0944-4	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	07/15/2022				

Marketing Information						
plication Number or Monograph Citation	Marketing Start Date	Marketing End Date				
	07/15/2022					
		Citation Date				

Product Information						
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-0943			
Route of Administration	ORAL					

Active Ingredient/Active Moiety						
Ingredient Name	<b>Basis of Strength</b>	Strength				
LEMNA MINOR (UNII: 621HHM46SV) (LEMNA MINOR - UNII:621HHM46SV)	LEMNA MINOR	12 [hp_C]				

Inactive Ingredients					
Ingredient Name	Strength				
SUCROSE (UNII: C151H8M554)					

Product Characteristics						
Color	white	Score	no score			
Shape	ROUND	Size	3mm			
Flavor		Imprint Code				
Contains						

P	Packaging						
#	Item Code	Package Description	Marketing Start Date	Marketing End Date			
1	NDC:37662- 0943-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	07/15/2022				
2	NDC:37662- 0943-2	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	07/15/2022				
3	NDC:37662- 0943-3	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	07/15/2022				

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
unapproved homeopathic		07/15/2022			

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-0945	
Route of Administration	ORAL			

Active Ingredient/Active Moiety				
Ingredient Name	<b>Basis of Strength</b>	Strength		
LEMNA MINOR (UNII: 621HHM46SV) (LEMNA MINOR - UNII:621HHM46SV)	LEMNA MINOR	100 [hp_C]		

Inactive Ingredients				
Ingredient Name	Strength			
SUCROSE (UNII: C151H8M554)				

Product Characteristics						
Color white Score no score						
Shape	ROUND	Size	2mm			
Flavor						
Contains	Contains					

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:37662- 0945-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	07/15/2022		
2	NDC:37662- 0945-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	07/15/2022		
3	NDC:37662- 0945-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	07/15/2022		
4	NDC:37662- 0945-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	07/15/2022		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved homeopathic		07/15/2022		
потпеоранне				

Product Information					
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-0946		
Route of Administration	ORAL				

Active Ingredient/Active Moiety		
Ingredient Name	<b>Basis of Strength</b>	Strength
LEMNA MINOR (UNII: 621HHM46SV) (LEMNA MINOR - UNII:621HHM46SV)	LEMNA MINOR	200 [hp_C]

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics				
Color	no score			
Shape ROUND Size 2mm				

Flavor	Imprint Code	
Contains		

Ш	P	Packaging				
	# Item Code Package Description		Marketing Start Date	Marketing End Date		
	1	NDC:37662- 0946-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	07/15/2022		
	2	NDC:37662- 0946-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	07/15/2022		
	3	NDC:37662- 0946-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	07/15/2022		
	4	NDC:37662- 0946-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	07/15/2022		

umber or Monograph Citation	Marketing Start Date	Marketing End Date
	07/15/2022	
		Citation Date

<b>Product Information</b>			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-0947
Route of Administration	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name	<b>Basis of Strength</b>	Strength
LEMNA MINOR (UNII: 621HHM46SV) (LEMNA MINOR - UNII:621HHM46SV)	LEMNA MINOR	500 [hp_C]

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics			
Color	white	Score	no score
Shape	ROUND	Size	2mm
Flavor		Imprint Code	
Contains			

P	ackaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37662- 0947-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	07/15/2022	
2	NDC:37662- 0947-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	07/15/2022	
3	NDC:37662- 0947-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	07/15/2022	
4	NDC:37662- 0947-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	07/15/2022	

formation		
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
	07/15/2022	
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date

lemna minor pellet

	<b>Prod</b>	uct	Infor	mation
--	-------------	-----	-------	--------

Product Type HUMAN OTC DRUG Item Code (Source) NDC:37662-0948

Route of Administration ORAL

#### **Active Ingredient/Active Moiety**

Ingredient Name
Basis of Strength
LEMNA MINOR (UNII: 621HHM46SV) (LEMNA MINOR - UNII:621HHM46SV)
LEMNA MINOR
1 [hp\_M]

#### **Inactive Ingredients**

Ingredient Name Strength

SUCROSE (UNII: C151H8M554)

#### **Product Characteristics**

Color	white	Score	no score
Shape	ROUND	Size	2mm
Flavor		Imprint Code	
Contains			

Pac	

# Item Code Package Description Marketing Start Date Date

1	NDC:37662- 0948-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	07/15/2022
2	NDC:37662- 0948-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	07/15/2022
3	NDC:37662- 0948-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	07/15/2022
4	NDC:37662- 0948-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	07/15/2022

nformation		
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
	07/15/2022	
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date

lemna minor pellet

#### **Product Information**

**Product Type** HUMAN OTC DRUG NDC:37662-0942 Item Code (Source)

**Route of Administration** ORAL

#### **Active Ingredient/Active Moiety**

**Ingredient Name Basis of Strength Strength LEMNA MINOR** (UNII: 621HHM46SV) (LEMNA MINOR - UNII:621HHM46SV) LEMNA MINOR 6 [hp\_C]

#### **Inactive Ingredients**

Strength **Ingredient Name** 

SUCROSE (UNII: C151H8M554)

#### **Product Characteristics**

Color	white	Score	no score	
Shape	ROUND	Size	3mm	
Flavor		Imprint Code		
Contains				

#### Packaging

	· actuaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:37662- 0942-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	07/15/2022			
2	NDC:37662- 0942-2	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	07/15/2022			

3 NDC:37662- 0942-3	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	07/15/2022			
Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
unapproved homeopathic		07/15/2022			

#### Labeler - Hahnemann Laboratories, INC. (147098081)

Establishment				
Name	Address	ID/FEI	Business Operations	
Hahnemann Laboratories, INC.		147098081	manufacture(37662-0942, 37662-0943, 37662-0944, 37662-0945, 37662-0946, 37662-0947, 37662-0948)	

Revised: 7/2022 Hahnemann Laboratories, INC.