

RIGHT REMEDIES ADULT LONG LASTING COUGH RELIEF SOFTGEL-
dextromethorphan hydrobromide capsule
Strive Pharmaceuticals Inc.

RIGHT REMEDIES Adult Long Lasting Cough Relief Softgel

Drug Facts

Active ingredient (in each softgel)

Dextromethorphan HBr, USP 15 mg

Purpose

Cough Suppressant

Use

temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold.

Warnings

Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- a cough that occurs with too much phlegm (mucus)
- a cough that lasts or is chronic as occurs with smoking, asthma, or emphysema

Stop use and ask a doctor if cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These can be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as children even if you do not notice any signs or symptoms.

Directions

- do not take more than 8 softgels in any 24-hour period

- this adult product is not intended for use in children under 12 years of age

adults and children 12 years and over	take 2 softgels every 6 to 8 hours, as needed
children under 12 years	do not use

Other information

- store at 20°-25°C(68°-77°F)
- avoid excessive heat above 40°C(104°F)
- protect from light

Inactive ingredients

edible white ink, FD&C blue #1, FD&C red #40, gelatin, glycerin, isopropyl alcohol, medium chain triglycerides, polyethylene glycol, povidone, propyl gallate, propylene glycol, purified water, sorbitol sorbitan solution

Questions or comments?

1-888-577-8033 Monday-Friday 8am-4pm EST

Compare to the active ingredient in **Robitussin® CoughGels®***

Adult

Long Acting Cough Relief

Relieves cough for up to 8 Hours

ages 12+

READ AND KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SEAL UNDER CAP IS BROKEN OR MISSING FROM BOTTLE

Distributed by: Strive Pharmaceuticals Inc.,
East Brunswick, NJ 08816

Product of UAE

Packaged and Quality Assured in the USA

*This product is not manufactured or distributed by Pfizer Consumer Healthcare, owner of the registered trademark Robitussin® CoughGels®.

Packaging

60 SOFTGELS PACKAGE

Drug Facts

Active ingredient (in each softgel) Purpose

Dextromethorphan HBr,
USP 15 mg.....Cough Suppressant

Use

temporarily relieves cough due to
minor throat and bronchial irritation as
may occur with a cold.

Warnings

Do not use if you are now taking a



Compare to the active ingredient
of **ROBITUSSIN®** CoughGels®*

NDC 70692-778-06

Adult Long Lasting Cough Relief

Dextromethorphan HBr,
USP 15 mg
Cough Suppressant

60
softgels

Relieves:
Cough for up to 8 hours
Non-Drowsy
ages 12+



Actual Size

TAMPER EVIDENT: DO NOT USE IF IMPRINTED
SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

Drug Facts (continued under label)



3 70692 00051 1

LOT:
EXP:
PEEL HERE

NO VARNISH

Drug Facts (continued)

prescription monoamine oxidase
inhibitor (MAOI)(certain drugs for
depression, psychiatric, or emotional
conditions, or Parkinson's disease), or
for 2 weeks after stopping the MAOI
drug. If you do not know if your
prescription drug contains an MAOI,
ask a doctor or pharmacist before
taking this product.

Ask a doctor before use if you have

- a cough that occurs with too much
phlegm (mucus)
- a cough that lasts or is chronic as
occurs with smoking, asthma, or
emphysema

Stop use and ask a doctor if cough
lasts for more than 7 days, comes
back, or is accompanied by fever,
rash, or persistent headache. These
could be signs of a serious condition.

If pregnant or breast-feeding, ask a
health professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose,
get medical help or contact a Poison
Control Center right away. Prompt
medical attention is critical for adults as
well as children even if you do not notice
any signs or symptoms.

Directions

- do not take more than 8 softgels in
any 24-hour period
- this adult product is not intended for
use in children under 12 years of age

Drug Facts (continued)

adults and children 12 years and older	take 2 softgels every 6 to 8 hours, as needed
children under 12 years	do not use

Other information

- store at room temperature between
20°-25°C (68°-77°F)
- protect from light, heat and moisture

Inactive ingredients

edible white ink, FD&C blue #1, FD&C
red #40, gelatin, glycerin, isopropyl
alcohol, medium chain triglycerides,
polyethylene glycol, povidone, propyl
gallate, propylene glycol, purified water,
sorbitol sorbitan solution

Questions or comments?

1-888-577-8033
Monday - Friday 8am - 4pm EST

Distributed by:
Strive Pharmaceuticals Inc.
East Brunswick, NJ 08816

Product of United Arab Emirates

*This product is not manufactured or distributed
by Pfizer Consumer Healthcare, owner of the
registered trademark Robitussin® CoughGels®.

REV.01-012024
LB7069277806

15 SOFTGELS PACKAGE



RIGHT REMEDIES ADULT LONG LASTING COUGH RELIEF SOFTGEL
 dextromethorphan hydrobromide capsule

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70692-778
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	15 mg
---	----------------------------------	-------

Inactive Ingredients

Ingredient Name	Strength
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GELATIN, UNSPECIFIED (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
ISOPROPYL ALCOHOL (UNII: ND2M416302)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ05DW1A)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
PROPYL GALLATE (UNII: 8D4SNN7V92)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SORBITOL (UNII: 506T60A25R)	
SORBITAN (UNII: 6O92ICV9RU)	

Product Characteristics

Color	red	Score	no score
Shape	OVAL	Size	14mm
Flavor		Imprint Code	778
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70692-778-06	60 in 1 BOTTLE; Type 0: Not a Combination Product	04/01/2022	
2	NDC:70692-778-85	1 in 1 CARTON	08/01/2022	
2		15 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	04/01/2022	

Labeler - Strive Pharmaceuticals Inc. (080028013)