

LAXATIVE WOMEN- bisacodyl tablet, delayed release
WinCo Foods, LLC

Winco 44-676A Womens Delisted

Active ingredient (in each tablet)

Bisacodyl USP, 5 mg

Purpose

Stimulant laxative

Uses

- for relief of occasional constipation (irregularity)
- this product generally produces bowel movement in 6 to 12 hours

Warnings

Do not use

if you cannot swallow without chewing.

Ask a doctor before use if you have

- a sudden change in bowel habits that lasts more than 2 weeks
- stomach pain, nausea or vomiting

When using this product

- do not chew or crush tablet(s)
- do not use within 1 hour after taking an antacid or milk
- you may have stomach discomfort, faintness and cramps

Stop use and ask a doctor if

- you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- take with a glass of water

adults and children 12 years and over	take 1 to 3 tablets in a single daily dose
children 6 to 12 years	take 1 tablet in a single daily dose
children under 6 years	ask a doctor

Other information

- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- avoid excessive humidity
- store at 25°C (77°F); excursions permitted between 15°C-30°C (59°F-86°F)
- see end flap for expiration date and lot number

Inactive ingredients

carmine, colloidal silicon dioxide, corn starch, FD&C red #40 aluminum lake, hypromellose, lactose anhydrous, magnesium stearate, methacrylic acid, microcrystalline cellulose, polydextrose, polyethylene glycol, shellac wax, simethicone, sodium bicarbonate, sodium lauryl sulfate, stearic acid, talc, titanium dioxide, triacetin, triethyl citrate

Questions?

Call **800-824-1706** Monday - Friday 9 am - 4pm MST

Principal display panel

Gentle, Overnight Relief

WinCo®
FOODS

WOMEN'S
Laxative

BISACODYL USP 5 mg/
STIMULANT LAXATIVE

30
Enteric Coated
Tablets

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

DISTRIBUTED BY: WINCO FOODS, LLC, BOISE, ID 83704

100% SATISFACTION GUARANTEE
Comments & Questions? 800-824-1706

50844 ORG041867601

OMIT R

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING



Drug Facts (continued)
polydextrose, polyethylene glycol, stearic acid, talc, titanium dioxide, triacetin, triethyl citrate, simethicone, sodium bicarbonate, sodium lauryl sulfate, Questions? Call 800-824-1706 Monday - Friday 9am - 4pm MST

Other information
TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN
avoid excessive humidity
store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
see end flap for expiration date and lot number
Inactive ingredients carnine, colloidal silicon dioxide, corn starch, FD&C red #40 aluminum lake, hypromellose, lactose anhydrous, magnesium stearate, methacrylic acid, microcrystalline cellulose,
Directions
take with a glass of water
adults and children 12 years and over
take 1 to 3 tablets in a single daily dose
children 6 to under 12 years
take 1 tablet in a single daily dose
children under 6 years
ask a doctor
Drug Facts (continued)

Warnings
Do not use if you cannot swallow without chewing.
Ask a doctor before use if you have a sudden change in bowel habits that lasts more than 2 weeks
stomach pain, nausea or vomiting
When using this product
do not chew or crush tablet(s)
do not use within 1 hour after taking an antacid or milk
you may have stomach discomfort, flatness and cramps
Stop and ask a doctor if you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.
If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.
Drug Facts (continued)

DISTRIBUTED BY: WINCO FOODS, LLC, BOISE, ID 83704
100% SATISFACTION GUARANTEE
Comments & Questions? 800-824-1706
EMPLOYEE OWNED CERTIFIED

B-2150-676A-01
ORG041867601
6

Drug Facts (continued)
Uses
for relief of occasional constipation (irregularity)
this product generally produces bowel movement in 6 to 12 hours
Purpose
Stimulant laxative
Active ingredient (in each tablet)
Bisacodyl USP, 5 mg
Drug Facts (continued)
KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION

Drug Facts
Gentle, Overnight Relief
30 Enteric Coated Tablets

WinCo FOODS
WOMEN'S Laxative
BISACODYL USP 5 mg / STIMULANT LAXATIVE

Gentle, Overnight Relief
30 Enteric Coated Tablets

BLISTER

Winco 44-676A

LAXATIVE WOMEN

bisacodyl tablet, delayed release

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:67091-286
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BISACODYL (UNII: 10X0709Y6I) (DEACETYLBISACODYL - UNII:R09078E41Y)	BISACODYL	5 mg

Inactive Ingredients

Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STARCH, CORN (UNII: O8232NY3SJ)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
ANHYDROUS LACTOSE (UNII: 3SY5LH9PMK)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
METHACRYLIC ACID (UNII: 1CS02G8656)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYDEXTROSE (UNII: VH2XOU12IE)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
SHELLAC (UNII: 46N107B71O)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
WATER (UNII: 059QF0KO0R)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TRIACETIN (UNII: XHX3C3X673)	
TRIETHYL CITRATE (UNII: 8Z96QXD6UM)	

Product Characteristics

Color	pink	Score	no score
Shape	ROUND	Size	8mm
Flavor		Imprint Code	B
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67091-286-30	2 in 1 CARTON	09/16/2015	08/07/2026

1	15 in 1 BLISTER PACK; Type 0: Not a Combination Product		
---	---	--	--

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	09/16/2015	08/07/2026

Labeler - WinCo Foods, LLC (056098817)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(67091-286)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(67091-286) , pack(67091-286)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(67091-286)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(67091-286)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(67091-286)