LEADER CHILDRENS ALLERGY RELIEF- loratadine solution Cardinal Health

Leader® Children's Allergy Relief

Drug Facts

Active ingredient (in each 5 mL teaspoonful)

Loratadine 5 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if

• an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. **(1-800-222-1222)**

Directions

use only with enclosed dosing cup

	2 teaspoonfuls (TSP) daily; do not take more than		
and over	2 teaspoonfuls (TSP) in 24 hours		
children 2 to under 6 years	1 teaspoonful (TSP) daily; do not take more than 1		
of age	teaspoonful (TSP) in 24 hours		
children under 2 years of	ask a doctor		
age			
consumers with liver or kidney disease	ask a doctor		
	l .		

Other information

- safety sealed: do not use if imprinted safety seal is torn or missing
- store between 20° and 25°C (68° and 77°F)

Inactive ingredients

artificial grape flavor, citric acid monohydrate, glycerin, propylene glycol, purified water, sodium benzoate, sodium metabisulfite, sucrose

Questions?

Call 1-800-200-6313

DISTRIBUTED BY CARDINAL HEALTH DUBLIN, OHIO 43017

PRINCIPAL DISPLAY PANEL - 120 mL Bottle Carton

LEADER®

NDC 37205-570-26

Compare to

Children's Claritin®

active ingredient[†]

Original Prescription

Strength

NON-DROWSY*

CHILDREN'S

Allergy

Relief

Loratadine Syrup

(Loratadine Oral Solution) 5 mg/5 mL

Antihistamine

24 Hour

Relief of: Sneezing, Runny Nose, Itchy, Watery Eyes • Itchy Throat or Nose

Indoor & Outdoor

Allergies

Grape Flavor

*When taken as directed. See Drug Facts Panel.

Ages two years

and older

SATISFACTION

GUARANTEED

4 FL OZ (120 mL)



Loratadine Syrup (Loratadine Oral Solution) 5 mg/5 mL

Antihistamine

24Hour



NDC 37205-570-26

Original Prescription Strength

NON-DROWSY*



Allergy Relief

Loratadine Syrup (Loratadine Oral Solution) 5 mg/5 mL

Antihistamine

24 Hour

Relief of: Sneezing, Runny Nose, Itchy, Watery Eyes • Itchy Throat or Nose

Indoor & Outdoor Allergies

- Dosage Cup Enclosed
- Alcohol Free

*When taken as directed. See Drug Facts Panel.

DISTRIBUTED BY CARDINAL HEALTH DUBLIN, OHIO 43017 CIN 4504122

All Leader® Brand products are 100% satisfaction guaranteed or return to place of purchase for a full refund.

www.myleader.com Made in Israel 1-800-200-6313 1111

This product is not manufactured or distributed by



NDC 37205-570-26

Original Prescription Strength

NON-DROWSY*

Compare to
Children's Claritins
Children's Interestinat

Allergy Relief

Loratadine Syrup (Loratadine Oral Solution) 5 mg/5 mL

Antihistamine

24Hour

Relief of: Sneezing, Runny Nose, Itchy, Watery Eyes • Itchy Throat or Nose

Indoor & Outdoor Allergies

Grape Flavor

*Whentaken asdirected. See Drug Facts Panel.





Ages two years and older

4 EL 07 (120 ml.)





129 20104-1111-0



NDC 37205-570-26

Original Prescription Strength

NON-DROWSY*



Loratadine Syrup (Loratadine Oral Solution) 5 mg/5 mL

Antihistamine



Poliof of Charting Punny Noce

SEALED WITH PRINTED NECKBAND

Drug Facts

Active ingredient

(In each 5 mL teaspoonful)

Purpose

Loratadine 5 mg......Antihistamine

Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- · runny nose
- · itchy, watery eyes
- sneezing
- · itching of the nose or throat

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if . an allergic reaction to this product occurs. Seek medical help right away.


If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions • use only with enclosed dosing cup

adults and children

2 teaspoonfuls (TSP) daily; do not



LEADER CHILDRENS ALLERGY RELIEF

loratadine solution

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37205-570
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
Loratadine (UNII: 7AJO3BO7QN) (Loratadine - UNII:7AJO3BO7QN)	Loratadine	5 mg in 5 mL	

Inactive Ingredients			
Ingredient Name	Strength		
citric acid monohydrate (UNII: 2968PHW8QP)			
glycerin (UNII: PDC6A3C0OX)			
propylene glycol (UNII: 6DC9Q167V3)			
water (UNII: 059QF0KO0R)			
sodium benzoate (UNII: OJ245FE5EU)			

sodium metabisulfite (UNII: 4VON5FNS3C)	
sucrose (UNII: C151H8M554)	

Product Characteristics		
Color	YELLOW (colorless to slightly yellow)	Score
Shape		Size
Flavor	GRAPE	Imprint Code
Contains		

Packaging			
# Item Code	Package Description	Marketing Start Date	Marketing End Date
1 NDC:37205-570-26	1 in 1 CARTON		
1	120 mL in 1 BOTTLE		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA076805	08/20/2004	

Labeler - Cardinal Health (097537435)

Establishment			
Name	Address	ID/FEI	Business Operations
Taro Pharmaceutical Industries, Ltd.		600072078	MANUFACTURE(37205-570)

Revised: 6/2012 Cardinal Health