SLEEP AID- diphenhydramine hcl capsule Rite Aid Corporation

Drug Facts

Active ingredient (in each softgel)

Diphenhydramine HCl 50 mg

Purpose

Nighttime sleep-aid

Use

for relief of occasional sleeplessness.

Warnings

Do not use

- for children under 12 years of age
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

When using this product

avoid alcoholic drinks.

Stop use and ask a doctor if

sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

 adults and children 12 years of age and over: 1 softgel (50 mg) at bedtime if needed, or as directed by a doctor

Other information

store between 15-30°C (59-86°F)

Inactive ingredients

FD&C blue #1, gelatin, glycerin, polyethylene glycol, purified water, sorbitol-sorbitan, white ink

Questions or comments?

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

Principal Display Panel

Compare to the active ingredient in Unisom® SleepGels®†

MAXIMUM STRENGTH

NIGHTTIME

SLEEP-AID

DIPHENHYDRAMINE HCI 50 mg

fall asleep fast, wake up refreshed

sleep soundly

safe, non-habit forming

SOFTGELS

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

†This product is not manufactured or distributed by Chattem, Inc., distributor of Unisom® SleepGels®.

DISTRIBUTED BY:

RITE AID

30 HUNTER LANE

CAMP HILL, PA 17011

www.riteaid.com

Package Label



Compare to the active ingredient in Unisom® SleepGels®†

NDC 11822-5059-6

MAXIMUM STRENGTH

DIPHENHYDRAMINE HCI 50 mg

MAXIMUM STRENGTH

DIPHENHYDRAMINE HCI 50 mg

fall asleep fast, wake up refreshed sleep soundly safe, non-habit forming

MAXIMUM STRENGTH

NIGHTTIME

DIPHENHYDRAMINE HCI 50 mg

fall asleep fast, wake up refreshed sleep soundly safe, non-habit forming

ACTUAL SIZE



LC002828

PLD-1633A





M

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

If you're not satisfied, we'll happily refund your money.

GUARANTEE NOITORASITAS

moo.biseain.www DISTRIBUTED BY: 30 HUNTER LANE, CAMP HILL, PA 17011

Materials Recyclable



Gluten Free



OUR PROMISE:

	INSTRUCTION OF COMMENTS? Call 1-877-753-3935 Monday-Friday 9AM-5PM EST
	The state of the s
der, sorbitan, sorbitol, white ink	nactive ingredients FD&C blue #1, gelatin, glycerin, polyetnylene glycol, purified wa
	(7°88-92) J°06-8t neawled enote mothermothi 19-006
directed by a doctor	irections adults and children 12 years of age and over: 1 softgel (50 mg) at bedtime if needed, or as
ontrol Center (1-800-222-1222)	pregnant or breast-feeding, ask a health professional before use. sep out of reach of children. In case of overdose, get medical help or contact a Polson Co bht away.
s omnia may be a symptom of a	ion use and ask a doctor it sleeplessness persists continuously for more than 2 weeks. In
8:	hen using this product, avoid alcoholic drinks.
50	sk a doctor or pharmacist before use if you are taking sedatives or tranquilizers.
nic bronchitla	sk a doctor before use if you have as breathing problem such as emphysema or chro glaucoma trouble unnating due to an enlarged prostate gland
	Varnings or not use If to children under 12 years of age with any other product containing diphenhydramine, even one used on skin
	Se For relief of occasional sleeplessness.
əsoqruq bis-qəələ əmittrigiN	ctive ingredient (in each soffgel) phenhydramine HCI 50 mg
	Jung Facts

RITE AID Maximum Strength Night Time Sleep-Aid

SLEEP AID

diphenhydramine hcl capsule

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:11822-5059

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	50 mg

Inactive Ingredients	
Ingredient Name	Strength
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
WATER (UNII: 059QF0KO0R)	
SORBITAN (UNII: 6O92ICV9RU)	
SORBITOL (UNII: 506T60A25R)	

Product Characteristics			
Color	blue	Score	no score
Shape	CAPSULE	Size	13mm
Flavor		Imprint Code	P50
Contains			

ı	Packaging				
7	# Item Code	Package Description	Marketing Start Date	Marketing End Date	
:	NDC:11822- 5059-6	1 in 1 BOX	05/29/2020		
:	L	32 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product			

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	05/29/2020	

Labeler - Rite Aid Corporation (014578892)

Revised: 5/2024 Rite Aid Corporation