

# **TUSSIN CF - dextromethorphan hbr guaifenesin phenylephrine hcl solution**

## **Strategic Sourcing Services**

-----

### **Tussin CF**

### **Dextromethorphan HBr Guaifenesin Phenylephrine HCl**

#### **Active ingredients (in each 10 mL)**

Dextromethorphan HBr Dextromethorphan HBr, USP 20 mg

Guaifenesin, USP 200 mg

Phenylephrine HCl, USP 10 mg

#### **Purposes**

Cough suppressant

Expectorant

Nasal decongestant

#### **Uses**

- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes
- temporarily relieves these symptoms occurring with a cold:
  - nasal congestion
  - cough due to minor throat and bronchial irritation.

#### **Warnings**

##### **Do not use**

■ if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

##### **Ask a doctor before use if you have**

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to enlarged prostate gland
- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema.

## **Ask a doctor or pharmacist before use if you are**

taking any other oral nasal decongestant or stimulant.

## **When using this product do not use more than directed.**

## **Stop use and ask a doctor if**

- you get nervous, dizzy or sleepless
- symptoms do not get better within 7 days or are accompanied by fever
- cough lasts more than 7 days, comes back or is accompanied by fever, rash or persistent headache. These could be signs of a serious condition.

## **If pregnant or breast feeding**

ask a health professional before use.

## **Keep out of reach of children**

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

## **Directions**

- mL = milliliter
- do not take more than 6 doses in any 24 hour period
- this adult strength product is not intended for use in children under 12 years of age
- measure only with dosing cup provided
- keep dosing cup with product

<b>AGE</b>	<b>DOSE</b>
Adults and children 12 years and over	10 mL every 4 hours
Children under 12 years	do not use

## **Other information**

- each 10 mL contains: sodium 6 mg
- store at 20-25°C (68-77°F)      ■ do not refrigerate
- Keep carton for full Direction for use

## **Inactive ingredients**

-  
anhydrous citric acid, FD&C red no.40, glycerin, menthol, natural & artificial flavor, propylene glycol, purified water, sodium benzoate, sorbitol solution, sucralose

### **Questions or comments?**

Call **833-358-6431** Monday to Friday 9:00am to 7:00pm EST

**©2023 McKesson Corporation**

**Distributed by:** McKesson Corp., via Strategic Sourcing Services LLC.

Memphis, TN 38141

Money Back Guarantee

[www.fosterandthrive.com](http://www.fosterandthrive.com)

\*This product is not manufactured or distributed by Pfizer,  
owner of the registered trademark Robitussin ®

### **PRINCIPAL DISPLAY PANEL**

Dextromethorphan HBr Guaifenesin Phenylephrine HCL-237 mL



## TUSSIN CF

dextromethorphan hbr guaifenesin phenylephrine hcl solution

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70677-1187
Route of Administration	ORAL		

Active Ingredient/Active Moiety				
Ingredient Name			Basis of Strength	Strength
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)			DEXTROMETHORPHAN HYDROBROMIDE	20 mg in 10 mL
<b>GUAIFENESIN</b> (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)			GUAIFENESIN	200 mg in 10 mL
<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)			PHENYLEPHRINE HYDROCHLORIDE	10 mg in 10 mL
Inactive Ingredients				
Ingredient Name				Strength
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)				
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)				
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)				
<b>MENTHOL</b> (UNII: L7T10EIP3A)				
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)				
<b>WATER</b> (UNII: 059QF0KO0R)				
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)				
<b>SORBITOL SOLUTION</b> (UNII: 8KW3E207O2)				
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70677-1187-1	1 in 1 CARTON	08/09/2023	
1		237 mL in 1 BOTTLE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug		part341	08/09/2023	

**Labeler** - Strategic Sourcing Services (116956644)

## Establishment

Name	Address	ID/FEI	Business Operations
AptaPharma Inc.		790523323	manufacture(70677-1187)