PROTECT AND SERVE TINTED SUN SHIELD SPF 30- titanium dioxide and zinc oxide lotion mybody

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

ACTIVE INGREDIENT

TITANIUM DIOXIDE 10.9%

ZINCE OXIDE 4.01%

PURPOSE

SUNSCREEN

USE

HELPS PROTECT AGAINST SUNBURN

WARNINGS

FOR EXTERNAL USE ONLY

WHEN USING THIS PRODUCT * AVOID CONTACT WITH EYES. IF PRODUCT GETS INTO EYES, RINSE THOROUGHLY WITH WATER.

STOP USE AND ASK A DOCTOR IF RASH OR IRRITATION DEVELOPS AND LASTS.

KEEP OUT OF REACH OF CHILDREN.

IF SWALLOWED, GET MEDICAL HELP OR CONTACT A POISON CONTROL CENTER IMMEDIATELY.

STORE AT ROOM TEMPERATURE.

AVOID HIGH TEMPERATURES AND PROTECT FROM FREEZING.

DO NOT USE IF INNER SEAL IS BROKEN.

DO NOT USE * ON INFLAMED OR BROKEN SKIN.

DIRECTIONS

USE AM. APPLY AS NEEDED TO FACE AND NECK AREA. CAN ALSO BE APPLIED TO THE EARS, HANDS AND DECOLLETAGE. APPLY EVENLY 15-30 MINUTES BEFORE SUN EXPOSURE AND AS NEEDED. REAPPLY AS NEEDED OR AFTER SWIMMING OR PERSPIRING. FOR BEST RESULTS * CLEANSE SKIN THOROUGHLY BEFORE APPLYING. * APPLY LIBERALLY TO FACE AND NECK BEFORE SUN EXPOSURE. * USE ALONE OR UNDER MAKE-UP. * CHILDREN UNDER 6 MONTHS OF AGE: ASK A DOCTOR.

SUN ALERT

LIMITING SUN EXPOSURE, WEARING PROTECTIVE CLOTHING, AND USING SUNSCREENS MAY REDUCE THE RISKS OF SKIN AGING, SKIN CANCER AND OTHER HARMFUL EFFECTS OF THE SUN.

INACTIVE INGREDIENTS: CYCLOPENTASILOXANE, CYCLOMETHICONE, DIMETHICONE CROSSPOLYMER, DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER, SORBITAN ISOSTEARATE, TRIBEHENIN, CALCIUM BEHENATE, MELANIN, DIMETHICONOL, ALUMINA, PEG-10 DIMETHICONE, METHICONE, IRON OXIDES, CHOLECALCIFEROL, LYCOPENE, GLYCERIN, SUCROSE PALMITATE, LECITHIN.

STEP 4: mySPF°

PROTECT & SERVE®

Tinted Sun Shield SPF 30 UVA/UVB Protection

AM

2 FL OZ US / 60 mL

Drug Facts

Active Ingredient

Titanium Dioxide 10.9% - Zinc Oxide 4.01%

Purpose

Sunscreen

USE helps protect against sunburn

Warnings

For external use only

When using this product - Avoid contact with eyes. If product gets into eyes, rinse thoroughly with water - Stop use and ask a doctor if rash or irritation develops and lasts. - Keep out of reach of children. - If swallowed, get medical help or contact a Poison Control Center immediately.

Do not use . On inflamed or broken skin

Directions

Use AM. Apply as needed to face and neck area. Can also be applied to the ears, hands and décolletage. Apply evenly 15-30 minutes before aun exposure and as needed. Reapply as needed or after swimming or perspiring. For best results. Cleanse skin thoroughly before applying. Apply liberally to face and neck before aun exposure. Use alone or under make-up. Children under 6 months of age:

Other Information

 Stere at room temperature, - Avoid high temperatures and protect from freezing - Do not use if inner seal is broken.

Sun Alert

Limiting sun exposure, wearing protective clothing, and using sunscreens may reduce the risks of skin aging, skin cancer and other harmful effects of the sun.

Inactive Ingredients Cyclopentasiloxane.
Cyclomethicone Dimethicone Crosspolymer.
Dimethicone/Vinvi Dimethicone Crosspolymer.
Methyl Methacrylate/Glycol Dimethacrylate
Crosspolymer, Sorbitan Isosteanate. Tribehenin.
Calcium Behenate, Metanin, Dimethiconol,
Alumina, PEG-10 Dimethicone, Methicone, Iron
Oxides, Cholecaldiferol, Lycopene, Glycerin,
Sucrose Palmitate, Leathin.

Questions or Comments?
Call 877-423-1314 • www.lovemybody.com

NDX 59959-210



Application and Usage: Use AM. Apply as needed to face and neck area. Can also be applied to the ears, hands and décolletage.

PROTECT & SERVE® Tinted Sun Shie

Tinted Sun Shield SPF 30

mySPF STEP 4 • AM www.lovemybody.com

4020220

0.17 FL OZ US/5 mL

PROTECT AND SERVE TINTED SUN SHIELD SPF 30

titanium dioxide and zinc oxide lotion

Product Information	Product	Information
----------------------------	----------------	--------------------

Product Type HUMAN OTC DRUG Item Code (Source) NDC:49520-301

Route of Administration TOPICAL

Active Ingredient/Active Moiety

retive ingredient/retive inforcty				
Ingredient Name	Basis of Strength	Strength		
TITANIUM DIO XIDE (UNII: 15FIX9 V2JP) (TITANIUM DIO XIDE - UNII:15FIX9 V2JP)	TITANIUM DIO XIDE	11 g in 100 mL		
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	4 g in 100 mL		

Inactive Ingredients		
Ingredient Name	Strength	
CYCLOMETHICONE 5 (UNII: 0 THT5PCI0 R)		
CYCLOMETHICONE (UNII: NMQ347994Z)		
DIMETHICO NE/VINYL DIMETHICO NE CROSSPO LYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)		
METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER (UNII: EG97988M5Q)		
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)		
TRIBEHENIN (UNII: 8OC9U7TQZ0)		
CALCIUM BEHENATE (UNII: J5VFA9V6YG)		
MELANIN SYNTHETIC (TYROSINE, PEROXIDE) (UNII: O0CV1RMR44)		
DIMETHICO NO L (41 MPA.S) (UNII: 343C7U75XW)		
ALUMINUM OXIDE (UNII: LMI26O6933)		
PEG-10 DIMETHICONE (600 CST) (UNII: 8 PR7V1SVM0)		
METHICONE (20 CST) (UNII: 6777U11MKT)		
FERRIC OXIDE RED (UNII: 1K09F3G675)		
CHOLECALCIFEROL (UNII: 1C6 V77QF41)		
LYCOPENE (UNII: SB0 N2N0 WV6)		
GLYCERIN (UNII: PDC6 A3C0 OX)		
SUCROSE PALMITATE (UNII: 3OSQ643ZK5)		
LECITHIN, SO YBEAN (UNII: 1DI56 QDM62)		

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:49520-301-32	60 mL in 1 TUBE				
2	NDC:49520-301-35	5 mL in 1 BOTTLE				
3	NDC:49520-301-42	2 mL in 1 PACKET				
4	NDC:49520-301-31	5 mL in 1 TUBE				
5	NDC:49520-301-33	10 mL in 1 TUBE				

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph not final	part352	09/23/2012		

Labeler - mybody (004460532)

Registrant - mybody (004460532)

Revised: 1/2014 mybody