

MECLIZINE HCL 25 MG- meclizine hcl tablet
Preferred Pharmaceuticals Inc.

Meclizine HCL 25 mg

Drug Facts

Active ingredient (in each tablet)

Meclizine HCL 25 mg

Purpose

Antiemetic

Uses

- prevents and treats nausea, vomiting or dizziness due to motion sickness
- for others uses, consult your doctor

Warnings

Ask a doctor before use if you have

- glaucoma
- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

When using this product

- you may get drowsy
- avoid alcoholic drinks
- alcohol, sedatives and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Ask a doctor before use if you have

- glaucoma
- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

When using this product

- you may get drowsy
- avoid alcoholic drinks
- alcohol, sedatives and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- take dose one hour before travel starts
- tablets can be chewed or swallowed whole with water

adults & children 12 years and over: 1-2 tablets once daily

children under 12 years: ask a doctor

Other information

- **Phenylketonurics: each tablet contains:** phenylalanine 0.28 mg
- store at room temperature 15°-30°C (59°-86°F)
- This is a bulk package. Dispense contents with a child-resistant closure in a tight, light-resistant container as defined in the USP.

Inactive ingredients

aspartame, compressible sugar, croscarmellose sodium, dextrose, FD&C red # 40 (Al-lake), magnesium stearate, microcrystalline cellulose, raspberry flavor

Questions or comments?

call **516-341-0666**, 8:30 am - 4:30 pm ET, Monday - Friday

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

*Reliable 1 Laboratories LLC is not affiliated with the owner of the trademark BONINE®.

Repackaged By: Preferred Pharmaceuticals Inc.

Distributed by: **Reliable 1 Laboratories LLC, Valley Stream, NY 11580**

www.reliable1labs.com

NDC 68788-7982

Meclizine HCL 25 mg

ANTIEMETIC

*Compare to Active Ingredient in BONINE®

Meclizine HCL
25mg Chewable
Tablets

Generic for Bonine

Each tablet contains: Meclizine HCL, USP.....2
5mg

Pkg Size: Exp Date: ####/####/####
Lot#: Batch#:

Ins:
Mfg: Reliable I Laboratories LLC
Prod#:

Warning
Ask a doctor before use if you have glaucoma, a breathing problem such as emphysema or chronic bronchitis, trouble urinating due to enlarged prostate gland; or if you are taking sedatives or tranquilizers. When using this product you may get drowsy, avoid alcoholic drinks, and be careful when driving a motor vehicle or operating machinery. If pregnant or breast-feeding, ask a health professional before use. Keep this and all medication out of the reach of children. Store at room temperature 15° to 30°C (59° to 86°F). Tablet is round, pink, scored and imprinted with AP 115.



CAUTION: Federal law PROHIBITS transfer of this drug to any person other than the patient for whom it was prescribed.

Meclizine HCL 25mg
Chewable Tablets
Qty: Ins:
Lot: Bat:
Prod# (NDC):

Meclizine HCL 25mg
Chewable Tablets
Qty: Ins:
Lot: Bat:
Prod# (NDC):

Meclizine HCL 25mg
Chewable Tablets
Qty: Ins:
Lot: Bat:
Prod# (NDC):

Meclizine HCL 25mg
Chewable Tablets
Qty: Ins:
Lot: Bat:
Prod# (NDC):



Directions English
May cause drowsiness.
Take _____ tablet(s)
every _____ hours.



GTIN

SN #####
EXP #####

Instrucciones Espanol:
Puede causar somnolencia.
Toma _____ tableta(s)
cada _____ horas.

MECLIZINE HCL 25 MG			
meclizine hcl tablet			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68788-7982(NDC:69618-028)
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
MECLIZINE HYDROCHLORIDE (UNII: HDP7W44CIO) (MECLIZINE - UNII:3L5TQ84570)	MECLIZINE HYDROCHLORIDE	25 mg	
Inactive Ingredients			
Ingredient Name	Strength		
DEXTROSE, UNSPECIFIED FORM (UNII: IY9XDZ35W2)			
FD&C RED NO. 40 (UNII: WZB9127XOA)			
MAGNESIUM STEARATE (UNII: 70097M6I30)			
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)			
RASPBERRY (UNII: 4N14V5R27W)			
ASPARTAME (UNII: Z0H242BBR1)			
SUCROSE (UNII: C151H8M554)			
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)			
Product Characteristics			
Color	pink (Light Raspberry color)	Score	2 pieces
Shape	ROUND	Size	8mm

Flavor	RASPBERRY	Imprint Code	AP;115
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68788-7982-1	10 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	07/28/2021	
2	NDC:68788-7982-3	30 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	07/28/2021	



MECLIZINE HCL
25MG CHEW TABLET

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	part336	07/28/2021	

Labeler - Preferred Pharmaceuticals Inc. (791119022)

Registrant - Preferred Pharmaceuticals Inc. (791119022)

Establishment

Name	Address	ID/FEI	Business Operations
Preferred Pharmaceuticals Inc.		791119022	REPACK(68788-7982)

Revised: 8/2025

Preferred Pharmaceuticals Inc.