

**MEDICS CHOICE EYE DROPS ORIGINAL REDNESS RELIEVER- tetrahydrozoline hydrochloride solution/ drops  
KC Pharmaceuticals, Inc.**

-----  
**Medic's Choice Eye Drops Original Redness Reliever**

**Active ingredient**

Tetrahydrozoline HCl 0.05%

**Purpose**

Tetrahydrozoline HCl.....Redness reliever

**Use**

- relieves redness of the eye due to minor eye irritations

**Warnings**

**For external use only**

**Ask a doctor before use if you have** narrow angle glaucoma

**When using this product**

- pupils may become enlarged temporarily
- to avoid contamination, do not touch tip of container to any surface.

Replace cap after using.

- if solution changes color or becomes cloudy, do not use
- overuse may produce increased redness of the eye
- remove contact lens before using

**Stop use and ask a doctor if you experience**

- eye pain
- changes in vision
- continued redness or irritation of the eye, or if the condition worsens or persists for more than 72 hours

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Directions**

instill 1 to 2 drops in the affected eye(s) up to 4 times daily

**Other information**

store at 15°-30°C (59°-86°F)

**Inactive ingredients**

benzalkonium chloride, boric acid, edetate disodium, purified water, sodium borate, sodium chloride

**Medic's Choice**  
**EYE DROPS ORIGINAL**

**Drug Facts**  
**Active ingredient** Tetrahydrozoline HCl 0.05%  
**Purpose** Redness reliever

**Use**  
relieves redness of the eye due to minor eye irritations

**Warnings**  
For external use only  
Ask a doctor before use if you have narrow angle glaucoma  
When using this product  
pupils may become enlarged temporarily  
to avoid contamination, do not touch tip of container to any surface. Replace cap after using.  
if solution changes color or becomes cloudy, do not use  
overuse may produce increased redness of the eye  
remove contact lens before using  
Stop use and ask a doctor if you experience  
eye pain  
changes in vision  
continued redness or irritation of the eye, or if the condition worsens or persists for more than 72 hours  
if pregnant or breast-feeding, ask a health professional before use.  
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Directions**  
Instill 1 to 2 drops in the affected eye(s) up to 4 times daily

**Drug Facts (continued)**  
**Other information**  
store at 15°-30°C (59°-86°F)

**Inactive ingredients**  
benzalkonium chloride, boric acid, edetate disodium, purified water, sodium borate, sodium chloride

\*This product is not manufactured or distributed by Johnson & Johnson, Healthcare Products, distributor of Visine® Original.

**Medic's Choice**  
**EYE DROPS ORIGINAL**  
Redness Reliever  
Fast acting formula  
Sterile  
0.5 fl. oz. (15mL)

Compare to the active ingredient in Visine® Original\*

NDC 55651-005-01

KC Pharmaceuticals, Inc.  
Pomona, CA 91768  
Questions? Call 1-888-527-4276  
Made in USA

TAMPER EVIDENT: DO NOT USE IF IMPRINTED NECKBAND IS BROKEN OR MISSING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

LOT  
EXP

0 95072 00551 0  
CEDRIG0051MCT2

## MEDICS CHOICE EYE DROPS ORIGINAL REDNESS RELIEVER

tetrahydrozoline hydrochloride solution/ drops

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:55651-005
<b>Route of Administration</b>	OPHTHALMIC		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>TETRAHYDROZOLINE HYDROCHLORIDE</b> (UNII: 0YZT43HS7D) (TETRAHYDROZOLINE - UNII:S9U025Y077)	TETRAHYDROZOLINE HYDROCHLORIDE	0.5 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>BORIC ACID</b> (UNII: R57ZHV85D4)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM BORATE</b> (UNII: 91MBZ8H3QO)	
<b>BENZALKONIUM CHLORIDE</b> (UNII: F5UM2KM3W7)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55651-005-01	1 in 1 CARTON	08/28/2003	
1		15 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M018	08/28/2003	

**Labeler** - KC Pharmaceuticals, Inc. (174450460)

### Establishment

Name	Address	ID/FEI	Business Operations
KC Pharmaceuticals, Inc.		174450460	manufacture(55651-005) , pack(55651-005) , label(55651-005)

Revised: 12/2025

KC Pharmaceuticals, Inc.