

**CALACLEAR- pramoxine hydrochloride and zinc acetate lotion**  
**Pharma Nobis, LLC**

-----  
**Private Label Calaclear**

**Humco Calamine Lotion**

Drug Facts

**Active Ingredient**

Pramoxine HCl 1%

**Purpose**

External Analgesic

**Active Ingredient**

Zinc Acetate 0.1%

**Purpose**

Skin Protectant

**Use**

Dries the oozing and weeping and temporarily relieves pain and itching of poison ivy, poison oak, and poison sumac or other minor skin irritations.

**Warnings**

**For external use only.** Use only as directed.

**Avoid contact** with eyes and mucous membranes.

**Ask a doctor before using**

on children under 2 years of age.

**When using this product. Discontinue use if**

condition worsens, does not improve or if symptoms persist for more than 7 days, or clear up and occur again within a few days. and consult a doctor.

**Keep out of reach of children.**

In case of accidental ingestion, seek professional assistance or contact a Poison Control

Center immediately.

## Directions

- Adults and children 2 yrs. of age and older. Shake well before using. Cleanse the skin with soap and water and let dry before each use. Apply lotion to the affected area using cotton or soft cloth, not more than 3 to 4 times daily as needed for comfort.
- Children under 2 years of age: Consult a doctor before use.

## Other Information

- store at room temperature 15 ° - 30 °C (50 ° - 85 °F)

## Inactive Ingredient

SD Alcohol 38B 2.5%, Camphor, Diazolidinyl Urea, Fragrances, Glycerin, Hydroxypropyl Methylcellulose, Methylparaben, Polysorbate 80, Propylene Glycol, Propylparaben, Purified Water.

## GNP Label

**GOOD NEIGHBOR PHARMACY** NDC 24385-439-30

# Caldyphen Lotion Clear

**External Analgesic / Skin Protectant**

Relieves ITCHING due to:

- Poison Ivy • Insect Bites
- Poison Oak • Minor Skin Irritations

6 FL OZS (177 mL)

<b>Drug Facts</b>	<b>Purpose</b>
<b>Active ingredients</b> Pramoxine HCl 1%.....External analgesic Zinc Acetate 0.1%.....Skin protectant	
<b>Uses</b> Dries the oozing and weeping, and temporarily relieves pain and itching of poison ivy, poison oak, and poison sumac and other minor skin irritations.	
<b>Warnings For External Use Only.</b> Use only as directed. ■ Avoid contact with eye and mucous membranes. ■ Ask a doctor before using on children under 2 years of age.	
<b>Stop use and ask a doctor if</b> ■ condition worsens ■ symptoms last for more than 7 days or clear up and occur again within a few days.	
<b>Keep out of reach of children.</b> In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.	
<b>Directions</b> Adults and children 2 yrs. of age and older Shake well before using. Cleanse the skin with soap and water. Let dry before each use. Apply lotion to the affected area using cotton or soft cloth, not more than 3 to 4 times daily as needed for comfort. Children under 2 yrs. of age Consult a doctor before use.	
<b>Inactive ingredients</b> SD Alcohol 38B 2.5%, Camphor, Diazolidinyl Urea, Fragrances, Glycerin, Hydroxypropyl Methylcellulose, Methylparaben, Polysorbate 80, Propylene Glycol, Propylparaben, and Purified Water.	
<b>Other information</b> Store at room temperature 15° - 30° (59°-86°F).	

Distributed by: AmeriSourceBergen  
1300 Morris Drive, Chesterbrook, PA 19087  
Questions or Comments? ☎1-800-662-3435 • [www.goodneighborpharmacy.com](http://www.goodneighborpharmacy.com)

0 8770140045 2  
ABC# 643-751 R062913RLG

SATISFACTION GUARANTEED

## Leader Label

**LEADER**<sup>™</sup>

NDC 70000-0397-1

# Calamine Clear Lotion

External Analgesic | Skin Protectant

Relieves Itching Due to:  
Poison Ivy, Poison Oak,  
Insect Bites, Minor Skin  
Irritations

**COMPARE TO CALADRYL<sup>®</sup> CLEAR<sup>®</sup> LOTION active ingredients\***

100% Money Back Guarantee

A45238  
02 2024

**6 FL OZ (177 mL)**

Drug Facts	
<b>Active ingredients</b>	<b>Purpose</b>
Pramoxine HCl 1%.....	External analgesic
Zinc Acetate 0.1%.....	Skin protectant
<b>Uses</b>	
<ul style="list-style-type: none"> <li>temporarily relieves pain and itching associated with:               <ul style="list-style-type: none"> <li>rashes due to poison ivy, poison oak or poison sumac</li> <li>insect bites</li> <li>minor skin irritation</li> <li>minor cuts</li> </ul> </li> <li>dries the oozing and weeping of poison ivy, poison oak and poison sumac</li> </ul>	
<b>Warnings</b>	
<ul style="list-style-type: none"> <li>For external use only. Use only as directed.</li> <li>Avoid contact with eyes and mucous membranes.</li> <li>Ask a doctor before using on children under 2 years of age.</li> </ul>	
Stop use and ask a doctor if condition worsens, does not improve or if symptoms persist for more than 7 days, or clear up and occur again within a few days.	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately (1-800-222-1222).	
<b>Directions</b>	
<ul style="list-style-type: none"> <li>Adults and children 2 years of age and older: Shake well before using. Cleanse the skin with soap and water and let dry before each use. Apply lotion to the affected area using cotton or soft cloth, not more than 3 to 4 times daily as needed for comfort.</li> <li>Children under 2 years of age: Consult a doctor before use.</li> </ul>	
<b>Other information</b>	
Store at room temperature 15-30°C (59-86°F)	
<b>Inactive ingredients</b>	
SD Alcohol 38B 2.5%, Camphor, Diazolidinyl Urea, Fragrances, Glycerin, Hydroxypropyl Methylcellulose, Methylparaben, Polysorbate 80, Propylene Glycol, Propylparaben, Purified Water.	
<b>Questions or Comments?</b> 1-800-662-3435	

\*This product is not manufactured or distributed by Valeant Pharmaceuticals, owner of the registered trademark Caladryl<sup>®</sup> Clear<sup>®</sup> Lotion.

© 2008 Cardinal Health. All Rights Reserved. CARDINAL HEALTH, the Cardinal Health LOGO, LEADER, and the Leader LOGO are trademarks or registered trademarks of Cardinal Health. All other marks are the property of their respective owners.

DISTRIBUTED BY:  
CARDINAL HEALTH  
DUBLIN, OHIO 43007  
www.mylister.com  
1-800-300-6333

CIN 5-455795 REV. 12/18

100% Money Back Guarantee

Return to place of purchase.

0 96295 13509 1

## Quality Choice Label

Drug Facts	
<b>Active ingredients</b>	<b>Purpose</b>
Pramoxine HCl 1%.....	External analgesic
Zinc Acetate 0.1%.....	Skin protectant
<b>Indications</b>	
Dries the oozing and weeping and temporarily relieves pain and itching of poison ivy, poison oak, and poison sumac or other minor skin irritations.	
<b>Warnings</b>	
<ul style="list-style-type: none"> <li>For external use only. Use only as directed.</li> <li>Avoid contact with eyes and mucous membranes.</li> <li>Ask a doctor before using on children under 2 years of age.</li> </ul>	
When using this product discontinue use if condition worsens, does not improve or if symptoms persist for more than 7 days, or clear up and occur again within a few days, and consult a doctor.	
Keep out of reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately. <i>Continued</i> >	

\*This product is not manufactured or distributed by Johnson & Johnson Consumer Products Company, owner of the registered trademark Caladryl<sup>®</sup> Clear<sup>™</sup> Lotion

NDC 63868-097-06

**QC QUALITY CHOICE**

\*Compare to Ingredient in Caladryl<sup>®</sup> Clear<sup>™</sup> Lotion

# Anti-Itch Clear Lotion

Skin Protectant

External Analgesic,  
Drying Agent  
Helps Relieve Pain & Itch Caused by  
Poison Ivy, Poison Oak  
& Poison Sumac

**6 fl OZ (177 mL)**

**SATISFACTION 100% GUARANTEED**

Drug Facts (CONTINUED)	
<b>Directions</b>	
<ul style="list-style-type: none"> <li>Adults and children 2 years of age and older: Shake well before using. Cleanse the skin with soap and water and let dry before each use. Apply lotion in the affected area using cotton or soft cloth, not more than 3 to 4 times daily as needed for comfort.</li> <li>Children under 2 years of age: Consult a doctor before use.</li> </ul>	
<b>Other information</b>	
Store at room temperature 15-30°C (59-86°F)	
<b>Inactive ingredients</b>	
SD Alcohol 38B 2.5%, Camphor, Diazolidinyl Urea, Fragrances, Glycerin, Hydroxypropyl Methylcellulose, Methylparaben, Polysorbate 80, Propylene Glycol, Propylparaben, Purified Water.	

Distributed by C.D.M.A., Inc.  
43157 W. Nine Mile  
Novi, MI 48376-0995  
www.qualitychoice.com  
Questions: 248-449-9300

**MADE IN USA**

## Sunmark Label

**sunmark™** COMPARE TO CALADRYL® CLEAR™ ACTIVE INGREDIENT\* NDC 49348-610-36

# caldyphen lotion

## Clear

External analgesic  
Skin protectant  
Drying agent & itch relief

0 10939 14633 5

Distributed By McKesson  
One Post Street, San Francisco, CA 94104  
Money Back Guarantee

**6 FL OZ (177 mL)**

Drug Facts	
<b>Active Ingredients</b>	<b>Purpose</b>
Pramoxine HCl 1% and Zinc Acetate 0.1%.....	External Analgesic/Skin Protectant
<b>Uses</b> Dries the oozing and weeping, and temporarily relieves pain and itching of poison ivy, poison oak, and poison sumac and other minor skin irritations.	
<b>Warnings</b> For External Use Only. Use only as directed. ■ Avoid contact with eye and mucous membranes. ■ Ask a doctor before using on children under 2 years of age.	
<b>When using this product</b> Discontinue use if condition worsens, does not improve or if symptoms persist for more than 7 days or clear up and occur again within a few days, and consult a doctor.	
<b>Keep out of reach of children.</b> In case of accidental ingestion, seek professional assistance or contact a poison Control Center immediately.	
<b>Directions</b>	
Adults and children 2 yrs. of age and older	Shake well before using. Cleanse the skin with soap and water. Let dry before each use. Apply lotion to the affected area using cotton or soft cloth, not more than 3 to 4 times daily as needed for comfort.
Children under 2 yrs. of age	Consult a doctor before use.
<b>Inactive ingredients</b> SD Alcohol 38B 2.5%, Camphor, Diazolidinyl Urea, Fragrances, Glycerin, Hydroxypropyl Methylcellulose, Methylparaben, Polysorbate 80, Propylene Glycol, Propylparaben, and Purified Water.	
<b>Other information</b> Store at room temperature 15° - 30° (59°-86°F).	

\*Caladryl® Clear™ is the registered trade mark of Warner-Lambert Co.

### Publix Label

**Publix**

# clear

ANTI-ITCH LOTION

**Skin Protectant**

Compare to Active Ingredients in  
Caladryl® Clear™ Lotion

external analgesic • skin protectant  
drying agent & itch relief

0 41415 06775 2

**6 FL OZ (177mL)**

Drug Facts	
<b>Active Ingredients</b>	<b>Purpose</b>
Pramoxine HCl 1% and Zinc Acetate 0.1%.....	External Analgesic/Skin Protectant
<b>Uses</b> Dries the oozing and weeping, and temporarily relieves pain and itching of poison ivy, poison oak, and poison sumac or other minor skin irritations.	
<b>Warnings:</b> For External Use Only. Use only as directed. ■ Avoid contact with eye and mucous membranes. ■ Ask a doctor before using on children under 2 years of age.	
<b>When using this product</b> Discontinue use if conditions worsens, does not improve or if symptoms persist for more than 7 days or clear up and occur again within a few days, and consult a doctor.	
<b>Keep out of reach of children.</b> In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.	
<b>Directions</b>	
Adults and children 2 yrs. of age and older	Shake well before using. Cleanse the skin with soap and water. Let dry before each use. Apply lotion to the affected area using cotton or soft cloth, not more than 3 to 4 times daily as needed for comfort.
Children under 2 yrs. of age	Consult a doctor before use.
<b>Inactive Ingredients:</b> SD Alcohol 38B 2.5%, Camphor, Diazolidinyl Urea, Fragrances, Glycerin, Hydroxypropyl Methylcellulose, Methylparaben, Polysorbate 80, Propylene Glycol, Propylparaben, and Purified Water.	
<b>Other Information:</b> Store at room temperature 15° - 30° (59° - 86°F).	

\*Caladryl® Clear™ is the registered trade mark of Warner-Lambert Co.  
DISTRIBUTED BY PUBLIX SUPER MARKETS, L.L.C. 3300 PUBLIX CORPORATE PARKWAY, LAKELAND, FL 33811  
800-242-1227 • publix.com • PUBLIX GUARANTEE: COMPLETE SATISFACTION OR YOUR MONEY BACK.

### Premiere Value Label

\* Compare to the active ingredients in Caladryl® Clear™



# CALACLEAR™

## LOTION

For the Temporary Relief of Pain and Itching Associated with Minor Skin Irritations.



NET 6 FL. OZ. (177ML)

<b>Drug Facts</b>	
<b>Active Ingredients</b> Pramoxine HCl 1%.....External analgesic Zinc Acetate 0.1%.....Skin protectant	<b>Purpose</b> External analgesic.....Skin protectant
<b>Uses</b> Dries the oozing and weeping, and temporarily relieves pain and itching of poison ivy, poison oak, and poison sumac and other minor skin irritations.	
<b>Warnings</b> For External Use Only. Use only as directed. <ul style="list-style-type: none"> <li>■ Avoid contact with eye and mucous membranes. ■ Ask a doctor before using on children under 2 years of age.</li> </ul>	
<b>Stop use and ask a doctor if</b> ■ condition worsens ■ symptoms last for more than 7 days or clear up and occur again within a few days.	
<b>Keep out of reach of children.</b> In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.	
<b>Directions</b> Adults and children 2 yrs. of age and older Shake well before using. Cleanse the skin with soap and water. Let dry before each use. Apply lotion to the affected area using cotton or soft cloth, not more than 3 to 4 times daily as needed for comfort.	
Children under 2 yrs. of age Consult a doctor before use.	
<b>Inactive ingredients</b> SD Alcohol 388 2.5%, Camphor, Diazolidrilyl Urea, Fragrances, Glycerin, Hydroxypropyl Methylcellulose, Methylparaben, Polyisobutyl 80, Propylene Glycol, Propylparaben, and Purified Water.	
<b>Other information</b> Store at room temperature 15° - 30° (59°-86°F).	
<b>Questions or Comments?</b> ☎ 1-800-662-3435	

\* This product is not manufactured or distributed by Pfizer Consumer Healthcare, owner of the registered trademark Caladryl® Clear®.

FROM HPLC



Distributed By:  
 Pharmacy Value Alliance, LLC  
 407 East Lancaster Avenue,  
 Wayne, PA 19087

MADE IN USA

If for any reason you are not satisfied with this product, please return it to the store where purchased for a full refund

### DDM Label



# Calaclear®

## Lotion

Topical Analgesic • Skin Protectant  
Drying Agent • Itch Relief

\* Compare to the Active Ingredients of Caladryl® Clear® Lotion

6 fl oz (177 mL)

<b>Drug Facts</b>	
<b>Active Ingredients</b> Pramoxine HCl 1%.....External analgesic Zinc Acetate 0.1%.....Skin protectant	<b>Purpose</b> External analgesic.....Skin protectant
<b>Uses</b> dries the oozing and weeping of poison ivy, poison oak and poison sumac and temporarily relieves pain and itching of poison ivy, poison oak, and poison sumac or other minor skin irritations.	
<b>Warnings</b> <ul style="list-style-type: none"> <li>■ For external use only. Use only as directed.</li> <li>Avoid contact with eyes and mucous membranes.</li> <li>Ask a doctor before using on children under 2 years of age.</li> </ul>	
<b>When using this product</b> discontinue use if condition worsens or does not improve or if symptoms persist for more than 7 days, or clear up and occur again within a few days, and consult a doctor.	
<b>Keep out of reach of children.</b> In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.	
<b>Directions</b> Adults and children 2 yrs. of age and older: Shake well before using. Cleanse the skin with soap and water and let dry before each use. Apply lotion to the affected area using cotton or soft cloth, not more than 3 to 4 times daily as needed for comfort.	
Children under 2 yrs. of age: Consult a doctor before use.	
<b>Other information</b> Store at room temperature 15° - 30° C (59°-86° F)	
<b>Inactive ingredients</b> SD Alcohol 388 2.5%, Camphor, Diazolidrilyl Urea, Fragrances, Glycerin, Hydroxypropyl Methylcellulose, Methylparaben, Polyisobutyl 80, Propylene Glycol, Propylparaben, Purified Water.	

\* This product is not manufactured or distributed by Johnson & Johnson Consumer Products Company, owner of the registered trademark Caladryl® Clear® Lotion.

**Satisfactions guaranteed** - If dissatisfied, return unused portion and package to store where purchased for a full refund. If unable to return to store, send reason for dissatisfaction, name, address and copy package to: Discount Drug Mart, 211 Commerce Dr., Medina, Ohio 44135



DISTRIBUTED BY:  
 DRUG MART-FOOD FAIR  
 211 Commerce Dr.  
 MEDINA, OHIO 44135  
 Questions or Comments? 1-800-933-6278  
 www.DISCOUNT-DRUGMART.COM

### CVS Label



Compare to the active ingredients in Caladryl Clear®\*

# Itch Relief

CLEAR SKIN PROTECTANT

Topical analgesic  
Skin protectant  
Drying action plus  
itch relief

6 FL OZ (177 mL)



<b>Drug Facts</b>	<b>Purpose</b> External analgesic Skin protectant
<b>Active Ingredients</b> Pramoxine HCl 1% Zinc Acetate 0.1%	
<b>Uses</b> Dries the oozing and weeping, and temporarily relieves pain and itching of poison ivy, poison oak, and poison sumac. ■ other minor skin irritations.	
<b>Warnings</b> ■ For external use only	
<b>When using this product</b> ■ do not get into eyes	
<b>Stop use and ask a doctor if</b> ■ condition worsens ■ symptoms last more than 7 days or clear up and occur again within a few days	
<b>Keep out of reach of children.</b> In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.	
<b>Directions</b> ■ Adults and children 2 years of age and older: Shake well before using. Cleanse the skin with soap and water and let dry before each use. Apply lotion to the affected area using cotton or soft cloth, no more than 3 to 4 times daily. ■ Children under 2 years age: Consult a doctor before use.	
<b>Other information</b> Store at room temperature 15°-30°C (59°-86°F)	
<b>Inactive ingredients</b> SD Alcohol 388 2.5%, Camphor, Diazolidinyl Urea, Fragrances, Glycerin, Hydroxypropyl Methylcellulose, Methylparaben, Polysorbate 80, Propylene Glycol, Propylparaben, Purified Water.	

\*This product is not manufactured or distributed by Pfizer Consumer Healthcare, owner of the registered trademark Caladryl Clear®.

#796623



0 50428 29088 0

Distributed by:  
CVS Pharmacy, Inc.  
One CVS Drive,  
Woonsocket, RI 02895  
© 2015 CVS/pharmacy  
CVS.com® 1-800-SHOP CVS  
V-17624



Compare to the active ingredients in Caladryl Clear®\*

# Itch Relief

CLEAR SKIN PROTECTANT

Topical analgesic  
Skin protectant  
Drying action plus  
itch relief

6 FL OZ (177 mL)



<b>Drug Facts</b>	<b>Purpose</b> External analgesic Skin protectant
<b>Active Ingredients</b> Famoxone HCl 1% Zinc Acetate 0.1%	
<b>Uses</b> Dries the oozing and weeping, and temporarily relieves pain and itching of poison ivy, poison oak, and poison sumac and other minor skin irritations.	
<b>Warnings</b> ■ For External Use Only. Use only as directed. ■ Avoid contact with eyes and mucous membranes. ■ Ask a doctor before using on children under 2 years of age.	
<b>Stop use and ask a doctor if</b> ■ condition worsens ■ symptoms last for more than 7 days or clear up and occur again within a few days.	
<b>Keep out of reach of children.</b> In case of accidental ingestion, seek professional assistance or contact a poison Control Center immediately.	
<b>Directions</b> Adults and children 2 yrs. of age and older Shake well before using. Cleanse the skin with soap and water. Let dry before each use. Apply lotion to the affected area using cotton or soft cloth, not more than 3 to 4 times daily as needed for comfort. Children under 2 yrs. of age: Consult a doctor before use.	
<b>Inactive ingredients</b> SD Alcohol 388 2.5%, Camphor, Diazolidinyl Urea, Fragrances, Glycerin, Hydroxypropyl Methylcellulose, Methylparaben, Polysorbate 80, Propylene Glycol, Propylparaben, and Purified Water.	
<b>Other information</b> Store at room temperature 15°-30° (59°-86°F)	

\*This product is not manufactured or distributed by Pfizer Consumer Healthcare, owner of the registered trademark Caladryl Clear®.

#796623



0 50428 29088 0

Distributed by:  
CVS Pharmacy, Inc.  
One CVS Drive,  
Woonsocket, RI 02895  
© 2015 CVS/pharmacy  
CVS.com® 1-800-SHOP CVS  
V-17624



Harris Teeter Label

<b>Drug Facts</b>	
<b>Active ingredients</b>	<b>Purpose</b>
Pramoxine HCl 1%.....	External analgesic
Zinc Acetate 0.1%.....	Skin protectant
<b>Uses</b>	
Dries the oozing and weeping and temporarily relieves pain and itching of poison ivy, poison oak, and poison sumac or other minor skin irritations.	
<b>Warnings</b>	
<ul style="list-style-type: none"> <li>■ For External use only. Use only as directed.</li> <li>■ Avoid contact with eyes and mucous membranes.</li> <li>■ Ask a doctor before using on children under 2 years of age.</li> </ul>	
<b>When using this product</b>	
Discontinue use if condition worsens, does not improve or if symptoms persist for more than 7 days, or clear up and occur again within a few days, and consult a doctor.	
Keep out of reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.	
<i>Continued</i> ▶	

This product is not manufactured or distributed by Pfizer, owner of the registered trademark "Caladryl® Clear™ Lotion"

Compare to active ingredients in Caladryl® Clear™ Lotion\*



# Calaclear® Lotion

**Skin Protectant • Drying Agent  
External Analgesic**

Topical relief of minor irritations due to:  
Poison Ivy, Poison Oak, Poison Sumac  
and other minor skin irritations.

6 FL OZ (177 mL)

<b>Drug Facts (CONTINUED)</b>	
<b>Directions</b>	
<ul style="list-style-type: none"> <li>■ Adults and children 2 years of age and older: Shake well before using. Cleanse the skin with soap and water and let dry before each use. Apply lotion to the affected area using cotton or soft cloth, not more than 3 to 4 times daily as needed for comfort.</li> <li>■ Children under 2 years of age: Consult a doctor before use.</li> </ul>	
<b>Other information</b>	
Store at room temperature 15-30°C (50-86°F)	
<b>Inactive ingredients</b>	
SD Alcohol 38B 2.5%, Camphor, Diazolidinyl Urea, Fragrances, Glycerin, Hydroxypropyl Methylcellulose, Methylparaben, Polysorbate 80, Propylene Glycol, Propylparaben, Purified Water.	
R020311.RL.G	
0 72036 98725 9	
PROUDLY DISTRIBUTED BY: HARRIS TEETER® MATTHEWS, NC 28105	
<b>your <i>plus</i> guarantee.</b>	
1-800-432-6111 or harristeeter.com	

## Best Choice Label

Compare to the Active Ingredients of Caladryl® Clear® Lotion

**Best Choice®**

# Anti-Itch Clear

**Topical Analgesic • Skin Protectant  
Drying Agent • Itch Relief Lotion**

6 fl oz (177 mL)

<b>Drug Facts</b>	<b>Purpose</b>
<b>Active Ingredients</b>	<b>Purpose</b>
Pramoxine HCl 1%.....	External analgesic
Zinc Acetate 0.1%.....	Skin protectant
<b>Indication</b>	Dries the oozing and weeping, and temporarily relieves pain and itching of poison ivy, poison oak, and poison sumac or other minor skin irritations.
<b>Warnings</b>	<ul style="list-style-type: none"> <li>■ For external use only. Use only as directed.</li> <li>■ Avoid contact with eyes and mucous membranes.</li> <li>■ Ask a doctor before using on children under 2 years of age.</li> </ul>
<b>Directions</b>	<ul style="list-style-type: none"> <li>■ Adults and children 2 yrs. of age and older: Shake well before using. Cleanse the skin with soap and water and let dry before each use. Apply lotion to the affected area using cotton or soft cloth, not more than 3 to 4 times daily as needed for comfort.</li> <li>■ Children under 2 yrs. of age: Consult a doctor before use.</li> </ul>
<b>Other information</b>	Store at room temperature.
<b>Inactive ingredients</b>	SD Alcohol 38B 2.5%, Camphor, Diazolidinyl Urea, Fragrances, Glycerin, Hydroxypropyl Methylcellulose, Methylparaben, Polysorbate 80, Propylene Glycol, Propylparaben, Purified Water

\*This product is not manufactured or distributed by Johnson & Johnson Consumer Products Company, owner of the registered trademark "Caladryl® Clear™ Lotion."

R04103RLG

**BEST CHOICE**

**Best Choice**  
100% Guaranteed

www.bestchoicebrand.com

PROUDLY DISTRIBUTED BY:  
VALU MERCHANTSERS. CO.  
5000 KANSAS AVE  
KANSAAS CITY, MO 66106

0 70038 20052 9

## HEB Label



**Drug Facts**

Active ingredients	Purpose
Pramoxine HCl 1%.....	External analgesic
Zinc acetate 0.1%.....	Skin protectant

**Uses** Dries the oozing and weeping, and temporarily relieves pain and itching of poison ivy, poison oak, and poison sumac or other minor skin irritations.

**Warnings:** ■ **For External use only.** Use only as directed  
 ■ **Avoid contact with eyes and mucous membranes**  
 ■ **Ask a doctor before using on children under 2 yrs. of age**

**When using this product** ■ **Discontinue use** if condition worsens, does not improve or if symptoms persist for more than 7 days, or clear up and occur again within a few days and consult a doctor.

**Keep out of reach of children.** In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.

**Directions**  
 ■ **Adults and children 2 yrs. and older:** Shake well before using. Wash the skin with soap and water and let dry. Apply to the affected area using cotton or soft cloth not more than 3 to 4 times daily as needed for comfort.  
 ■ **Children under 2 yrs. of age:** Consult a doctor.  
 ■ **Other information** ■ Store at room temperature 15° - 30°C (50° - 86°F)

**Inactive ingredients** ■ SD alcohol 38B 2.5%, camphor, diazolidinyl urea, fragrances, glycerin, hydroxypropyl methylcellulose, methylparaben, polysorbate 80, propylene glycol, propylparaben and purified water.

**MADE WITH PRIDE AND CARE FOR H-E-B, SAN ANTONIO, TX 78204**  
 Questions or Comments? Call 1-800-662-3435 1104  
 We believe the high quality of this H-E-B product makes it an outstanding value. We hope you'll agree. If not, we'll cheerfully refund your money. 0

**Equate Label**

**Drug Facts**

Active ingredients	Purpose
Pramoxine HCl 1%.....	External analgesic
Zinc Acetate 0.1%.....	Skin protectant

**Uses** Dries the oozing and weeping and temporarily relieves pain and itching of ■ poison ivy ■ poison oak ■ poison sumac ■ other minor skin irritations

**Warnings**  
 ■ **For external use only**

**When using this product** ■ do not get into eyes

**Stop use and ask a doctor if**  
 ■ condition worsens ■ symptoms last more than 7 days or clear up and occur again within a few days

**Keep out of reach of children.** In case of accidental ingestion, seek professional assistance or contact a Poison Control Center (1-800-222-1222) right away.

**Continued** ▶

NDC 49035-402-96

**equate™**

**Calamine Clear LOTION**

- Skin protectant
- Poison Ivy, Oak and Sumac drying lotion
- Relieves itching from minor skin irritations

**6 FL OZ (177mL)**

**Drug Facts (continued)**

**Directions**  
 ■ **Adults and children 2 years of age and older:** Shake well before using. Cleanse the skin with soap and water and let dry before each use. Apply lotion to the affected area using cotton or soft cloth, no more than 3 to 4 times daily.  
 ■ **Children under 2 years of age:** Consult a doctor before use.

**Other information**  
 Store at room temperature 15°-30°C (59°-86°F)

**Inactive ingredients**  
 Camphor, Diazolidinyl Urea, Fragrances, Glycerin, Hydroxypropyl Methylcellulose, Methylparaben, Polysorbate 80, Propylene Glycol, Propylparaben, Purified Water, SD Alcohol 38B 2.5%.

**DISTRIBUTED BY: Walmart Inc., Bentonville, AR 72716**  
 Satisfaction guaranteed - For questions or comments please call 1-888-287-1915.

\* 063173

R040721

\*This product is not manufactured or distributed by Valeant Pharmaceuticals, owner of the registered trademark Caladryl® Clear® Lotion.



### Drug Facts

Active ingredients	Purpose
Pramoxine HCl 1%.....	External analgesic
Zinc Acetate 0.1%.....	Skin protectant

**Uses** Dries the oozing and weeping and temporarily relieves pain and itching of poison ivy, poison oak, and poison sumac or other minor skin irritations

### Warnings

- For external use only. Use only as directed.
- Avoid contact with eyes and mucous membranes
- Ask a doctor before using on children under 2 years of age.

**When using this product** Discontinue use if condition worsens, does not improve or if symptoms persist for more than 7 days, or clear up and occur again within a few days, and consult a doctor.

**Keep out of reach of children.** In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.

Continued ▶

\*This product is not manufactured or distributed by Valeant Pharmaceuticals, owner of the registered trademark Caladryl® Clear® Lotion.

NDC 49035-402-95

# equate™

## Calamine Clear LOTION



- Skin Protectant
- Poison Ivy, Oak and Sumac drying lotion
- Relieves itching from minor skin irritations



### 6 FL OZ (177mL)

### Drug Facts (continued)

#### Directions

Adults and children 2 years of age and older: Shake well before using. Cleanse the skin with soap and water and let dry before each use. Apply lotion to the affected area using cotton or soft cloth, no more than 3 to 4 times daily.

Children under 2 years of age: Consult a doctor before use.

#### Other information

Store at room temperature 15°-30°C (59°-86°F)

#### Inactive ingredients

SD Alcohol 38B 2.5%, Camphor, Diazolidinyl Urea, Fragrances, Glycerin, Hydroxypropyl Methylcellulose, Methylparaben, Polysorbate 80, Propylene Glycol, Propylparaben, Purified Water.

DISTRIBUTED BY: Wal-Mart Stores, Inc., Bentonville, AR 72716

Satisfaction guaranteed - For questions or comments please call 1-888-287-1915.



R080017.RLG

## WM Label

### Drug Facts

Active ingredients	Purpose
Pramoxine HCl 1%.....	External analgesic
Zinc Acetate 0.1%.....	Skin protectant

**Uses** Dries the oozing and weeping and temporarily relieves pain and itching of poison ivy, poison oak, and poison sumac or other minor skin irritations.

### Warnings

- For external use only. Use only as directed.
- Avoid contact with eyes and mucous membranes.
- Ask a doctor before using on children under 2 years of age.

**When using this product** Discontinue use if condition worsens, does not improve or if symptoms persist for more than 7 days, or clear up and occur again within a few days, and consult a doctor.

**Keep out of reach of children.** In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.

Continued ▶

\*This product is not manufactured or distributed by Johnson & Johnson Consumer Products Company, owner of the registered trademark Caladryl® Clear™ Lotion

NDC 0095 400-95

\*Compare to Caladryl® Clear™ Lotion

# CALACLEAR® LOTION

## LOCIÓN CALACLEAR®

The Healthy Skin Care Solution

- External analgesic
- Skin protectant
- Drying agent & itch relief

6 FL OZ (177 mL)

6 ONZAS FL (177 mL)

HUMCO

### Drug Facts (CONTINUED)

#### Directions

Adults and children 2 years of age and older: Shake well before using. Cleanse the skin with soap and water and let dry before each use. Apply lotion to the affected area using cotton or soft cloth, not more than 3 to 4 times daily as needed for comfort.

Children under 2 years of age: Consult a doctor before use.

#### Other information

Store at room temperature 15-30°C (50-86°F)

#### Inactive ingredients

SD Alcohol 38B 2.5%, Camphor, Diazolidinyl Urea, Fragrances, Glycerin, Hydroxypropyl Methylcellulose, Methylparaben, Polysorbate 80, Propylene Glycol, Propylparaben, Purified Water.

HUMCO, Texarkana, TX 75501  
 Questions or Comments? ☎1-800-662-3435  
 Go to: [www.simplehomeremedies.com](http://www.simplehomeremedies.com) to find helpful hints and learn more about Caladryl™ Lotion.

MADE IN USA



R082316RLGF



A45240 02 2024

Levante etiqueta para información

## RA Label

Compare to the active ingredients  
of Caladryl® Clear® Lotion\*

# CALACLEAR LOTION

PRAMOXINE HCl 1%  
ZINC ACETATE 0.1%

**TOPICAL ANALGESIC  
SKIN PROTECTANT**

relieves itching due to  
poison ivy, poison oak, insect bites  
& minor skin irritations

**RITE  
AID  
PHARMACY**

6 FL OZ  
(177 mL)

Drug Facts	
<b>Active ingredients</b>	<b>Purpose</b>
Pramoxine HCl 1%.....	External analgesic
Zinc Acetate 0.1%.....	Skin protectant
<b>Uses</b> Dries the oozing and weeping and temporarily relieves pain and itching of poison ivy, poison oak, and poison sumac or other minor skin irritations.	
<b>Warnings</b> ■ For external use only. Use only as directed	
■ Avoid contact with eyes and mucous membranes	
■ Ask a doctor before using on children under 2 years of age	
Stop use and ask a doctor if condition worsens, does not improve or if symptoms persist for more than 7 days, or clear up and occur again within a few days.	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.	
<b>Directions</b>	
■ Adults and children 2 years of age and older: Shake well before using. Cleanse the skin with soap and water and let dry before each use. Apply lotion to the affected area using cotton or soft cloth, not more than 3 to 4 times daily as needed for comfort.	
■ Children under 2 years of age: Consult a doctor before use	
<b>Other information</b> ■ Store at room temperature 15-30°C (59-86°F)	
<b>Inactive ingredients</b> SD Alcohol 38B 2.5%, Camphor, Diazolidinyl Urea, Fragrances, Glycerin, Hydroxypropyl Methylcellulose, Methylparaben, Polysorbate 80, Propylene Glycol, Propylparaben, Purified Water	
<b>Questions or Comments?</b> 1-800-662-3435	

\*This product is not manufactured or distributed by Valeant Pharmaceuticals, distributor of Caladryl® Clear Lotion.

**DISTRIBUTED BY:**  
RITE AID, 30 HUNTER LANE,  
CAMP HILL, PA 17011  
www.riteaid.com



## Top Care Label

NDC 36800-4434-2

**TopCare  
health™**

COMPARE TO  
CALADRYL®  
CLEAR® LOTION  
ACTIVE INGREDIENT\*

# Calaclear Lotion

TOPICAL ANALGESIC  
SKIN PROTECTANT

Relieves Itching Due to:

- Poison Ivy
- Poison Oak
- Insect Bites
- Minor Skin Irritations

**OUR PHARMACISTS  
RECOMMEND**

6 FL OZ (177 mL)

Drug Facts	
<b>Active ingredients</b>	<b>Purpose</b>
Pramoxine HCl 1%.....	External analgesic
Zinc Acetate 0.1%.....	Skin protectant
<b>Uses</b> Dries the oozing and weeping and temporarily relieves pain and itching of poison ivy, poison oak, and poison sumac or other minor skin irritations.	
<b>Warnings</b> ■ For external use only. Use only as directed	
■ Avoid contact with eyes and mucous membranes	
■ Ask a doctor before using on children under 2 years of age	
Stop use and ask a doctor if condition worsens, does not improve or if symptoms persist for more than 7 days, or clear up and occur again within a few days.	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center 1-800-222-1222 immediately.	
<b>Directions</b>	
■ Adults and children 2 years of age and older: Shake well before using. Cleanse the skin with soap and water and let dry before each use. Apply lotion to the affected area using cotton or soft cloth, not more than 3 to 4 times daily as needed for comfort.	
■ Children under 2 years of age: Consult a doctor before use	
<b>Other information</b> ■ Store at room temperature 15-30°C (59-86°F)	
<b>Inactive ingredients</b> SD Alcohol 38B 2.5%, Camphor, Diazolidinyl Urea, Fragrances, Glycerin, Hydroxypropyl Methylcellulose, Methylparaben, Polysorbate 80, Propylene Glycol, Propylparaben, Purified Water	

\*This product is not manufactured or distributed by Valeant Pharmaceuticals, owner of the registered trademark Caladryl® Clear® Lotion.

**DISTRIBUTED BY:** TOPCO ASSOCIATES, LLC  
ELK GROVE VILLAGE, IL 60007 ©TOPCO HEALTHCARE  
QUESTIONS? 1-888-423-0139  
topcare@topco.com www.topcarebrand.com  
Visit here for more information:  
<http://topbrands.com/askus>

10/2019



CALACLEAR			
pramoxine hydrochloride and zinc acetate lotion			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82645-923
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
PRAMOXINE HYDROCHLORIDE (UNII: 88AYB867L5) (PRAMOXINE - UNII:068X84E056)	PRAMOXINE HYDROCHLORIDE	10 mg in 1 mL	

ZINC ACETATE (UNII: FM5526K07A) (ZINC CATION - UNII:13S1S8SF37)

ZINC CATION

1 mg  
in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
CAMPHOR (NATURAL) (UNII: N20HL7Q941)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	
GLYCERIN (UNII: PDC6A3C0OX)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0K00R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82645-923-96	177 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/25/1998	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M016	03/25/1998	

**Labeler** - Pharma Nobis, LLC (118564114)

**Registrant** - Pharma Nobis, LLC (118564114)

### Establishment

Name	Address	ID/FEI	Business Operations
Pharma Nobis, LLC		118564114	manufacture(82645-923) , analysis(82645-923) , pack(82645-923) , label(82645-923)

Revised: 12/2023

Pharma Nobis, LLC