

**SUNSCREEN- avobenzonone, homosalate, octisalate, octocrylene lotion**  
**American Sales Company**

-----  
**Care One 940.000/940AA**  
**Ultra Sunscreen Lotion SPF 50**

**Active Ingredients**

Avobenzonone 3%

Homosalate 10%

Octisalate 4.5%

Octocrylene 8%

**Purpose**

Sunscreen

**Use**

- helps prevent sunburn
- if used as directed with other sun protections measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Do not use**

- on damaged or broken skin

**When using this product**

- keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if**

- rash occurs

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- apply liberally {and evenly} 15 minutes before sun exposure
- apply to all skin exposed to the sun
- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m.–2 p.m.
  - wear long-sleeved shirts, pants, hats and sunglasses
- children under 6 months of age: Ask a doctor

### **Other information**

- Protect the product from excessive heat and direct sun

### **Inactive ingredients**

water, glycerin, aluminum starch octenylsuccinate, styrene/acrylates copolymer, polyester-7, silica, chlorphenesin, arachidyl alcohol, beeswax, neopentyl glycol diheptanoate, acrylates/C10-30 alkyl acrylate crosspolymer, behenyl alcohol, tocopherol, arachidyl glucoside, glyceryl stearate, PEG-100 stearate, potassium hydroxide, fragrance, benzyl alcohol, disodium EDTA

### **ADVERSE REACTION**

May stain or damage some fabrics or surfaces

Dist by Foolhold USA, LLC

Landover, MD 20785 1-877-848-8949

(c) S&S Brands, LLC

Quality guaranteed or your money back.

\*This product is not manufactured or distributed by Bayer, distributor of Coppertone Ultra Guard Sunscreen Lotion Broad Spectrum SPF 50.

\*\*Oxybenzone & Octinoxate Free

### **Principal Panel Display**

Care One

Compare to Coppertone sunscreen Lotion Ultra Guard SPF 50\*

SUNSCREEN LOTION

SPF 50 UVA/UVB protection

BROAD SPECTRUM SPF 50

- Water-Resistant (80 minutes)

- Enriched with moisturizers
- Hypoallergenic

Reef friendly\*\*

8 FL OZ (236 mL)

**CAREone**  
Compare to Coppertone® Sunscreen Lotion Ultra Guard SPF 50\*

# SUNSCREEN Lotion

SPF 50  
UVA/UVB PROTECTION

**Broad Spectrum SPF 50**

- Water resistant (80 min)
- Enriched with moisturizers
- Hypoallergenic

**REEF FRIENDLY\*\***

8 FL OZ (236 mL)

**Drug Facts**

Active ingredients	Purpose
Avobenzone 3%	Sunscreen
Homosalate 10%	Sunscreen
Octisalate 4.5%	Sunscreen
Octocrylene 8%	Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**  
For external use only

Do not use ■ on damaged or broken skin

When using this product ■ keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if ■ rash occurs**

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- apply liberally 15 minutes before sun exposure
- apply to all skin exposed to the sun
- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeved shirts, pants, hats and sunglasses
  - children under 6 months of age: Ask a doctor

**Other information**

- protect the product in this container from excessive heat and direct sun

**Inactive ingredients**  
water, glycerin, aluminum stearate, octenylsuccinate, styreneacrylates copolymer, polyester-7, silica, chlorophanesin, arachidyl alcohol, beeswax, neodecyl glycol diheptanoate, acrylates/C10-30 alkyl acrylate crosspolymer, behenyl alcohol, tocopherol, arachidyl glucoside, glyceryl stearate, PEG-100 stearate, potassium hydroxide, fragrance, benzyl alcohol, disodium EDTA

May stain or damage some fabrics or surfaces

8-301  
LOT: 8465WA  
0 41520 07781 0  
0719

MADE BY HOUSEHOLD, U.S.A., LLC, LANDOVER, MD 21705 1-877-848-2849  
© 2019 SAS Brands, LLC. Quality guaranteed or your money back.  
\*This product is not manufactured or distributed by Bayer, distributor of Coppertone® Sunscreen Lotion Ultra Guard Broad Spectrum SPF 50.  
\*\*Oxybenzone & Octinoxate free

## SUNSCREEN

avobenzone, homosalate, octisalate, octocrylene lotion

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:41520-940
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 mL
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	100 mg in 1 mL
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	45 mg in 1 mL
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	80 mg in 1 mL

**Inactive Ingredients**

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>ALUMINUM STARCH OCTENYLSUCCINATE</b> (UNII: I9PJ006294)	
<b>STYRENE/ACRYLAMIDE COPOLYMER (500000 MW)</b> (UNII: 5Z4DPO246A)	
<b>POLYESTER-7</b> (UNII: 0841698D2F)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)	
<b>ARACHIDYL ALCOHOL</b> (UNII: 1QR1QRA9BU)	
<b>YELLOW WAX</b> (UNII: 2ZA36H0S2V)	
<b>NEOPENTYL GLYCOL DIHEPTANOATE</b> (UNII: 5LKWBC543X)	
<b>CARBOMER INTERPOLYMER TYPE A (ALLYL SUCROSE CROSSLINKED)</b> (UNII: 59TL3WG5CO)	
<b>DOCOSANOL</b> (UNII: 9G1OE216XY)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>ARACHIDYL GLUCOSIDE</b> (UNII: 6JVV35J00J)	
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)	
<b>PEG-100 STEARATE</b> (UNII: YD01N1999R)	
<b>POTASSIUM HYDROXIDE</b> (UNII: WZH3C48M4T)	
<b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)	
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41520-940-34	236 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	07/08/2019	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	07/08/2019	

**Labeler** - American Sales Company (809183973)

**Registrant** - Nice-Pak Products, LLC (119091520)

**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Nice-Pak Products, LLC		119091514	manufacture(41520-940)

Revised: 2/2026

American Sales Company