

**PHARMA CARE PRO STERILE PREP SWABSTICK 70% IPA- isopropyl alcohol swab**  
**Enviro Specialty Chemicals Inc**

-----  
**PHARMA CARE Pro Sterile Prep Swabstick 70% IPA**

***Drug Facts:***

**Active ingredients**

Isopropyl alcohol 70% v/v

**Purposes**

Antiseptic

**Use**

For the preparation of a patient's skin prior to surgery, injection, venipuncture/phlebotomy procedural sites, to reduce the risk of bacterial and skin infection, when used as directed.

**Warnings:**

For external use only. Single use only. For Professional Health Care providers use only. Flammable: keep away from fire or flame.

**Do not use**

- on patients with known allergies to isopropyl alcohol
- for lumbar puncture or in contact with the meninges
- on open skin wounds or as a general skin cleanser

Do not use with electrocautery procedure.

When using this product, keep out of eyes, ears, and mouth. May cause serious or permanent injury if permitted to enter and remain. If contact occurs, rinse with cold water right away and contact a doctor.

Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Direction Of Use**

- use with care in premature infants or infants under 2 months of age – these products may cause irritation or chemical burns.

- maximal recommended treatment area using:
- one single swab stick applicator: approx. 2.5 in × 2.5 in (42 cm<sup>2</sup>)
- three single swab sticks used sequentially: approx. 5.0 in × 5.0 in (150 cm<sup>2</sup>)
- tear pouch at side notch to reveal applicator handles. Do not touch applicator tip.
- place applicator tip face side down on treatment area.
- completely wet the treatment area with antiseptic
- **dry surgical sites** (e.g., abdomen or arm): use gentle repeated back-and-forth strokes; use applicator within 2 minutes from opening.
- **moist surgical sites** (e.g., inguinal fold): use gentle repeated back-and-forth strokes; use applicator within 2 minutes from opening.
- discard applicators after a single use, along with any unused applicators or remaining solution. It is not necessary to use the entire amount available.

### **Other information:**

- Store at room temperature • Avoid freezing and excessive heat

### **Inactive ingredients**

USP purified water

### **Questions?**

• [www.escbrands.com](http://www.escbrands.com) • [info@escbrands.com](mailto:info@escbrands.com) • +1 (888) 331-8332 (M to F) 9am to 5pm EST

### **Patient Preoperative Skin Preparation**

**Not made with natural rubber latex**

**Do Not Reuse**

**Professional Use Only**

**External Use Only**

**Pharmacare one-step**

**Single swab stick applicators**

DISTRIBUTED BY: ESC BRANDS, LLC  
1026 BLUE PRINCE ROAD, SUITE B  
BLUEFIELD, WV 24701 USA

**ALCOHOL  
SWABSTICK**

**STERILIZED USING IRRADIATION**

**SINGLE USE ONLY**

**FLAMMABLE**


**AVOID DIRECT SUNLIGHT**

**DO NOT USE IF PACKAGE OPENED OR DAMAGED**

**Packaging**

Package: 50 x 1 Swabstick

Outer Package Label




Inner Package Label



Package: 25 x 3 Swabsticks

Outer Package Label



Inner Package Label



Drug Facts Label

Drug Facts:	
<b>Active ingredients</b> Isopropyl alcohol 70% v/v.	<b>Purposes</b> Antiseptic
Use For the preparation of a patient's skin prior to surgery, injection, venipuncture/phlebotomy procedural sites, to reduce the risk of bacterial and skin infection, when used as directed.	
<b>Warnings:</b> For external use only. Single use only. For Professional Health Care providers use only. Flammable: keep away from fire or flame.	
<b>Do not use</b> <ul style="list-style-type: none"><li>on patients with known allergies to isopropyl alcohol</li><li>for lumbar puncture or in contact with the meninges</li><li>on open skin wounds or as a general skin cleanser</li></ul>	
Do not use with electrocautery procedure.	
When using this product, keep out of eyes, ears, and mouth. May cause serious or permanent injury if permitted to enter and remain. If contact occurs, rinse with cold water right away and contact a doctor.	
Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Direction Of Use</b> <ul style="list-style-type: none"><li>use with care in premature infants or infants under 2 months of age – these products may cause irritation or chemical burns.</li><li>maximal recommended treatment area using:<ul style="list-style-type: none"><li>one single swab stick applicator: approx. 2.5 in x 2.5 in (42 cm<sup>2</sup>)</li><li>three single swab sticks used sequentially: approx. 5.0 in x 5.0 in (150 cm<sup>2</sup>)</li></ul></li><li>tear pouch at side notch to reveal applicator handles. Do not touch applicator tip.</li><li>place applicator tip face side down on treatment area.</li><li>completely wet the treatment area with antiseptic.</li><li><b>dry surgical sites</b> (e.g., abdomen or arm): use gentle repeated back-and-forth strokes; use applicator within 2 minutes from opening.</li><li><b>moist surgical sites</b> (e.g., inguinal fold): use gentle repeated back-and-forth strokes; use applicator within 2 minutes from opening.</li><li>discard applicators after a single use, along with any unused applicators or remaining solution. It is not necessary to use the entire amount available.</li></ul>	
<b>Other information:</b> ■ Store at room temperature ■ Avoid freezing and excessive heat	
<b>Inactive ingredients</b> USP purified water	
<b>Questions?</b> ■ www.esccbrands.com ■ info@esccbrands.com ■ +1 (888) 331-8332 (M to F) 9am to 5pm EST	

# PHARMA CARE PRO STERILE PREP SWABSTICK 70% IPA

isopropyl alcohol swab

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:71884-061
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>ISOPROPYL ALCOHOL</b> (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302)	ISOPROPYL ALCOHOL	70 mL in 100 mL

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>WATER</b> (UNII: 059QF0KO0R)	

## Packaging

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
<b>1</b>	NDC:71884-061-01	50 in 1 BOX	10/01/2025	
<b>1</b>		1 in 1 POUCH		
<b>1</b>		1.75 mL in 1 PACKAGE; Type 0: Not a Combination Product		
<b>2</b>	NDC:71884-061-03	25 in 1 BOX	10/01/2025	
<b>2</b>		3 in 1 POUCH		
<b>2</b>		1.75 mL in 1 PACKAGE; Type 0: Not a Combination Product		

## Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC Monograph Drug	505G(a)(3)	10/01/2025	

**Labeler** - Enviro Specialty Chemicals Inc (202621850)

Revised: 11/2025

Enviro Specialty Chemicals Inc