

**NEOSPORIN PLUS LIDOCAINE- bacitracin, neomycin, polymyxin b,
lidocaine ointment**
Kenvue Brands LLC

Neosporin + Lidocaine

Drug Facts

<i>Active ingredients (in each gram)</i>	<i>Purpose</i>
Bacitracin Zinc (500 units)	First aid antibiotic
Lidocaine (40 mg)	External analgesic
Neomycin Sulfate (3.5 mg)	First aid antibiotic
Polymyxin B sulfate (10,000 units)	First aid antibiotic

Uses

first aid to help prevent infection and for the temporary relief of pain or discomfort in minor:

- cuts
- scrapes
- burns

Warnings

For external use only

Do not use

- if you are allergic to any of the ingredients
- in the eyes
- over large areas of the body
- in large quantities, particularly over raw surfaces or blistered areas

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- you need to use longer than 1 week
- condition persists or gets worse
- symptoms persist for more than 1 week, or clear up and occur again within a few days
- rash or other allergic reaction develops

Keep out of reach of children. If swallowed, get medical help or contact a Poison

Control Centre right away.

Directions

- adults and children 2 years of age and older:
 - clean the affected area
 - apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
 - may be covered with a sterile bandage
- children under 2 years of age: ask a doctor

Other information

- store at 20° to 25°C (68° to 77°F)

Inactive ingredient

Petrolatum

Questions?

Call **800-223-0182** or **215-273-8755** (collect)

Distributed by:

Kenvue Brands LLC

Summit, NJ 07901

PRINCIPAL DISPLAY PANEL - 28.3 g Tube Carton

#1

DOCTOR

RECOMMENDED

BRAND

NEOSPORIN®

+ MAXIMUM STRENGTH

LIDOCAINE

With Fast-Acting Lidocaine

For Pain Relief*

Numbs Away the Pain

24-Hour Infection

Protection


NUMBING

OINTMENT

FIRST AID ANTIBIOTIC / PAIN RELIEVING OINTMENT

Bacitracin Zinc - Lidocaine - Neomycin Sulfate - Polymyxin B Sulfate

NET WT. 1 OZ (28.3 g)



NEOSPORIN PLUS LIDOCAINE

bacitracin, neomycin, polymyxin b, lidocaine ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0731
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	40 mg in 1 g

BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	500 [iU] in 1 g
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN SULFATE	3.5 mg in 1 g
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	10000 [iU] in 1 g

Inactive Ingredients

Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0731-1	1 in 1 CARTON	01/30/2023	
1		14.2 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:69968-0731-2	1 in 1 CARTON	01/01/2026	
2		28.3 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M004	01/30/2023	

Labeler - Kenvue Brands LLC (118772437)

Revised: 11/2025

Kenvue Brands LLC