

BIO-RYTUSS- chlorpheniramine maleate, dextromethorphan hydrobromide, phenylephrine hydrochloride liquid
Advanced Generic Corporation

AGC-BioRYTuss 250

Active ingredients (in each 5 mL tsp.)

Chlorpheniramine Maleate 2 mg

Dextromethorphan Hydrobromide 10 mg

Phenylephrine Hydrochloride 5 mg

Purpose

Antihistamine

Cough Suppressant

Nasal Decongestant

Purpose

Antihistamine

Cough Suppressant

Nasal Decongestant

Warnings

Ask doctor before use if you have

- Cough that occurs with too much phlegm (mucus), or a breathing problem or persistent or chronic cough that lasts such as occurs with smoking, asthma, chronic bronchitis or emphysema.
- Heart disease
- High blood pressure
- Thyroid Disease
- Diabetes
- Difficulty in urinating due to enlarged prostate gland
- Glaucoma

Ask doctor or pharmacist before use if you are taking any other oral nasal decongestant or stimulant; taking sedatives or tranquilizers.

When using this product

- Do not use more than directed
- May cause marked drowsiness; avoid alcohol beverages; alcohol, sedatives and tranquilizers may increase drowsiness.
- Be careful when driving a motor vehicle or operating machinery; excitability may occur, especially with children.

Do not use

- To sedate a child or to make a child sleepy
- If you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if you are taking a prescription that contains an MAOI, ask your doctor or pharmacist before taking this product

Stop use and ask a doctor if you

- you get nervous, dizzy or sleepless
- symptoms do not get better within 7 days or are accompanied by fever
- cough lasts more than 7 days, comes back, or is accompanied by fever, rash or persistent headaches. These could be signs of a serious condition.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center immediately

If pregnant or breast-feeding, ask a doctor before use

Directions do not take more than 6 doses in any 24 hour period

adults and children 12 years of age	2 teaspoonful (10 mL) every 4-6 hours
children 6 to under 12 years of age	1 teaspoonful (5 mL) every 4-6 hours
children 2 to under 6 years of age	1/2 teaspoonful (2.5 mL) every 4-6 hours

Uses

- temporarily relieves cough due to minor throat and bronchial irritation occurring with a cold, and nasal congestion due to the common cold, hay fever or other upper respiratory allergies
- temporarily relieves these symptoms due to hay fever (allergic rhinitis); runny nose; sneezing; itchy watery eyes; itching of the nose or throat
- temporarily restores freer breathing through the nose.

Inactive ingredients

Citric acid, FD&C Red #40, flavor, methylparaben, propylene glycol, propylparaben, purified water, Sodium citrate, sucralose.

Questions or comments?

1-305-403-3788

Drug Facts

Active ingredients (in each 5 mL tsp.)	Purposes
Chlorpheniramine Maleate, USP..... 2 mg	Antihistamine
Dextromethorphan HBr, USP..... 10 mg	Cough Suppressant
Phenylephrine HCl, USP..... 5 mg	Nasal Decongestant

Uses

Temporarily relieves cough due to minor throat and bronchial irritation occurring with the common cold • temporarily relieves these symptoms due to hay fever (allergic rhinitis); runny nose; sneezing; itchy, watery eyes; itching of the nose or throat • temporarily restores freer breathing through the nose

Warnings

Do not use • to sedate a child or to make a child sleepy • if you are taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional disease, or Parkinson's disease), or for two weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have • cough that occurs with too much phlegm (mucus) • breathing problem or persistent or chronic cough that lasts such as occurs with smoking, asthma, chronic bronchitis, or emphysema • heart disease • high blood pressure • thyroid disease • diabetes • difficulty in urination due to enlargement of the prostate gland • glaucoma

Ask a doctor or pharmacist before use if you are • taking any other oral nasal decongestant or stimulant • taking sedatives or tranquilizers

When using this product • do not use more than directed • may cause marked drowsiness • avoid alcoholic beverages • alcohol, sedatives and tranquilizers may increase drowsiness • be careful when driving a motor vehicle or operating machinery • excitability may occur, especially in children.

THIS IS A BULK CONTAINER NOT INTENDED FOR RETAIL



NDC 45737-250-16

**BIO-
RYTUSS**

- Antihistamine
- Cough Suppressant
- Nasal Decongestant

Contains the same active ingredients as Rycotuss®†



Cherry Flavor

Sugar FREE
Alcohol FREE

16 fl. oz. (473 mL)

Drug Facts (continued)

Stop use and ask a doctor if • you get nervous, dizzy, or sleepless • symptoms do not get better within 7 days or are accompanied by fever • cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

if pregnant or breast-feeding, ask a doctor before use.

Keep out of reach of children In case of accidental overdose, get medical help or contact a Poison Control Center immediately.

Directions • do not take more than 6 doses in any 24 hour period.

Age	Dose
Adults and children over 12 years of age	2 teaspoonfuls (10 mL) every 4-6 hours
Children 6 to under 12 years of age	1 teaspoonful (5 mL) every 4-6 hours
Children 2 to under 6 years of age	Ask a doctor

Other information • store at room temperature 20°-25°C (68°-77°F)

• Tamper Evident Disclosure - Do not use this product if seal over bottle opening is torn, broken, or missing.

• **Pharmacist** - Preserve and dispense in tight light-resistant containers with a child resistant cap as defined in the USP.

Inactive ingredients: Artificial/natural cherry flavor, citric acid, FD&C#40, glycerin, methylparaben, propylene glycol, propylparaben, purified water, sodium citrate, and sucralose.

Questions or comments? 1-305-403-3788

Manufactured For: Advanced Generic Corporation, Miami, FL 33147. www.advancedgeneric.com

†Rycotuss® is a registered Trademark of Okendpharma Inc.

This product is not manufactured, distributed or marketed by Okendpharma Inc.

Code #: L-84

Lot #:

Rev.:05/24

Exp. Date:

BIO-RYTUSS

chlorpheniramine maleate, dextromethorphan hydrobromide, phenylephrine hydrochloride liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:45737-250
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CHLORPHENIRAMINE MALEATE (UNII: V1Q0O9OJ9Z) (CHLORPHENIRAMINE - UNII:3U6IO1965U)	CHLORPHENIRAMINE MALEATE	2 mg in 5 mL
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg in 5 mL
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	CHERRY (cherry flavor)	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:45737-250-16	473 mL in 1 BOTTLE; Type 0: Not a Combination Product	08/01/2012	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	08/01/2012	

Labeler - Advanced Generic Corporation (831762971)

Revised: 12/2025

Advanced Generic Corporation