

ALLERGY RELIEF- diphenhydramine hydrochloride tablet
TWIN MED LLC

Twin Med - DIPHENHYDRAMINE HCl Tablets, USP 25mg (55681-322)

Active Ingredient

(in each tablet)

Diphenhydramine HCl 25 mg

Purpose

Antihistamine

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
- runny nose
- sneezing
- itchy, watery eyes
- itchy nose or throat
- temporarily relieves these symptoms of the common cold:
- runny nose
- sneezing

Warnings

Do not use

- with any other product containing diphenhydramine, even one used on skin
- to make a child sleepy

Ask a doctor before use if you have

- trouble urinating due to an enlarged prostate gland
- glaucoma ? a breathing problem such as emphysema or chronic bronchitis

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

When using this product

- marked drowsiness may occur
- avoid alcoholic drinks
- excitability may occur, especially in children ? alcohol, sedatives and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

If pregnant or breast-feeding;

ask a health professional before use

Keep out of reach of children.

In case of accidental overdose, contact a doctor or Poison Control Center immediately. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Do not exceed recommended dosage.

Directions

- **take every 4 to 6 hours, not more than 6 doses in 24 hours**
- **Adults and children 12 years of age and older:**1 or 2 tablets
- **children 6 to under 12 years of age:**1 tablet
- **children 4 to under 6 years of age:**do not use unless directed by a doctor
- **children under 4 years of age:**do not use

Other Information

- each tablet contains : calcium 20 mg
- store at controlled room temperature 20°-25°C (68°-77°F).
- read all product information before using.
- TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

Inactive Ingredients

colloidal silicon dioxide, croscarmellose sodium, dicalcium phosphate, d&c red 27, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, titanium dioxide, talc

Questions or Comments

Questions ? call toll-free 1-844-912-4012

PACKAGE LABEL.PRINCIPAL DISPLAY PANEL

ITEM# PCOTC124

Distributed by:

ProCure Products

Santa Fe Springs, CA 90670

MADE IN THE U.S.A.



PROCURE™
HEALTHCARE PRODUCTS

Compare to active ingredient of
Benadryl® Allergy Tablets*

ALLERGY RELIEF

DIPHENHYDRAMINE HCl
ANTIHISTAMINE

- Sneezing & runny nose
- itchy, watery eyes
- hay fever symptoms
- itching of nose or throat

300 TABLETS | 25 MG

Easy to swallow
mini tablets



DO NOT USE IF PRINTED SEAL UNDER CAP IS MISSING OR DAMAGED

ITEM# PCOTC124

Distributed by:
Procure Products
Santa Fe Springs, CA 90670
MADE IN THE U.S.A.

Drug Facts

Purpose
Active ingredient
(in each tablet)
Diphenhydramine HCl 25mg.....Antihistamine

Uses
temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
runny nose ■ itchy, watery eyes
sneezing ■ itchy nose or throat
temporarily relieves these symptoms of the cold:
runny nose ■ sneezing

Warnings
do not use ■ to make a child sleepy
■ with any other product containing diphenhydramine, even one used on skin
Ask a doctor before use if you have
■ trouble urinating due to an enlarged prostate gland
■ glaucoma
■ a breathing problem such as emphysema or chronic bronchitis

Ask your doctor or pharmacist before use if you are
taking sedatives or tranquilizers

PEEL FOR MORE INFORMATION

LIFT HERE

Drug Facts (continued)

When using this product

- marked drowsiness may occur
- alcohol, sedatives, and tranquilizers may increase drowsiness
- avoid alcoholic beverages
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- take every 4 to 6 hours or as directed by a doctor
- do not take more than 6 times in 24 hours

adults and children 12 years and over	1 to 2 tablets
children 6 to under 12 years	1 tablet
children under 6 years	do not use

Other information

protect from moisture
store at 25°C (77°F) excursions permitted between 15°-30°C (59°-86°F)

Inactive Ingredients

colloidal silicon dioxide, croscarmellose sodium, dicalcium phosphate, d&c red 27, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, titanium dioxide, talc

Questions ? call toll-free 1-844-912-4012

ALLERGY RELIEF

diphenhydramine hydrochloride tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55681-322
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg

Inactive Ingredients

Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
D&C RED NO. 27 (UNII: 2LRS185U6K)	
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)	

HYPROMELLOSES (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I3O)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
POLYVINYL ALCOHOL (UNII: 532B59J990)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	pink	Score	no score
Shape	CAPSULE	Size	11mm
Flavor		Imprint Code	I3
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55681-322-03	300 in 1 BOTTLE; Type 0: Not a Combination Product	07/15/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	07/15/2022	

Labeler - TWIN MED LLC (009579330)

Revised: 1/2024

TWIN MED LLC