

ALTITUSS- dextromethorphan hbr, guaifenesin liquid
Alternative Pharmacal Corporation

Alt-Altituss 113

Active Ingredients (in each 7.5 mL)

Purpose

Dextromethorphan HBr..... 15 mg Cough suppressant

Glyceryl Guaiacolate 150 mg Expectorant

Purpose

Cough suppressant

Expectorant

Uses

Helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes. Temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold.

Warnings

DO NOT USE

If you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if you are taking a prescription drug that contains MAOI; ask your doctor or pharmacist before taking this product.

Ask a doctor before use if you have:

Cough that occurs with too much phlegm (mucus)

Cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema

When using this product do not use more than directed.

Stop use and ask a doctor before use if: cough lasts more than 7 days, comes back, or is accompanied by fever, rash or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health profession before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions Do not take more than 6 doses in any 24-hour period.

Adults and children 12 years of age and over	10 ml (2tsp) every 4 hours
Children 6 years to under 12 years of age	5 ml (1tsp) every 4 hours
Children 2 years to under 6 years of age	2.5 ml (1/2 tsp) every 4 hours
Children under 2 years	Consult a doctor

Inactive ingredients

Artificial and Natural flavor, Citric acid, methylparaben, propylene glycol, propylparaben, purified water, sodium citrate, and sucralose

Questions or comments? 1-305-403-3788

NDC 53163-113-16

Altituss

Drug Facts

Active Ingredients (in each 7.5 mL) **Purposes**
Dextromethorphan HBr, USP...15 mgCough suppressant
Glyceril Guaiacolate, USP.....150 mgExpectorant

Uses ■ Helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes.
■ Temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold.

Warnings
■ **DO NOT USE** If you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if you are taking a prescription drug that contains an MAOI; ask your doctor or pharmacist before taking this product.

Ask a doctor before use if you have:
■ Cough that occurs with too much phlegm(mucus)
■ Cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema.

When using this product do not use more than directed.



• Cough Suppressant
• Expectorant

Contains the same active ingredients as Sorbutuss® NR†

Drugs Facts (Continued)

Stop use and ask a doctor before use if: cough lasts more than 7 days, comes back, or is accompanied by fever, rash or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions ■ Do not take more than 6 doses in any 24-hour period.

Adults and children 12 years of age and over	10 ml (2tsp) every 4 hours.
Children 6 years to under 12 years of age	5 ml (1tsp) every 4 hours
Children 2 years to under 6 years of age	2.5 ml (1/2tsp) every 4 hours
Children under 2 years of age	Consult a doctor

Other Information ■ Store at room temperature 20°-25° C (68°- 77°F).
■ **Tamper Evident Feature:** Do not use if seal under cap is torn, broken or missing.
■ **Pharmacist** - Preserve and dispense in tight, light-resistant container with a child resistant cap as defined in the USP.

Inactive ingredients Artificial and natural flavor, citric acid, methylparaben, propylene glycol, propylparaben, purified water, sodium citrate, and sucralose.

Questions or comments? 1-305-403-3788

Manufactured For: Advanced Generic Corp., Miami, FL 33147
www.advancedgeneric.com

THIS IS A BULK CONTAINER NOT INTENDED FOR RETAIL



3 53163 11316 3

Grape Flavor Sugar FREE
Alcohol FREE
Dye FREE

16 fl. oz. (473 mL)

†Sorbutuss® is a registered trademark of Teral, Inc. This product is not manufactured, distributed or marketed by Teral, Inc.
Code #: L-52 Rev. 01/24
Lot #: Exp. Date:

ALTITUSS

dextromethorphan hbr, guaifenesin liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:53163-113
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	15 mg in 7.5 mL
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	150 mg in 7.5 mL

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	

PROPYLPARABEN (UNII: Z8IX2SC1OH)

WATER (UNII: 059QF0KO0R)

SODIUM CITRATE (UNII: 1Q73Q2JULR)

SUCRALOSE (UNII: 96K6UQ3ZD4)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53163-113-16	473 mL in 1 BOTTLE; Type 0: Not a Combination Product	03/01/2015	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	03/01/2015	

Labeler - Alternative Pharmacal Corporation (078528214)

Revised: 12/2025

Alternative Pharmacal Corporation