

**ALOE ICE SPF 50- avobenzene, homosalate, octisalate, octocrylene,  
oxybenzone spray  
Aloe Care International, LLC**

-----  
**ALOE UP - ALOE ICE SPF 50 SPRAY (61477-204)**

ACTIVE INGREDIENTS:

AVOBENZONE 3%

HOMOSALATE 10%

OCTISALATE 5%

OCTOCRYLENE 2.75%

OXYBENZONE 4%

PURPOSE:

SUNSCREEN

INDICATIONS:

HELPS PREVENT SUNBURN.

DIRECTIONS:

SPRAY LIBERALLY AND SPREAD EVENLY BY HAND 15 MINUTES BEFORE SUN EXPOSURE.

HOLD 4 TO 6 INCHES FROM THE SKIN TO APPLY.

DO NOT SPRAY DIRECTLY INTO FACE. SPRAY ON HANDS THEN APPLY TO FACE.

DO NOT APPLY IN WINDY CONDITIONS.

USE IN A WELL-VENTILATED AREA.

REAPPLY: AFTER 80 MINUTES OF SWIMMING OR SWEATING; IMMEDIATELY AFTER TOWEL DRYING, AT LEAST EVERY 2 HOURS.

KEEP OUT OF REACH OF CHILDREN.


WARNINGS:

FOR EXTERNAL USE ONLY. DO NOT USE ON DAMAGED OR BROKEN SKIN. WHEN USING THIS PRODUCT KEEP OUT OF EYES. RINSE WITH WATER TO REMOVE. KEEP AWAY FROM FACE TO AVOID BREATHING IT. CONTENTS UNDER PRESSURE- DO NOT PUNCTURE OR INCINERATE. DO NOT STORE AT TEMPERATURES ABOUT 120 F. STOP USE AND ASK A DOCTOR IF RASH OCCURS. KEEP OUT OF REACH OF CHILDREN. IF PRODUCT IS SWALLOWED, GET MEDICAL HELP OR CONTACT A POISON CONTROL CENTER RIGHT AWAY. FLAMMABLE: DO NOT USE NEAR HEAT, FLAME OR WHILE SMOKING.

Other Ingredients:

ALOE BARBADENSIS EXTRACT, COCOS NUCIFERA (COCONUT) OIL, DIETHYLHEXYL 2,6-NAPHTHALATE, MINERAL OIL (PARAFFINUM LIQUIDUM), POLYESTER-8, SD ALCOHOL

40-B (ALCOHOL DENAT.), VA/BUTYL MALEATE/ISOBORNYL ACRYLATE COPOLYMER



**Aloe Up Pro Broad Spectrum SPF 50 Continuous Spray Sunscreen**  
 provides sun protection at the touch of a button. Our unique formula allows quick and easy application; no pumping or squeezing required. Lightweight formula sprays at any angle and applies clear.

Drug Facts	
<b>Active Ingredients</b> Avobenzone 3% Homosalate 10% Octisalate 5% Octocrylene 2.75% Oxybenzone 4%	<b>Purpose</b> Sunscreen
<b>Uses</b> • helps prevent sunburn • if used as directed with other sun protection measures (see <i>Directions</i> ), decreases the risk of skin cancer and early skin aging caused by the sun.	
<b>Warnings</b> For external use only Do not use on damaged or broken skin. When using this product keep out of eyes. Rinse with water to remove. Keep away from face to avoid breathing it. Contents under pressure - do not puncture or incinerate. Do not store at temperatures above 120°F. Stop use and ask a doctor if rash occurs. Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. Flammable: Do not use near heat, flame or while smoking.	
<b>Directions</b> • spray liberally and spread evenly by hand 15 minutes before sun exposure. • hold container 4 to 6 inches from the skin to apply • do not spray directly into face. Spray on hands then apply to face. • do not apply in windy conditions • use in a well-ventilated area • reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeve shirts, pants, hats, and sunglasses • children under 6 months: Ask a doctor	
<b>Inactive Ingredients</b> Aloe Barbadosis Extract, Cocos Nucifera (Coconut) Oil, Diethylhexyl 2,6-Naphthalate, Mineral Oil (Paraffinum Liquidum), Polyester-8, SD Alcohol 40-B (Alcohol Denat.), VA/Butyl Maleate/Isobornyl Acrylate Copolymer	
<b>Other Information</b> • protect this product from excessive heat and direct sun • avoid spraying on fabrics - could cause discoloration.	
<b>Questions or Comments?</b> Call toll free 1-800-950-2563 • www.aloeiceco.com	

©2013 Aloecare International, LLC      Manufactured for: Aloe Ice  
 All Rights Reserved      Minneapolis, MN 55344  
 Made in USA



ALOE ICE SPF 50			
avobenzene, homosalate, octisalate, octocrylene, oxybenzone spray			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:61477-204
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 g in 100 mL	
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	10 g in 100 mL	

<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	5 g in 100 mL
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	2.75 g in 100 mL
<b>OXYBENZONE</b> (UNII: 95OOS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y)	OXYBENZONE	4 g in 100 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	
<b>COCONUT OIL</b> (UNII: Q9L0O73W7L)	
<b>DIETHYLHEXYL 2,6-NAPHTHALATE</b> (UNII: I0DQJ7YGXM)	
<b>MINERAL OIL</b> (UNII: T5L8T28FGP)	
<b>POLYESTER-8 (1400 MW, CYANODIPHENYLPROPENOYL CAPPED)</b> (UNII: T9296U138P)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>DIBUTYL MALEATE</b> (UNII: 4X371TMK9K)	
<b>ISOBORNYL METHACRYLATE</b> (UNII: 33GSY5DKCQ)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:61477-204-26	177 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	02/24/2014	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	02/24/2014	

**Labeler** - Aloe Care International, LLC (938242187)