# SUNSCREEN- zinc oxide emulsion CA-Botana International

-----

#### **Elixir SPF50 Tinted**

## **Active Ingredient**

Zinc Oxide 21%...... Sunscreen

### **Purpose**

Sunscreen

#### **Ask Doctor**

Stop use and ask a doctor if rash occurs

# Keep out of reach of children

Keep out of reach of children

# **Inactive Ingredients**

Water (Aqua), Coco-Caprylate/Caprate, Ceteary Alcohol, Propanediol, Stearyl Alcohol, Polyhydroxystearic Acid, Mica, Cetearyl Olivate, Sorbitan Olivate, Caprylhydroxamic acid. GlycerylCaprylate, Glycerin, Xanthan Gum, Equisetum arvense (Horsetail) extract, Rosmarinus officinalis (Rosemary) extract, Centella asiatica(Gotu-kola) extract, Aesculus hippocastanum (Horse chestnut) extract, Camellia sinensis(Green tea) extract, Olea europaea (Olive) extract, Tocopheryl Acetate, Potassium Sorbate, Sodium Phytate, Carthamus tinctorius (Safflower) Seed oil, Silica, Triethoxycapryylsilane, OXY CA (Rosmarinus officnalis (Leaf)CO2 Extract& Ascorbyl Palmitate & Caprylic/Capric Triglyceride & Ascorbic Acid & Tocopherol & Citric Acid), Glyceryl Stearate, Iron Oxide.

# Safety information

Protect this product from excessive heat and direct sun

# **Dosage & Administration**

Helps prevent sunburn. If used as directed with other sun protection measured decreases the risk of skin cancer and early skin aging caused by the sun. Apply liberally 15 minutes before sun exposure. Usea water resistant sunscreen if swimming or sweating. Reapply: at least 2 hours. Children under 6 months: Ask a doctor. Sun protections measurements. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and othe sun protection measures including: limit time in

the sun, specially from 10 a.m.- 2 p.m Wear long-sleeveshirts, pants, hats, and sunglasses. Protect this product from excessive heat and direct sun.

### Warnings

For external use only. Do not use on damaged or broken skin. When using this product keep out of eyes. Rinse with water to remove. If product is swallowed get medical help or contact a poison Control Center right away.

# Indications & Usage

Apply liberally 15 minutes before exposure, use water resistant sunscreen, if swimming or sweating. reapply at least every 2 hours. Children under 6 months: ask a doctor



4.8 x 14.9225 cm

# SHNSCREEN

PEG-8 CAPRYLIC/CAPRIC GLYCERIDES (UNII: 00BT03FSO2)

TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)

zinc oxide emulsion				
Product Information				
Product Type	HUMAN OTC DRUG	Item Co	ode (Source)	NDC:35192-050
Route of Administration	TOPICAL			
Active Ingredient/Active	Mojoty			
Active Ingredient/Active	мојету			
Ingredient Name			<b>Basis of Strength</b>	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)		54Z)	ZINC OXIDE	12.81 g in 12.81 g
Inactive Ingredients				
- Indicate Ingliculation				6
	Ingredient Name			Strength

SAFFLOWER OIL (UNII: 65UEH262IS)	
GLYCERYL STEARATE SE (UNII: FCZ5MH785I)	
SORBITAN OLIVATE (UNII: MDL271E3GR)	
EQUISETUM ARVENSE WHOLE (UNII: 73DM367W4P)	
ASCORBIC ACID (UNII: PQ6CK8PD0R)	
STEARYL ALCOHOL (UNII: 2KR89I4H1Y)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
CETEARYL OLIVATE (UNII: 58B69Q84JO)	
ROSEMARY (UNII: IJ67X351P9)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
TOCOPHEROL (UNII: R0ZB2556P8)	
XANTHAN GUM (UNII: TTV12P4NEE)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPANEDIOL (UNII: 5965N8W85T)	
WATER (UNII: 059QF0KO0R)	
BROWN IRON OXIDE (UNII: 1N032N7MFO)	
HEXASODIUM PHYTATE (UNII: ZBX50UG81V)	
COCO-CAPRYLATE/CAPRATE (UNII: 8D9H4QU99H)	
CAPRYLHYDROXAMIC ACID (UNII: UPY805K99W)	
GLYCERYL CAPRATE (UNII: 197M6VFC1W)	
CENTELLA ASIATICA (UNII: 7M867G6T1U)	
GREEN OLIVE (UNII: 6HD2W46UEG)	
.ALPHATOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)	
HYDRATED SILICA (UNII: Y6O7T4G8P9)	
ASCORBYL PALMITATE (UNII: QN83US2B0N)	
MICA (UNII: V8A1AW0880)	
HORSE CHESTNUT (UNII: 3C18L6RJAZ)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	

Product Characteristics			
Color	brown (light brownish)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

ı	Packaging				
	# Item Code Package Description		Marketing Start Date	Marketing End Date	
	1 NDC:35192-050	- 61 g in 1 PACKAGE; Type 0: Not a Combination Product	07/31/2022		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	07/31/2022	

# **Labeler -** CA-Botana International (106276728)

Establishment					
Name	Address	ID/FEI	<b>Business Operations</b>		
CA-Botana International		106276728	manufacture(35192-050)		

Revised: 7/2025 CA-Botana International