

LOBELIA INFLATA- lobelia inflata pellet
Hahnemann Laboratories, INC.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

LOBELIA INFLATA

6C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.
Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901
TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

LOBELIA INFLATA

6C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

LOBELIA INFLATA

6C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

LOBELIA INFLATA

12C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

LOBELIA INFLATA

12C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

LOBELIA INFLATA

12C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc.

**LOBELIA
INFLATA
30C**

Min. net wt: 1g

HOMEOPATHIC
MEDICINE HPUS

Active ingredient:

Listed above

Use: Traditional use
such as nausea.

**Keep out of reach
of children**

Directions: Take 5
pellets orally once

Inactive ingredients:

sucrose



00000

TWIST TO OPEN - USE ONLY IF SEALED.

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

LOBELIA INFLATA

30C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

LOBELIA INFLATA

30C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

LOBELIA INFLATA

30C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc.

**LOBELIA
INFLATA
100C**

Min. net wt: 1g

HOMEOPATHIC
MEDICINE HPUS

Active ingredient:

Listed above

Use: Traditional use
such as nausea.

**Keep out of reach
of children**

Directions: Take 5
pellets orally once

Inactive ingredients:
sucrose



00000

TWIST TO OPEN - USE ONLY IF SEALED.

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

LOBELIA INFLATA 100C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

LOBELIA INFLATA 100C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

LOBELIA INFLATA 100C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc.

**LOBELIA
INFLATA
200C**

Min. net wt: 1g

HOMEOPATHIC
MEDICINE HPUS

Active ingredient:

Listed above

Use: Traditional use
such as nausea.

**Keep out of reach
of children**

Directions: Take 5
pellets orally once

Inactive ingredients:

sucrose



00000

TWIST TO OPEN - USE ONLY IF SEALED.

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

LOBELIA INFLATA 200C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.
Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

LOBELIA INFLATA 200C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

LOBELIA INFLATA 200C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc.

**LOBELIA
INFLATA
500C**

Min. net wt: 1g

HOMEOPATHIC
MEDICINE HPUS

Active ingredient:

Listed above

Use: Traditional use
such as nausea.

**Keep out of reach
of children**

Directions: Take 5
pellets orally once

Inactive ingredients:

sucrose



00000

TWIST TO OPEN - USE ONLY IF SEALED.

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

LOBELIA INFLATA 500C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

LOBELIA INFLATA 500C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

LOBELIA INFLATA 500C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc.

**LOBELIA
INFLATA
1M**

Min. net wt: 1g

HOMEOPATHIC
MEDICINE HPUS

Active ingredient:

Listed above

Use: Traditional use
such as nausea.

**Keep out of reach
of children**

Directions: Take 5
pellets orally once

Inactive ingredients:

sucrose



00000

TWIST TO OPEN - USE ONLY IF SEALED.

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

LOBELIA INFLATA

1M

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

LOBELIA INFLATA

1M

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

LOBELIA INFLATA

1M

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

LOBELIA INFLATA LM1

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

LOBELIA INFLATA

lobelia inflata pellet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-1050
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name		Basis of Strength	Strength
LOBELIA INFLATA (UNII: 9PP1T3TC5U) (LOBELIA INFLATA - UNII:9PP1T3TC5U)		LOBELIA INFLATA	500 [hp_C]

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics			
Color	white	Score	no score
Shape	ROUND	Size	2mm
Flavor		Imprint Code	
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37662-1050-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	07/27/2022	
2	NDC:37662-1050-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	07/27/2022	
3	NDC:37662-1050-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	07/27/2022	
4	NDC:37662-1050-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	07/27/2022	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		07/27/2022	

LOBELIA INFLATA			
lobelia inflata pellet			

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-1051
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
LOBELIA INFLATA (UNII: 9PP1T3TC5U) (LOBELIA INFLATA - UNII:9PP1T3TC5U)	LOBELIA INFLATA	1 [hp_M]	

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	2mm
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37662-1051-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	07/27/2022	
2	NDC:37662-1051-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	07/27/2022	
3	NDC:37662-1051-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	07/27/2022	
4	NDC:37662-1051-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	07/27/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		07/27/2022	

LOBELIA INFLATA

lobelia inflata pellet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-1046
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LOBELIA INFLATA (UNII: 9PP1T3TC5U) (LOBELIA INFLATA - UNII:9PP1T3TC5U)	LOBELIA INFLATA	12 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	3mm
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37662-1046-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	07/27/2022	
2	NDC:37662-1046-2	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	07/27/2022	
3	NDC:37662-1046-3	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	07/27/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		07/27/2022	

LOBELIA INFLATA

lobelia inflata pellet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-1052
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LOBELIA INFLATA (UNII: 9PP1T3TC5U) (LOBELIA INFLATA - UNII:9PP1T3TC5U)	LOBELIA INFLATA	1 [hp_Q]

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	1mm

Flavor		Imprint Code		
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37662-1052-1	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	07/27/2022	
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved homeopathic		07/27/2022		

LOBELIA INFLATA				
lobelia inflata pellet				
Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-1047	
Route of Administration	ORAL			
Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
LOBELIA INFLATA (UNII: 9PP1T3TC5U) (LOBELIA INFLATA - UNII:9PP1T3TC5U)	LOBELIA INFLATA	30 [hp_C]		
Inactive Ingredients				
Ingredient Name	Strength			
SUCROSE (UNII: C151H8M554)				
Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	3mm	
Flavor		Imprint Code		
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37662-1047-1	80 in 1 VIAL, GLASS; Type 0: Not a Combination Product	07/27/2022	

2	NDC:37662-1047-2	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	07/27/2022	
3	NDC:37662-1047-3	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	07/27/2022	
4	NDC:37662-1047-4	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	07/27/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		07/27/2022	

LOBELIA INFLATA

lobelia inflata pellet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-1049
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LOBELIA INFLATA (UNII: 9PP1T3TC5U) (LOBELIA INFLATA - UNII:9PP1T3TC5U)	LOBELIA INFLATA	200 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	2mm
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37662-1049-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	07/27/2022	
2	NDC:37662-1049-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	07/27/2022	
3	NDC:37662-1049-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	07/27/2022	

4	NDC:37662-1049-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	07/27/2022
---	------------------	---	------------

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		07/27/2022	

LOBELIA INFLATA

lobelia inflata pellet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-1045
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LOBELIA INFLATA (UNII: 9PP1T3TC5U) (LOBELIA INFLATA - UNII:9PP1T3TC5U)	LOBELIA INFLATA	6 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	3mm
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37662-1045-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	07/27/2022	
2	NDC:37662-1045-2	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	07/27/2022	
3	NDC:37662-1045-3	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	07/27/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		07/27/2022	

LOBELIA INFLATA

lobelia inflata pellet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-1048
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LOBELIA INFLATA (UNII: 9PP1T3TC5U) (LOBELIA INFLATA - UNII:9PP1T3TC5U)	LOBELIA INFLATA	100 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	2mm
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37662-1048-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	07/27/2022	
2	NDC:37662-1048-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	07/27/2022	
3	NDC:37662-1048-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	07/27/2022	
4	NDC:37662-1048-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	07/27/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		07/27/2022	

Labeler - Hahnemann Laboratories, INC. (147098081)

Establishment

Name	Address	ID/FEI	Business Operations
Hahnemann Laboratories, INC.		147098081	manufacture(37662-1045, 37662-1046, 37662-1047, 37662-1048, 37662-1049, 37662-1050, 37662-1051, 37662-1052)

Revised: 7/2022

Hahnemann Laboratories, INC.