

**DIPHENHYDRAMINE HCL- diphenhydramine hcl tablet, film coated
INVAHEALTH INC**

Diphenhydramine HCl 25 mg

Antihistamine

Do not use • to make a child sleepy • with any other product containing diphenhydramine, even one used on skin

a breathing problem such as emphysema or chronic bronchitis • glaucoma • trouble urinating due to an enlarged prostate gland

taking sedatives or tranquilizers

ask a health professional before use.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

609-642-6380

Colloidal silicon dioxide, croscarmellose sodium, dicalcium phosphate, D&C Red No. 3, magnesium stearate, microcrystalline cellulose, polyethylene glycol, hydroxy propyl methyl cellulose talc, titanium dioxide

take every 4 to 6 hours do not take more than 6 doses in 24 hours

adults & children 12 years & over 1 to 2 tablets

children 6 to under 12 years 1 tablet

children under 6 years do not use this product in children under 6 years of age

Do not use

to make a child sleepy

with any other product containing diphenhydramine, even one used on skin

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

runny nose

sneezing

itchy, watery eyes

itching of the nose or throat

temporarily relieves these symptoms due to the common cold:

runny nose

sneezing



Antihistamine • Anti Allergy

DIPHENHYDRAMINE HCl
25mg each tablet

For temporary relief of:
Runny Nose • Itchy, Watery Eyes
Sneezing • Itchy Throat



1000 tablets
not actual size

†compare to **BENADRYL**® active ingredients.

Drug Facts	Purpose
Active Ingredient (in each caplet)	Diphenhydramine HCl 25mg Antihistamine
Uses:	temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: runny nose sneezing itchy, watery eyes temporarily relieves these symptoms due to the common cold: runny nose sneezing
Warnings:	Do not use: to make a child sleepy with any other product containing diphenhydramine, even one used on skin.
Ask a doctor before use if you have:	glaucoma trouble urinating due to an enlarged prostate gland a breathing problem such as emphysema or chronic bronchitis
Ask a doctor or pharmacist before use if you are taking:	sedatives or tranquilizers.
When using this product:	marked drowsiness may occur avoid alcoholic drinks alcohol, sedatives, and tranquilizers may increase drowsiness be careful when driving a motor vehicle or operating machinery excitability may occur, especially in children.
If pregnant or breast-feeding,	ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) immediately.
Directions:	do not take more than directed take every 4 - 6 hours, or as directed by a doctor do not take more than 6 times in 24 hours adults & children 12 years & over take 1 to 2 tablets children 6 to under 12 years take 1 tablet children under 6 years do not use
Other Information:	Each tablet contains: Calcium 24mg Store between 20-25°C (68-77°F) Avoid high humidity Protect from moisture and light
Inactive Ingredients:	Microcrystalline Cellulose, Croscarmellose Sodium, Colloidal Silicon Dioxide, Dibasic Calcium Phosphate, Magnesium Stearate, Hydroxy Propyl Methyl Cellulose, Polyethylene Glycol, Titanium Dioxide, Talc, FD&C Red #3.
Questions or Comments?	Call 1 (609) 642-6380 Monday through Friday 9 am to 5 pm EST or www.invahealth.com

†This product is not manufactured or distributed by McNeil Consumer Healthcare, owner of the registered trademark BENADRYL® tablets.

Distributed by: InvaHealth Inc
Cranbury, NJ 08512

TAMPER EVIDENT Do not use if safety seal under cap is broken or missing.

Lot No. _____

Exp. Dt. _____

MADE IN USA



0 73376 00380 7

DIPHENHYDRAMINE HCL

diphenhydramine hcl tablet, film coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:73376-003
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII: 8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg in 25 mg

Inactive Ingredients

Ingredient Name	Strength
FD&C RED NO. 3 (UNII: PN2ZH5LOQY)	
TALC (UNII: 7SEV7J4R1U)	
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
ANHYDROUS DIBASIC CALCIUM PHOSPHATE (UNII: L11K75P92J)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	

Product Characteristics

Color	pink	Score	no score
--------------	------	--------------	----------

Shape	OVAL	Size	11mm
Flavor		Imprint Code	I3
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:73376-003-80	1000 mg in 1 BOTTLE; Type 0: Not a Combination Product	07/28/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	07/28/2022	

Labeler - INVAHEALTH INC (116840615)

Revised: 1/2026

INVAHEALTH INC