

TOTY ILUMINA CC CREAM 1N- titanium dioxide, zinc oxide cream
TOTY ILUMINA CC CREAM 4C- titanium dioxide, zinc oxide cream
TOTY ILUMINA CC CREAM 1C- titanium dioxide, zinc oxide cream
TOTY ILUMINA CC CREAM 1W- titanium dioxide, zinc oxide cream
TOTY ILUMINA CC CREAM 2N- titanium dioxide, zinc oxide cream
TOTY ILUMINA CC CREAM 3C- titanium dioxide, zinc oxide cream
TOTY ILUMINA CC CREAM 5W1- titanium dioxide, zinc oxide cream
TOTY ILUMINA CC CREAM 5W2- titanium dioxide, zinc oxide cream
TOTY ILUMINA CC CREAM 3W- titanium dioxide, zinc oxide cream
TOTY ILUMINA CC CREAM 4N- titanium dioxide, zinc oxide cream
TOTY ILUMINA CC CREAM 5W- titanium dioxide, zinc oxide cream
TOTY ILUMINA CC CREAM 3N- titanium dioxide, zinc oxide cream
TOTY ILUMINA CC CREAM 4W- titanium dioxide, zinc oxide cream
TOTY ILUMINA CC CREAM 2C- titanium dioxide, zinc oxide cream
TOTY ILUMINA CC CREAM 2W- titanium dioxide, zinc oxide cream
Chipican LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

toty Ilumina CC Cream

Active Ingredients

Titanium Dioxide 9%

Zinc Oxide 6.3%

Purpose

Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only

Do not use on damaged or broken skin

When using this product Keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if Rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

- Apply liberally 15 minutes before sun exposure
- Reapply at least every 2 hours
- Use a water-resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m. - 2 p.m
 - Wear long-sleeved shirts, pants, hats, and sunglasses
 - Children under 6 months of age: Ask a doctor.

Other Information

- Shake well before use
- Do not expose the product to high temperatures
- Protect the product in this container from excessive heat and direct sun

Inactive Ingredients

NDCs 82141-2327-1, 82141-2328-1

Water, Butylene Glycol Cocoate, Hexylene Glycol, C12-15 Alkyl Benzoate, Cetearyl Alcohol, Butyloctyl Salicylate, Styrene/Acrylates Copolymer, Dicaprylyl Carbonate, Coco Glucoside, Myristyl Alcohol, Cetareth-25, Propylene Glycol, Dipropylene Glycol Dibenzoate, Phenoxyethanol, Silica, Disodium Ethylene Dicocamide PEG-15 Disulfate, Phenylpropanol, Myristyl Glucoside, Panthenol, Calaguala (*Polypodium leucotomos*) Leaf Extract, Sodium Hyaluronate, Caprylyl Glycol, Tea (*Camellia sinensis*) Leaf Extract, Propanediol, PPG-15 Stearyl Ether Benzoate, Stearalkonium Hectorite, Propylene Carbonate, Tocopheryl Acetate, BHT, Citric Acid, Disodium EDTA, Fragrance, Linalool, Synthetic Iron Oxide* (CI 77491, CI 77492, CI 77499), Titanium Dioxide* (CI 77891), Bismuth Oxychloride* (CI 77163).

* Contains one or more of these ingredients.

NDCs 82141-2329-1, 82141-2330-1, 82141-2331-1, 82141-2332-1, 82141-2333-1

82141-2334-1, 82141-2336-1 & 82141-2338-1

Water, Butylene Glycol Cocoate, Hexylene Glycol, C12-15 Alkyl Benzoate, Cetearyl Alcohol, Butyloctyl Salicylate, Styrene/Acrylates Copolymer, Dicaprylyl Carbonate, Coco Glucoside, Myristyl Alcohol, Cetareth-25, Propylene Glycol, Dipropylene Glycol Dibenzoate, Phenoxyethanol, Silica, Disodium Ethylene Dicocamide PEG-15 Disulfate, Phenylpropanol, Myristyl Glucoside, Panthenol, Calaguala (*Polypodium leucotomos*) Leaf Extract, Sodium Hyaluronate, Caprylyl Glycol, Mica, Tea (*Camellia sinensis*) Leaf Extract, Propanediol, PPG-15 Stearyl Ether Benzoate, Stearalkonium Hectorite, Propylene Carbonate, Tocopheryl Acetate, BHT, Citric Acid, Disodium EDTA, Fragrance, Linalool, Synthetic Iron Oxide* (CI 77491, CI 77492, CI 77499), Titanium Dioxide* (CI 77891), Bismuth Oxochloride* (CI 77163).

* Contains one or more of these ingredients.

NDCs 82141-2335-1

Water, Butylene Glycol Cocoate, Hexylene Glycol, C12-15 Alkyl Benzoate, Cetearyl Alcohol, Butyloctyl Salicylate, Styrene/Acrylates Copolymer, Dicaprylyl Carbonate, Coco Glucoside, Myristyl Alcohol, Cetareth-25, Propylene Glycol, Dipropylene Glycol Dibenzoate, Phenoxyethanol, Silica, Disodium Ethylene Dicocamide PEG-15 Disulfate, Phenylpropanol, Myristyl Glucoside, Panthenol, Calaguala (*Polypodium leucotomos*) Leaf Extract, Sodium Hyaluronate, Caprylyl Glycol, Mica, Tea (*Camellia sinensis*) Leaf Extract, Propanediol, PPG-15 Stearyl Ether Benzoate, Stearalkonium Hectorite, Propylene Carbonate, Tocopheryl Acetate, BHT, Citric Acid, Disodium EDTA, Triethoxycaprylylsilane, Fragrance, Linalool, Synthetic Iron Oxide* (CI 77491, CI 77492, CI 77499), Titanium Dioxide* (CI 77891), Bismuth Oxochloride* (CI 77163).

* Contains one or more of these ingredients.

NDCs 82141-2337-1 & 82141-2339-1

Water, Butylene Glycol Cocoate, Hexylene Glycol, C12-15 Alkyl Benzoate, Butyloctyl Salicylate, Styrene/Acrylates Copolymer, Cetareth-25, Glyceril Stearate, PEG-100 Stearate, Propylene Glycol, Dipropylene Glycol Dibenzoate, Silica, Phenoxyethanol, Disodium Ethylene Dicocamide PEG-15 Disulfate, Phenylpropanol, Panthenol, Calaguala (*Polypodium leucotomos*) Leaf Extract, Sodium Hyaluronate, Caprylyl Glycol, Mica, Tea (*Camellia sinensis*) Leaf Extract, Propanediol, PPG-15 Stearyl Ether Benzoate, Tocopheryl Acetate, Steareth-21, Steareth-2, Triethoxycaprylylsilane, BHT, Citric Acid, Disodium EDTA, Fragrance, Linalool, Synthetic Iron Oxide* (CI 77491, CI 77492, CI 77499).

* Contains one or more of these ingredients.

NDCs 82141-2340-1 & 82141-2341-1

Water, Butylene Glycol Cocoate, Hexylene Glycol, C12-15 Alkyl Benzoate, Butyloctyl Salicylate, Styrene/Acrylates Copolymer, Cetareth-25, Propylene Glycol, Dipropylene Glycol Dibenzoate, Silica, Phenoxyethanol, Phenylpropanol, Disodium Ethylene Dicocamide PEG-15 Disulfate, Panthenol, Calaguala (*Polypodium leucotomos*) Leaf Extract, Sodium Hyaluronate, Caprylyl Glycol, Mica, Tea (*Camellia sinensis*) Leaf Extract, Propanediol, PPG-15 Stearyl Ether Benzoate, Tocopheryl Acetate, Glyceril Stearate, PEG-100 Stearate, Steareth-21, Steareth-2, Triethoxycaprylylsilane, BHT, Citric Acid, Disodium EDTA, Fragrance, Linalool, Synthetic Iron Oxide* (CI 77491, CI 77492, CI 77499).

* Contains one or more of these ingredients.

toty Illumina CC Cream 1N

NDC 82141-2327-1 (toty Illumina CC Cream 1N)

toty.

ILUMINA

CC CREAM

SPF 50+

Perfecting Fluid

Fluido

Perfeccionador

.....

BROAD SPECTRUM SPF 50+

MINERAL SUNSCREEN


PROTECTOR SOLAR MINERAL

AMPLIO ESPECTRO SPF 50+

1.4 fl. oz./ 40 ml



ClassicColors Orange: 14,5
 Procces yellow: 17,8
 Procces Black: 18,9



toty.

Sunscreen is the best accessory.
El protector solar es el mejor accesorio.

PROTECT FROM THE SUN AND PERFECT YOUR COMPLEXION WITH A UNIQUE BLEND OF MINERAL SUNSCREENS TO HELP SUPPORT SKIN HEALTH. MEDIUM TO HIGH BUILDABLE COVERAGE FOR A NATURALLY LUMINOUS FINISH THAT LEAVES YOU GLOWING IN AND OUT OF THE SUN.

PROTEGE DEL SOL Y PERFECCIONA TU PIEL CON UNA COMBINACIÓN ÚNICA DE FILTROS SOLARES MINERALES QUE AYUDAN A MANTENER UNA PIEL SALUDABLE. SU COBERTURA ADAPTABLE MEDIA-ALTA, PROPORCIONA UN ACABADO LUMINOSO NATURAL PARA QUE LUZCAS RADIANTE BAJO EL SOL O SIN ÉL.

DERMATOLOGICALLY TESTED / TESTADO DERMATOLÓGICAMENTE

FOR ALL SKIN TYPES / PARA TODOS LOS TIPOS DE PIEL

NON-COMEDOGENIC / NO COMEDOGENICO

100% VEGAN / 100% VEGANO

PARABEN-FREE / LIBRE DE PARABENOS

TALO-FREE / LIBRE DE TALCO

CRUELTY FREE / NO TESTADO EN ANIMALES

ILUMINA CC CREAM

SPF 50+

PERFECTING FLUID
FLUIDO PERFECCIONADOR

BROAD SPECTRUM SPF 50+ MINERAL SUNSCREEN

PROTECTOR SOLAR MINERAL AMPLIO ESPECTRO SPF 50+

1.4 fl. oz. / 40 ml

Drug Facts

Active ingredients	Purpose
Titanium dioxide 8.1% Zinc oxide 6.2%	Sunscreen

Uses

- Help prevent tanning
- If used as directed with other sun protection measures and avoidance, decreases the risk of skin cancer and early skin aging caused by the sun

Warnings
For external use only

Do not use on damaged or broken skin

When using this product: ● Keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if: ● Rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure
- Reapply at least every 2 hours
- Use a water-resistant sunscreen if swimming or sweating
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m. - 2 p.m.
 - Wear long-sleeved shirts, pants, hats, and sunglasses
 - Children under 6 months of age: Ask a doctor

Other information

- State will advise use
- Do not expose the product to high temperatures
- Product in product in the container from excessive heat and direct sun

Inactive ingredients
Water, Sulfonyl Glycol Cocamide, Hexadecyl Glycol Citrate, Alkyl Dimethyl Sulfate, Nonyl Alcohol, Salicylate, Stearalkonium Chloride, Cocamidopropyl Betaine, Cocoyl Glucoside, Methyl Methacrylate, Carbomer, Cellulose, Cera, Glyceryl Stearate, Dimethyl Siloxane, Phosphorylcholine, Glycol Distearate, Stearic Acid, Stearoyl Alcohol, PEG-15 Stearyl Ether Benzoate, Stearalkonium Hydroxide, Propylene Carbonate, Tocopheryl Acetate, BHT, Ethylhexyl Triethoxysilane, Caprylate, Linoleyl Synthetic Iron Oxide (CI 77491), CI 77502, CI 77189, Titanium Dioxide (CI 77891), Simethicone, Cyclopentasiloxane, D127765.

Contains one or more of these ingredients.

Questions or comments?
Call 1-800-FREE-4565-7587
9 a.m. - 4 p.m. EST, Monday-Friday

Información Sobre el Fármaco

Ingredientes activos	Función
Dióxido de Titanio 8.1% Óxido de Zinc 6.2%	Protector Solar

Usos

- Ayuda a prevenir las quemaduras solares
- Si se usa como se indica junto con otras medidas de protección solar (consulte **Modo de empleo**), disminuye el riesgo de cáncer de piel y el envejecimiento prematuro de la piel causado por el sol

Advertencias
Solo para uso externo

No usar en piel dañada o irritada

Cuando use este producto: ● Evite el contacto con los ojos. Lávese con agua si estos ocurren.

Deje de usarlo y consulte a un médico si: ● Ocurre irritación de la piel

Manténgase fuera del alcance de los niños. En caso de ingestión, busque ayuda médica o póngase en contacto inmediatamente con el Centro de Toxicología.

Modo de empleo

- Aplique generosamente 15 minutos antes de exponerse al sol
- Reaplique al menos cada 2 horas
- Utilice un protector solar resistente al agua si nada o sudar
- Medidas de Protección Solar: Pasar tiempo bajo el sol aumenta el riesgo de cáncer de piel y el envejecimiento prematuro de la piel. Para disminuir este riesgo, use regularmente un protector solar con un FPS de amplio espectro de 15 o más y otras medidas de protección solar que incluyen:
 - Limite el tiempo bajo el sol, especialmente de 10 a.m. - 2 p.m.
 - Use camisas de manga larga, pantalones, sombreros y lentes de sol
 - Niños menores de 6 meses de edad: consulte a un médico

Otra información

- Aplicar bien antes de usar
- No exponga el producto a altas temperaturas
- Proteja el producto en este envase contra el calor excesivo y la luz directa del sol

Ingredientes inactivos
Consultar tabla Drug Facts

¿Preguntas o comentarios?
Llamada Gratuita: 1-833-866-7587
9 a.m. - 4 p.m. EST, Lunes-Viernes

BATCH / LOT: 3 82111923271 8
EXP / CAD: .

22327-202-01

toty Ilumina CC Cream 1W

NDC 82141-2328-1 (toty Ilumina CC Cream 1W)

toty.

ILUMINA

CC CREAM

SPF 50+

Perfecting Fluid

Fluido

Perfeccionador

.....

BROAD SPECTRUM SPF 50+

MINERAL SUNSCREEN

PROTECTOR SOLAR MINERAL

AMPLIO ESPECTRO SPF 50+

1.4 fl. oz./ 40 ml

SPF 50+

Perfecting Fluid

Fluido

Perfeccionador

.....

BROAD SPECTRUM SPF 50+

MINERAL SUNSCREEN

PROTECTOR SOLAR MINERAL

AMPLIO ESPECTRO SPF 50+

1.4 fl. oz./ 40 ml



ClassicColors Orange: 34,5
 Procces yellow: 20,9
 Procces Black: 31,4



toty Ilumina CC Cream 2N

NDC 82141-2330-1 (toty Ilumina CC Cream 2N)

toty.

ILUMINA

CC CREAM

SPF 50+

Perfecting Fluid

Fluido

Perfeccionador

.....

BROAD SPECTRUM SPF 50+

MINERAL SUNSCREEN

PROTECTOR SOLAR MINERAL

AMPLIO ESPECTRO SPF 50+

1.4 fl. oz./ 40 ml

NDC 82141-2331-1 (toty Ilumina CC Cream 2W)

toty.

ILUMINA

CC CREAM

SPF 50+

Perfecting Fluid

Fluido

Perfeccionador

.....

BROAD SPECTRUM SPF 50+

MINERAL SUNSCREEN

PROTECTOR SOLAR MINERAL

AMPLIO ESPECTRO SPF 50+

1.4 fl. oz./ 40 ml



ClassicColors Orange: 33,3
 Procces yellow: 42,1
 Procces Black: 35,7



toty.

Sunscreen is the best accessory.
El protector solar es el mejor accesorio.

PROTECT FROM THE SUN AND PERFECT YOUR COMPLEXION WITH A UNIQUE BLEND OF MINERAL SUNSCREENS TO HELP SUPPORT SKIN HEALTH. MEDIUM TO HIGH BUILDABLE COVERAGE FOR A NATURALLY LUMINOUS FINISH THAT LEAVES YOU GLOWING IN AND OUT OF THE SUN.

PROTEGE DEL SOL Y PERFECCIONA TU PIEL CON UNA COMBINACIÓN ÚNICA DE FILTROS SOLARES MINERALES QUE AYUDAN A MANTENER UNA PIEL SALUDABLE. SU COBERTURA ADAPTABLE MEDIA-ALTA, PROPORCIONA UN ACABADO LUMINOSO NATURAL PARA QUE LUCZAS RADIANTE BAJO EL SOL O SIN EL.

DERMATOLOGICALLY TESTED / TESTADO DERMATOLÓGICAMENTE

FOR ALL SKIN TYPES / PARA TODOS LOS TIPOS DE PIEL

NON-COMEDOGENIC / NO COMEDOGÉNICO

100% VEGAN / 100% VEGANO

PARABEN-FREE / LIBRE DE PARABENOS

TALCO-FREE / LIBRE DE TALCO

CRUELTY FREE / NO TESTADO EN ANIMALES

ILUMINA CC CREAM

SPF 50+

PERFECTING FLUID
FLUIDO PERFECCIONADOR

BROAD SPECTRUM SPF 50+ MINERAL SUNSCREEN
PROTECTOR SOLAR MINERAL AMPLIO ESPECTRO SPF 50+

1.4 fl. oz. / 40 ml

Drug Facts

Active Ingredients	Purpose
Titanium dioxide 9%	Sunscreen
Zinc oxide 6.5%	Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product:

- Keep out of eyes. Rinses with water if contact.
- Stop use and ask a doctor if:
 - Rash occurs
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure
- Reapply at least every 2 hours
- Use a water-resistant sunscreen if swimming or sweating
- Shade-Induced Redness: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m. to 4 p.m.
 - Wear long-sleeved shirts, pants, hats, and sunglasses
 - Children under 6 months of age: Ask a doctor

Other information

- Shake well before use
- Do not expose the product to high temperatures
- Protect the product in its container from excessive heat and direct sun

Inactive Ingredients

Water, Glycerine, Alcohol Denat., Hexylene Glycol, C12-15 Alkyl Benzoate, Cetearyl Alcohol, Sodium Stearoyl Sulfonate, Synphenylsiloxane Copolymer, Dimethyl Siloxane, Coco Ethoxylate, Methyl Methacrylate, Cetearyl PEG-20 Dimethyl Silylate, Dipropylene Glycol Dimethacrylate, Pentaerythrityl Sulfate, Disodium Stearoyl Succinate, PEG-5 Diethyl Ether, Phenoxyethanol, Methyl Glucoside, Pectin, Carbopol (Polyoxymethylene Acrylate), Lecithin, Sodium Hydroxide, Capryl Glycol, Mica, Tin Dioxide (anhydrous), Zinc Oxide, Potassium Hydroxide, Stearic Acid, Dimethyl Ether, Propylene Glycol, Sorbic Acid, Sorbitol, Iron Oxides (CI 77491, CI 77492, CI 77499), Titanium Dioxide (CI 77891), Boron Nitride (CI 77163).

*Contains one or more of these ingredients.

Questions or comments?
 Call toll free: 1-833-866-7587
 9 a.m. - 4 p.m. EST, Monday-Friday



BATCH / LOT...
EXP / CAD...

22331-202-01

Información Sobre el Farmaco

Ingredientes activos	Función
Dióxido de Titanio 9%	Protector Solar
Oxido de Zinc 6,5%	

Usos

- Ayuda a prevenir las quemaduras solares
- Si se usa como se indica junto con otras medidas de protección solar (consulte Modo de empleo), disminuye el riesgo de cáncer de piel y el envejecimiento prematuro de la piel causado por el sol

Advertencias

Solo para uso externo

No usar en piel dañada o irritada

Cuando use este producto:

- Evite el contacto con los ojos. Aclare con agua si esto ocurre.

Diye de usuario y consulte a un médico si:

- Ocurre irritación de la piel

Manténgase fuera del alcance de los niños. En caso de ingestión, busque ayuda médica o póngase en contacto inmediatamente con el Centro de Toxicología.

Modo de empleo

- Aplique generosamente 15 minutos antes de exponerse al sol
- Reaplique al menos cada 2 horas
- Utilizar un protector solar resistente al agua si nada o agua
- Medidas de Protección Solar: Pasar tiempo bajo el sol aumenta el riesgo de cáncer de piel y el envejecimiento prematuro de la piel. Para disminuir este riesgo, use regularmente un protector solar con un FPS de amplio espectro de 15 o más y otras medidas de protección solar que incluyen:
 - Limite el tiempo bajo el sol, especialmente de 10 a.m. a 2 p.m.
 - Use camisas de manga larga, pantalones, sombreros y lentes de sol
 - Niños menores de 6 meses de edad, consulte a un médico

Otra información

- Agitar bien antes de usar
- No esponge el producto a altas temperaturas
- Proteja el producto en este emase contra el calor excesivo y la luz directa del sol

Ingredientes inactivos

Consultar tabla Drug Facts

¿Preguntas o comentarios?
 Llamada Gratuita: 1-833-866-7587
 9 a.m. - 4 p.m. EST, Lunes-Viernes



SCAN ME



ESOANAME





MIX
Papelina
FSC® C108649

NDC 82141-2332-1 (toty Ilumina CC Cream 2C)

toty.

ILUMINA

CC CREAM

SPF 50+

Perfecting Fluid

Fluido

Perfeccionador

.....

BROAD SPECTRUM SPF 50+

MINERAL SUNSCREEN

PROTECTOR SOLAR MINERAL

AMPLIO ESPECTRO SPF 50+

1.4 fl. oz./ 40 ml



ClassicColors Orange: 37,3
 Procces yellow: 34,2
 Procces Black: 40,8



Sunscreen is the best accessory.
El protector solar es el mejor accesorio.

PROTECT FROM THE SUN AND PERFECT YOUR COMPLEXION WITH A UNIQUE BLEND OF MINERAL SUNSCREENS TO HELP SUPPORT SKIN HEALTH. MEDIUM TO HIGH BUILDABLE COVERAGE FOR A NATURALLY LUMINOUS FINISH THAT LEAVES YOU GLOWING IN AND OUT OF THE SUN.

PROTEGE DEL SOL Y PERFECCIONA TU PIEL CON UNA COMBINACIÓN ÚNICA DE FILTROS SOLARES MINERALES QUE AYUDAN A MANTENER UNA PIEL SALUDABLE. SU COBERTURA ADAPTABLE MEDIA-ALTA PROPORCIONA UN ACABADO LUMINOSO NATURAL, PARA QUE LUGARAS RADIANTE BAJO EL SOL O SIN ÉL.

DERMATOLOGICALLY TESTED / TESTADO DERMATOLÓGICAMENTE

FOR ALL SKIN TYPES / PARA TODOS LOS TIPOS DE PIEL

NON-COMEDOGENIC / NO COMEDOGENICO

100% VEGAN / 100% VEGANO

PARABEN-FREE / LIBRE DE PARABENOS

TALCO-FREE / LIBRE DE TALCO

CRUELTY FREE / NO TESTADO EN ANIMALES

**ILUMINA
CC CREAM**

SPF 50+

PERFECTING FLUID
FLUIDO PERFECCIONADOR

BROAD SPECTRUM SPF 50+ MINERAL SUNSCREEN
 PROTECTOR SOLAR MINERAL AMPLIO ESPECTRO SPF 50+

1.4 fl. oz. / 40 ml

Drug Facts

Active ingredients	Purpose
Titanium Dioxide 9% Zinc Oxide 6.3%	Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product ● Keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if ● Rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure
- Reapply at least every 2 hours
- Use as recommended (swimsuit or swimming or sweating)
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m. - 2 p.m.
 - Use long-sleeved shirts, pants, hats, and sunglasses
 - Children under 6 months of age. Ask a doctor.

Other information

- Shake well before use
- Do not expose the product to high temperatures
- Prevent the product in this container from excessive heat and direct sun

Inactive ingredients
 Water, Squalene, Glycol Cocoate, Hydroxide Glycol, C12-15 Alkyl Benzoate, Cetearyl Alcohol, Butylacetyl Salicylate, Styrene/Acrylic Copolymer, Octyloxy Octadecyl, Coco Glucoside, Nonyl Alcohol, Calcium Hydroxide, Propylene Glycol Dicaprylate/Dicaprylate, Phenylethylol Sulfate, Disodium Ethylene Dithiocarbamate PEG-6 Stearate, Phenoxyethanol, Mineral Oil, Stearic Acid, Carbopol, (Phenylbenzyl Dimethyl Ammonium Chloride), Sodium Hydroxide, Caprylyl Glycol, Mica, Tin Dioxide anhydrous, Lead Extract, Propylparaben, PEG-15 Stearyl Ether Derivative, Stearidimium Phosphate, Polydimethylsiloxane, Triphenyl Arsenic, Butyl Citrate, Acetyl Diethylamine, Fragrance, Limonene, Synthetic Iron Oxides (CI 77489), CI 77492, CI 77491, Titanium Dioxide (CI 77891), Benzyl Alcohol, CI 17145.

*Contains one or more of these ingredients.

Questions or comments?
 Call toll free 1-833-466-7567
 9 a.m. - 4 p.m. EST, Monday-Friday

Información Sobre el Fármaco

Ingredientes activos	Función
Dióxido de Titanio 9% Óxido de Zinc 6.3%	Protector Solar

Usos

- Ayuda a prevenir las quemaduras solares
- Si se usa como se indica junto con otras medidas de protección solar (consulte Modo de empleo), disminuye el riesgo de cáncer de piel y el envejecimiento prematuro de la piel causado por el sol

Advertencias

Solo para uso externo

No usar en piel dañada o irritada

Cuando use este producto ● Evite el contacto con los ojos. Aclare con agua si esto ocurre.

Deje de usarlo y consulte a un médico si ● Ocurre irritación de la piel

Manténgase fuera del alcance de los niños. En caso de ingestión, busque ayuda médica o póngase en contacto inmediatamente con el Centro de Toxicología.

Modo de empleo

- Aplicar generosamente 15 minutos antes de exponerse al sol
- Reaplicar al menos cada 2 horas
- Utilizar un protector solar resistente al agua si nada o sudar
- Medidas de Protección Solar. Pasar tiempo bajo el sol aumenta el riesgo de cáncer de piel y el envejecimiento prematuro de la piel. Para disminuir este riesgo, use regularmente un protector solar con un FPS de amplio espectro de 15 o más y otras medidas de protección solar que incluyen:
 - Limite el tiempo bajo el sol, especialmente de 10 a.m. - 2 p.m.
 - Use camisas de manga larga, pantalones, sombreros y lentes de sol
 - Niños menores de 6 meses de edad, consulte a un médico

Otra información

- Agitar bien antes de usar
- No exponga el producto a altas temperaturas
- Proteja el producto en este envase contra el calor excesivo y la luz directa del sol

Ingredientes inactivos
 Consultar toda la información en el prospecto

¿Preguntas o comentarios?
 Llámanos Gratuita 1-833-466-7567
 9 a.m. - 4 p.m. EST, Lunes-Viernes

BATCH / LOT.:
EXP / CAD.:
22332-202-01

NDC 82141-2333-1 (toty Ilumina CC Cream 3N)

toty.

ILUMINA

CC CREAM

SPF 50+

Perfecting Fluid

Fluido

Perfeccionador

.....

BROAD SPECTRUM SPF 50+

MINERAL SUNSCREEN

PROTECTOR SOLAR MINERAL

AMPLIO ESPECTRO SPF 50+

1.4 fl. oz./ 40 ml

3N

ClassicColors Orange: 46,4
Process yellow: 35,4
Process Black: 48,7

3N

toty.

Sunscreen is the best accessory.
El protector solar es el mejor accesorio.

PROTECT FROM THE SUN AND PERFECT YOUR COMPLEXION WITH A UNIQUE BLEND OF MINERAL SUNSCREENS TO HELP SUPPORT SKIN HEALTH. MEDIUM TO HIGH BUILDABLE COVERAGE FOR A NATURALLY LUMINOUS FINISH THAT LEAVES YOU GLOWING IN AND OUT OF THE SUN.

PROTEGE DEL SOL Y PERFECCIONA TU PIEL CON UNA COMBINACION UNICA DE FILTROS SOLARES MINERALES QUE AYUDAN A MANTENER UNA PIEL SALUDABLE. SU COBERTURA ADAPTABLE MEDIA-ALTA, PROPORCIONA UN ACABADO LUMINOSO NATURAL PARA QUE LUCAS RADIANTE BAJO EL SOL O SIN EL.

DERMATOLOGICALLY TESTED / TESTADO DERMATOLÓGICAMENTE

FOR ALL SKIN TYPES / PARA TODOS LOS TIPOS DE PIEL

NON-COMEDOGENIC / NO COMEDOGENO

100% VEGAN / 100% VEGANO

PARABEN-FREE / LIBRE DE PARABENOS

TALCO-FREE / LIBRE DE TALCO

CRUELTY FREE / NO TESTADO EN ANIMALES

**ILUMINA
CC CREAM**

SPF 50+

**PERFECTING FLUID
FLUIDO PERFECCIONADOR**

**BROAD SPECTRUM SPF 50+
MINERAL SUNSCREEN**

**PROTECTOR SOLAR MINERAL
AMPLIO ESPECTRO SPF 50+**

1.4 fl. oz. / 40 ml

BATCH / LOT:
EXP. / CAD...

8214123331

22333-202-01

Drug Facts

Active Ingredients	Purpose
Titanium Dioxide 9%	Sunscreen
Zinc Oxide 6.5%	

Uses
 ● Helps prevent sunburn
 ● If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings
 For external use only
 Do not use on damaged or broken skin
 When using this product ● Keep out of eyes. Rinse with water to remove.
 Stop use and ask a doctor if ● Rash occurs
 Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
 ● Apply liberally 15 minutes before sun exposure
 ● Reapply at least every 2 hours
 ● Use a water-resistant sunscreen if swimming or sweating
 ● Sun Protection Measures. Staying out of the sun decreases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Sun Protection Factor (SPF) value of 15 or higher and other sun protection measures including:
 ● Limit time in the sun, especially from 10 a.m.-2 p.m.
 ● Wear long-sleeved shirts, pants, hats, and sunglasses
 ● Obtain or use a tanning bed or sunlamps

Other information
 ● Do not expose the product to high temperatures
 ● Protect the product in this container from excessive heat and direct sun

Inactive ingredients
 Water, 3-O-Ethyl Octyl Cocoyl Hexanoate, Cyclopentasiloxane, C12-15 Alkyl Benzoate, Citral, Hexyl Nonyl Salicylate, Stearyl Ethylhexanoate, Dimethyl Siloxane, Coco-Glycerate, Methyl Methacrylate, Cetearyl Dimethyl Siloxane, Cyclopentyl Dimethyl Carbonate, Phenoxyethanol, Silica, Dimethyl Ethylhexanoate, PEG-10 Dimethyl Methacrylate, Methyl Glucosyl Ether, Panthenol, Calcium Pantothenate, Butyl Methoxy Octyl Salicylate, Zinc Oxide, Caprylic/Capric Triglyceride, Lecithin, Sodium Hydroxide, Polybutyl Methacrylate, Carbomer, Propylene Glycol, Ethylhexyl Methacrylate, Cyclopentyl Dimethyl Carbonate, Tropolone, Acrylate, Ethyl Citric Acid, Dicapryl Glycol, Fragrance, Lauryl Dimethyl Amine Oxide (C12-15), D1-THED, D1-THED, Sodium Chloride (Cl 77681), Iron Oxide (CI 77491), Titanium Dioxide (CI 77891), Iron Oxide (CI 77760).
 Contains one or more of these ingredients.

Questions or comments?
 Call Toll Free 1-833-866-7567
 9 a.m.-12 p.m. EST, Monday-Friday

DISTRIBUTED BY /
 DISTRIBUIDO POR
 CHICKADEE LLC, 2811 Area Path Dr.,
 Wilmington, DE 19806
 toty.com
 MADE IN SPAIN /
 FABRICADO EN ESPAÑA

Información Sobre el Fármaco

Ingredientes activos	Función
Dióxido de Titanio 9%	Protector Solar
Oxido de Zinc 6.5%	

Usos
 ● Ayuda a prevenir las quemaduras solares
 ● Si se usa como se indica junto con otras medidas de protección solar (consulte Modo de empleo), disminuye el riesgo de cáncer de piel y el envejecimiento prematuro de la piel causado por el sol

Advertencias
 Solo para uso externo
 No usar en piel dañada o irritada
 Cuando use este producto ● Evite el contacto con los ojos. Acláre con agua si esto ocurre.
 Deje de usarlo y consulte a un médico si ● Ocurre irritación de la piel

Modo de empleo
 Manténgase fuera del alcance de los niños. En caso de ingestión, busque ayuda médica o programe un contacto inmediatamente con el Centro de Toxicología.
 ● Aplique generosamente 15 minutos antes de exponerse al sol
 ● Reaplique al menos cada 2 horas
 ● Utilice un protector solar resistente al agua si nada o sudar
 ● Medidas de Protección Solar. Pasar tiempo bajo el sol aumenta el riesgo de cáncer de piel y el envejecimiento prematuro de la piel. Para disminuir este riesgo, use regularmente un protector solar con un FPS de amplio espectro de 15 o más y otras medidas de protección solar que incluyen:
 ● Limite el tiempo bajo el sol, especialmente de 10 a.m.- 2 p.m.
 ● Use camisas de manga larga, pantalones, sombreros y lentes de sol
 ● Niños menores de 6 meses de edad, consulte a un médico

Otra información
 ● Agitar bien antes de usar
 ● No exponer el producto a altas temperaturas
 ● Proteja el producto en esta envase contra el calor excesivo y la luz directa del sol

Ingredientes inactivos
 Consulte tabla Drug Facts

¿Preguntas o comentarios?
 Llámanos Gratuito 1-833-866-7567
 9 a.m.-12 p.m. EST, Lunes-Viernes



NDC 82141-2334-1 (toty Ilumina CC Cream 3W)

toty.

ILUMINA

CC CREAM

SPF 50+

Perfecting Fluid

Fluido

Perfeccionador

.....

BROAD SPECTRUM SPF 50+

MINERAL SUNSCREEN

PROTECTOR SOLAR MINERAL

AMPLIO ESPECTRO SPF 50+

1.4 fl. oz./ 40 ml



ClassicColors Orange: 52,3
 Procces yellow: 48,5
 Procces Black: 42,4



Sunscreen is the best accessory.
 El protector solar es el mejor accesorio.

PROTECT FROM THE SUN AND PERFECT YOUR COMPLEXION WITH A UNIQUE BLEND OF MINERAL SUNSCREENS TO HELP SUPPORT SKIN HEALTH, MEDIUM TO HIGH BUILDABLE COVERAGE FOR A NATURALLY LUMINOUS FINISH THAT LEAVES YOU GLOWING IN AND OUT OF THE SUN.

PROTEGE DEL SOL Y PERFECCIONA TU PIEL CON UNA COMBINACION UNICA DE FILTROS SOLARES MINERALES QUE AYUDAN A MANTENER UNA PIEL SALUDABLE. SU COBERTURA ADAPTABLE MEDIA-ALTA, PROPORCIONA UN ACABADO LUMINOSO NATURAL PARA QUE LUZCAS RADIANTE BAJO EL SOL O SIN EL.

DERMATOLOGICALLY TESTED / TESTADO DERMATOLOGICAMENTE

FOR ALL SKIN TYPES / PARA TODOS LOS TIPOS DE PIEL

NON-COMEDOGENIC / NO COMEDOGÉNICO

100% VEGAN / 100% VEGANO

PARABEN-FREE / LIBRE DE PARABENOS

TALCO-FREE / LIBRE DE TALCO

CRUELTY FREE / NO TESTADO EN ANIMALES

toty.

ILUMINA CC CREAM

SPF 50+

PERFECTING FLUID
 FLUIDO PERFECCIONADOR

BROAD SPECTRUM SPF 50+ MINERAL SUNSCREEN
 PROTECTOR SOLAR MINERAL AMPLIO ESPECTRO SPF 50+

1.4 fl. oz. / 40 ml

Drug Facts

Active Ingredients	Purpose
Titanium Dioxide (9%) Zinc Oxide (4.9%)	Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and helps skin age gracefully by the sun

Warnings
For external use only

Do not use on damaged or broken skin

When using this product

- Keep out of eyes. Rinse with water if contact.
- Stop use and ask a doctor if:
 - Redness occurs
 - Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure
- Reapply at least every 2 hours
- Use a water-resistant sunscreen if swimming or sweating
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m. - 4 p.m.
 - Wear long-sleeved shirts, pants, hats, and sunglasses
 - Children under 6 months of age: Ask a doctor

Other information

- Store well before use
- Do not expose the product to high temperatures
- Do not be present in the container from excessive heat and direct sun

Inactive Ingredients

Water, Salicylic Acid, Cocamide Glycol, C12-15 Alkyl Benzoate, Cetyl Alcohol, Sodium Salicylate, Stearoyl Dimethylammonium Chloride, Capric Acid, Coco Glucoside, Myristyl Alcohol, Cetylalcol, P-tert-butyl Phenylpropyl Dimethylammonium Chloride, Phenoxyethanol, Silica, Titanium Dioxide, Zinc Oxide, PEG-8, Decyltrimethylammonium Chloride, Benzyl Alcohol, Carbomer, Cellulose Gum, Citric Acid, Ethylhexylglycerin, Ethylhexyltriethylammonium Chloride, Hexyltrimethylammonium Chloride, Hydroxyethylcellulose, Inulin, Isopropyl Alcohol, Laureth-9, Laureth-7, Laureth-4, Laureth-3, Laureth-2, Laureth-1, Laureth-1.5, Laureth-2.5, Laureth-3.5, Laureth-4.5, Laureth-5.5, Laureth-6.5, Laureth-7.5, Laureth-8.5, Laureth-9.5, Laureth-10.5, Laureth-11.5, Laureth-12.5, Laureth-13.5, Laureth-14.5, Laureth-15.5, Laureth-16.5, Laureth-17.5, Laureth-18.5, Laureth-19.5, Laureth-20.5, Laureth-21.5, Laureth-22.5, Laureth-23.5, Laureth-24.5, Laureth-25.5, Laureth-26.5, Laureth-27.5, Laureth-28.5, Laureth-29.5, Laureth-30.5, Laureth-31.5, Laureth-32.5, Laureth-33.5, Laureth-34.5, Laureth-35.5, Laureth-36.5, Laureth-37.5, Laureth-38.5, Laureth-39.5, Laureth-40.5, Laureth-41.5, Laureth-42.5, Laureth-43.5, Laureth-44.5, Laureth-45.5, Laureth-46.5, Laureth-47.5, Laureth-48.5, Laureth-49.5, Laureth-50.5, Laureth-51.5, Laureth-52.5, Laureth-53.5, Laureth-54.5, Laureth-55.5, Laureth-56.5, Laureth-57.5, Laureth-58.5, Laureth-59.5, Laureth-60.5, Laureth-61.5, Laureth-62.5, Laureth-63.5, Laureth-64.5, Laureth-65.5, Laureth-66.5, Laureth-67.5, Laureth-68.5, Laureth-69.5, Laureth-70.5, Laureth-71.5, Laureth-72.5, Laureth-73.5, Laureth-74.5, Laureth-75.5, Laureth-76.5, Laureth-77.5, Laureth-78.5, Laureth-79.5, Laureth-80.5, Laureth-81.5, Laureth-82.5, Laureth-83.5, Laureth-84.5, Laureth-85.5, Laureth-86.5, Laureth-87.5, Laureth-88.5, Laureth-89.5, Laureth-90.5, Laureth-91.5, Laureth-92.5, Laureth-93.5, Laureth-94.5, Laureth-95.5, Laureth-96.5, Laureth-97.5, Laureth-98.5, Laureth-99.5, Laureth-100.5

Questions or comments?
 Call Toll Free 1-800-466-7587
 9 a.m. - 4 p.m. EST, Monday-Friday

3 72161 123341 8



BATCH / LOT.:
 EXP. / CAD.:

22334-202-01

Información Sobre el Fármaco

Ingredientes activos	Función
Dioóxido de Titanio (9%) Óxido de Zinc (4.9%)	Protector Solar

Usos

- Ayuda a prevenir las quemaduras solares
- Si se usa como se indica junto con otras medidas de protección solar (consulte Modo de empleo), disminuye el riesgo de cáncer de piel y el envejecimiento prematuro de la piel causado por el sol

Advertencias
 Solo para uso externo

No usar en piel dañada o irritada

Cuando use este producto

- Evite el contacto con los ojos. Aclárese con agua si esto ocurre.
- Deje de usarlo y consulte a un médico si:
 - Ocurre irritación de la piel

Manténgase fuera del alcance de los niños. En caso de ingestión, busque ayuda médica o póngase en contacto inmediatamente con el Centro de Toxicología.

Modo de empleo

- Aplique generosamente 15 minutos antes de exponerse al sol
- Reaplique al menos cada 2 horas
- Utilice un protector solar resistente al agua al nadar o sudar
- Medidas de Protección Solar. Pasar tiempo bajo el sol aumenta el riesgo de cáncer de piel y el envejecimiento prematuro de la piel. Para disminuir este riesgo, use regularmente un protector solar con un FPS de amplio espectro de 15 o más y otras medidas de protección solar que incluyen:
 - Límite el tiempo bajo el sol, especialmente de 10 a.m. - 2 p.m.
 - Use camisas de manga larga, pantalones, sombreros y lentes de sol
 - Niños menores de 6 meses de edad: consulte a un médico

Otra información

- Apilar bien antes de usar
- No exponga el producto a altas temperaturas
- Proteja el producto en este envase contra el calor excesivo si lo usará directamente

Ingredientes inactivos
 Consultar tabla Drug Facts

¿Preguntas o comentarios?
 Llamada Gratuita 1-800-466-7587
 9 a.m. - 4 p.m. EST, Lunes-Viernes



NDC 82141-2335-1 (toty Ilumina CC Cream 3C)

toty.

ILUMINA

CC CREAM

SPF 50+

Perfecting Fluid

Fluido

Perfeccionador

.....

BROAD SPECTRUM SPF 50+

MINERAL SUNSCREEN

PROTECTOR SOLAR MINERAL

AMPLIO ESPECTRO SPF 50+

1.4 fl. oz./ 40 ml



ClassicColors Orange: 59,1
 Proceses yellow: 27,2
 Proceses Black: 49,5



toty.

Sunscreen is the best accessory.
 El protector solar es el mejor accesorio.

PROTECT FROM THE SUN AND PERFECT YOUR COMPLEXION WITH A UNIQUE BLEND OF MINERAL SUNSCREENS TO HELP SUPPORT SKIN HEALTH. MEDIUM TO HIGH BUILDABLE COVERAGE FOR A NATURALLY LUMINOUS FINISH THAT LEAVES YOU GLOWING IN AND OUT OF THE SUN.

PROTEGE DEL SOL Y PERFECCIONA TU PIEL CON UNA COMBINACIÓN ÚNICA DE FILTROS SOLARES MINERALES QUE AYUDAN A MANTENER UNA PIEL SALUDABLE. SU COBERTURA ADAPTABLE MEDIA-ALTA, PROPORCIONA UN ACABADO LUMINOSO NATURAL. PARA QUE LUZCAS RADIANTE BAJO EL SOL O SIN EL.

DERMATOLOGICALLY TESTED / TESTADO DERMATOLÓGICAMENTE

FOR ALL SKIN TYPES / PARA TODOS LOS TIPOS DE PIEL

NON-COMEDOGENIC / NO COMEDOGÉNICO

100% VEGAN / 100% VEGANO

PARABEN-FREE / LIBRE DE PARABENOS

TALO-FREE / LIBRE DE TALCO

CRUELTY FREE / NO TESTADO EN ANIMALES

SPF 50+

PERFECTING FLUID
 FLUIDO PERFECCIONADOR

BROAD SPECTRUM SPF 50+ MINERAL SUNSCREEN

PROTECTOR SOLAR MINERAL AMPLIO ESPECTRO SPF 50+

1.4 fl. oz. / 40 ml



22335-202-01

Drug Facts

Active Ingredients	Purpose
Titanium Dioxide (8%) Zinc Oxide (3.5%)	Sunscreen

Uses

- Helps prevent tanning
- Used as directed with other sun protection measures (sun protection clothing), decreases the risk of skin cancer and skin aging caused by the sun.

Warnings
For external use only.

Do not use on damaged or broken skin.

When using this product:

- Keep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor if: Rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure
- Reapply at least every 2 hours
- Use an independent sunscreen reapplication or retesting
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, sunlight use a sunscreen with a Broad Spectrum SPF of 30 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m. - 4 p.m.
 - Use long-sleeved shirts, pants, hats, and sunglasses.
 - Children under 6 months of age. Ask a doctor.

Other information

- Store well before use.
- Do not expose the product to high temperatures.
- Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients
Water, Octylolene Glycol Cocoate, Hydroxyethyl Cellulose, Citric Acid, Cetyl Alcohol, Stearic Acid, Carbonyl Diurethane, Cetyl Stearate, Glycerin, Ethylhexyl Methacrylate, Cyclopentasiloxane, Dimethyl Siloxane, Dimethyl Dimethacrylate, Polymethyl Methacrylate, Dimethyl Dimethacrylate, Polymethyl Methacrylate, Dimethyl Dimethacrylate, Polymethyl Methacrylate, Dimethyl Dimethacrylate, Polymethyl Methacrylate.

Questions or comments?
Call 1-877-448-7557
8 a.m. - 4 p.m. EST, Monday-Friday

Información Sobre el Farmaco

Ingredientes activos	Función
Dióxido de Titanio (8%) Óxido de Zinc (3.5%)	Protector Solar

Usos

- Ayuda a prevenir las quemaduras solares
- Si se usa como se indica junto con otras medidas de protección solar (consulte **Modo de empleo**), disminuye el riesgo de cáncer de piel y el envejecimiento prematuro de la piel causado por el sol.

Advertencias
Solo para uso externo.

No usar en piel dañada o irritada.

Cuando use este producto:

- Evite el contacto con los ojos. Lávelos con agua si esto ocurre.

Deje de usarlo y consulte a un médico si:

- Ocurre irritación de la piel

Manténgase fuera del alcance de los niños. En caso de ingestión, busque ayuda médica o póngase en contacto inmediatamente con el Centro de Toxicología.

Modo de empleo

- Aplíquese generalmente 15 minutos antes de exponerse al sol.
- Reaplicar al menos cada 2 horas
- Utilizar un protector solar resistente al agua si nada o sudar
- Medidas de Protección Solar: Pasar tiempo bajo el sol aumenta el riesgo de cáncer de piel y el envejecimiento prematuro de la piel. Para disminuir este riesgo, use regularmente un protector solar con un FPS de amplio espectro de 15 o más y otras medidas de protección solar que incluyen:
 - Limite el tiempo bajo el sol, especialmente de 10 a.m. - 2 p.m.
 - Use camisas de manga larga, pantalones, sombreros y lentes de sol.
 - Niños menores de 6 meses de edad, consulte a un médico.

Otra información

- Agitar bien antes de usar
- No exponga el producto a altas temperaturas
- Protéja el producto en este envase contra el calor excesivo y la luz directa del sol

Ingredientes inactivos
Consultar tabla Drug Facts

¿Preguntas o comentarios?
Llámanos Gratuita 1-833-466-7557
8 a.m. - 4 p.m. EST, Lunes-Viernes



toty Ilumina CC Cream 4N

NDC 82141-2336-1 (toty Ilumina CC Cream 4N)

toty.

ILUMINA

CC CREAM

SPF 50+

Perfecting Fluid

Fluido

Perfeccionador

.....

BROAD SPECTRUM SPF 50+

MINERAL SUNSCREEN

PROTECTOR SOLAR MINERAL

AMPLIO ESPECTRO SPF 50+

1.4 fl. oz./ 40 ml

NDC 82141-2337-1 (toty Ilumina CC Cream 4W)

toty.

ILUMINA

CC CREAM

SPF 50+

Perfecting Fluid

Fluido

Perfeccionador

.....

BROAD SPECTRUM SPF 50+

MINERAL SUNSCREEN

CC CREAM

SPF 50+

Perfecting Fluid

Fluido

Perfeccionador

.....

BROAD SPECTRUM SPF 50+

MINERAL SUNSCREEN

PROTECTOR SOLAR MINERAL

AMPLIO ESPECTRO SPF 50+

1.4 fl. oz./ 40 ml

SPF 50+

Perfecting Fluid

Fluido

Perfeccionador

.....
BROAD SPECTRUM SPF 50+

MINERAL SUNSCREEN


PROTECTOR SOLAR MINERAL

AMPLIO ESPECTRO SPF 50+

1.4 fl. oz./ 40 ml

5W

ClassicColors Orange: 73,6
 Procces yellow: 47,3
 Procces Black: 56,2



toty Ilumina CC Cream 5W1

NDC 82141-2340-1 (toty Ilumina CC Cream 5W1)

toty.

ILUMINA

CC CREAM

SPF 50+

Perfecting Fluid

Fluido

Perfeccionador

.....

BROAD SPECTRUM SPF 50+

MINERAL SUNSCREEN

PROTECTOR SOLAR MINERAL

AMPLIO ESPECTRO SPF 50+

1.4 fl. oz./ 40 ml

5W1

ClassicColors Orange: 70,5
 Procces yellow: 43,1
 Procces Black: 63,9

5W1

Sunscreen is the best accessory.
 El protector solar es el mejor accesorio.

toty.

PROTECT FROM THE SUN AND PERFECT YOUR COMPLEXION WITH A UNIQUE BLEND OF MINERAL SUNSCREENS TO HELP SUPPORT SKIN HEALTH. MEDIUM TO HIGH BUILDABLE COVERAGE FOR A NATURALLY LUMINOUS FINISH THAT LEAVES YOU GLOWING IN AND OUT OF THE SUN.

PROTEGE DEL SOL Y PERFECCIONA TU PIEL CON UNA COMBINACIÓN ÚNICA DE FILTROS SOLARES MINERALES QUE AYUDAN A MANTENER UNA PIEL SALUDABLE. SU COBERTURA ADAPTABLE MEDIA-ALTA, PROPORCIONA UN ACABADO LUMINOSO NATURAL PARA QUE LUZGAS RADIANTE BAJO EL SOL O SIN EL.

DERMATOLOGICALLY TESTED / TESTADO DERMATOLÓGICAMENTE

FOR ALL SKIN TYPES / PARA TODOS LOS TIPOS DE PIEL

NON-COMEDOGENIC / NO COMEDOGENICO

100% VEGAN / 100% VEGANO

PARABEN-FREE / LIBRE DE PARABENOS

TALO-FREE / LIBRE DE TALCO

CRUELTY FREE / NO TESTADO EN ANIMALES

ILUMINA
 CC CREAM

SPF 50+

PERFECTING FLUID
 FLUIDO PERFECCIONADOR

BROAD SPECTRUM SPF 50+
 MINERAL SUNSCREEN
 PROTECTOR SOLAR MINERAL
 AMPLIO ESPECTRO SPF 50+

1.4 fl. oz. / 40 ml



BATCH / LOT: 3 82141 23401 9
 EXP. / CAD.:

22340-202-01

Drug Facts

Active Ingredients Purpose
 Titanium dioxide 8% Sunscreen
 Zinc oxide 4.2% Sunscreen

Uses
 • Help prevent sunburn
 • Used in tandem with other sun protection measures (e.g. clothing, hats, etc.) to reduce the risk of skin cancer and other skin aging caused by the sun

Warnings
 For external use only
 Do not use on damaged or broken skin
 When using this product: • Keep out of eyes. Rinse with water to remove.
 Stop use and ask a doctor if: • Rash occurs
 Keep out of reach of children. If swallowed, get medical help or contact Poison Control Center right away.

Directions
 • Apply liberally 15 minutes before sun exposure
 • Reapply at least every 2 hours
 • Use a water-resistant sunscreen if swimming or sweating
 • Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and other skin aging. To decrease this risk, you should use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 • Limit time in the sun, especially from 10 a.m. - 4 p.m.
 • Wear long-sleeved shirts, pants, hats, and sunglasses
 • Children under 6 months of age: Ask a doctor

Other information
 • Shake well before use
 • Do not expose the product to high temperatures
 • Protect the product in the container from excessive heat and moisture

Inactive Ingredients
 Water, Salicylic Acid, Caprylyl Glycol, Hexylene Glycol, C12-15 Alkyl Benzoate, Butyl Methoxy Salicylate, Stearic Acid, Cyclopentasiloxane, Cetearyl Alcohol, Propylene Glycol, Cyclopentasiloxane, Dimethyl Siloxane, Pentaerythrityl Tetraoctyl-Dimethyl Sulfonate, Ethylhexyl Triethoxysilane, Dimethicone, PEG-15 Stearate, Calcium Hydroxide, Polymethylsiloxane, Lauryl Dimethylamine, Caprylyl Glycol, Hexylene Glycol, Cyclopentasiloxane, Silica, Pentaerythrityl Tetraoctyl-Dimethyl Sulfonate, Ethylhexyl Triethoxysilane, Dimethicone, PEG-15 Stearate, Cetearyl Alcohol, Cyclopentasiloxane, Dimethyl Siloxane, PEG-10 Stearate, Stearic Acid, Stearic Acid, Dimethylsiloxane, Butyl Methoxy Salicylate, Hexylene Glycol, Propylene Glycol, Cyclopentasiloxane, C12-15 Alkyl Benzoate, C17-18 Alkyl Dimethyl Sulfonate, CI 77491, CI 77492, CI 77493

Contains one or more of these ingredients:
 Questions or comments?
 Call 1-800-451-7567
 9 a.m. - 4 p.m. EST, Monday-Friday

DISTRIBUTED BY /
 DISTRIBUIDO POR
 Chispas LLC, 2851 Laker Falls Ct.
 Wilmington, DE 19808
 toty.com

MADE IN SPAIN /
 FABRICADO EN ESPAÑA

Información Sobre el Fármaco

Ingredientes activos Función
 Dioxido de Titanio 8% Protector Solar
 Óxido de Zinc 4,2%

Usos
 • Ayuda a prevenir las quemaduras solares
 • Si se usa como se indica junto con otras medidas de protección solar (consulte Modo de empleo), disminuye el riesgo de cáncer de piel y el envejecimiento prematuro de la piel causado por el sol

Advertencias
 Solo para uso externo.
 No usar en piel dañada o irritada.
 Cuando use este producto: • Evite el contacto con los ojos. Acébralo con agua si esto ocurre.
 Deje de usarlo y consulte a un médico si:
 • Ocurre irritación de la piel
 Manténgase fuera del alcance de los niños. En caso de ingestión, busque ayuda médica o póngase en contacto inmediatamente con el Centro de Toxicología.

Modo de empleo
 • Aplique generosamente 15 minutos antes de exponerse al sol
 • Reaplique al menos cada 2 horas
 • Utilice un protector solar resistente al agua si nada o toda
 • Medidas de Protección Solar: Pasar tiempo bajo el sol aumenta el riesgo de cáncer de piel y el envejecimiento prematuro de la piel. Para disminuir este riesgo, use regularmente un protector solar con un FPS de amplio espectro de 15 o más y otras medidas de protección solar que incluyen:
 • Limite el tiempo bajo el sol, especialmente de 10 a.m. - 4 p.m.
 • Use camisas de manga larga, pantalones, sombreros y lentes de sol
 • Niños menores de 6 meses de edad: consulte a un médico

Otra información
 • Agitar bien antes de usar
 • No exponga el producto a altas temperaturas
 • Proteja el producto en este envase contra el calor excesivo y la luz directa del sol

Ingredientes inactivos
 Consulte tabla Drug Facts

¿Preguntas o comentarios?
 Llámada Gratuita 1-800-451-7567
 9 a.m. - 4 p.m. EST, Lunes-Viernes



NDC 82141-2341-1 (toty Ilumina CC Cream 5W2)

toty.

ILUMINA

CC CREAM

SPF 50+

Perfecting Fluid

Fluido

Perfeccionador

.....

BROAD SPECTRUM SPF 50+

MINERAL SUNSCREEN

PROTECTOR SOLAR MINERAL

AMPLIO ESPECTRO SPF 50+

1.4 fl. oz./ 40 ml

5W2

ClassicColors Orange: 67,3
 Procces yellow: 41,1
 Procces Black: 73,8



titanium dioxide, zinc oxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82141-2327
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	9 g in 100 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	6.3 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
1,3-BUTYLENE GLYCOL COCOATE (UNII: B2JUC5N9EH)	
BUTYL METHACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID/STYRENE CROSSPOLYMER (UNII: V5RS026Q0H)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	
STEARALKONIUM HECTORITE (UNII: OLX698AH5P)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
PHLEBODIUM AUREUM LEAF (UNII: BG58BW230G)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
COCO GLUCOSIDE (UNII: ICS790225B)	
WATER (UNII: 059QF0KO0R)	
HEXYLENE GLYCOL (UNII: KEH0A3F75J)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
CETEARETH-25 (UNII: 8FA93U5T67)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
LINALOOL, (+/-)- (UNII: D81QY6I88E)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
DICAPRYLYL CARBONATE (UNII: 609A3V1SUA)	
DIPROPYLENE GLYCOL DIBENZOATE (UNII: 60A5ZDY41O)	
PROPANEDIOL (UNII: 5965N8W85T)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
DISODIUM ETHYLENE DICOCAMIDE PEG-15 DISULFATE (UNII: QI9A6U005W)	
PPG-15 STEARYL ETHER BENZOATE (UNII: 80D2J6361M)	
PHENYLPROPANOL (UNII: 0F897O3O4M)	
MYRISTYL ALCOHOL (UNII: V42034O9PU)	
MYRISTYL GLUCOSIDE (UNII: 6AK28695LF)	
PANTHENOL (UNII: WW9CM0O67Z)	

PROPYLENE CARBONATE (UNII: 8D08K3S51E)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82141-2327-1	1 in 1 CARTON	10/01/2022	
1		40 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	M020	10/01/2022	

TOTY ILUMINA CC CREAM 4C

titanium dioxide, zinc oxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82141-2338
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	9 g in 100 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	6.3 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
BUTYL METHACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID/STYRENE CROSSPOLYMER (UNII: V5RS026Q0H)	
1,3-BUTYLENE GLYCOL COCOATE (UNII: B2JUC5N9EH)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	
STEARALKONIUM HECTORITE (UNII: O LX698AH5P)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
PHLEBODIUM AUREUM LEAF (UNII: BG58BW230G)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
COCO GLUCOSIDE (UNII: ICS790225B)	
WATER (UNII: 059QF0KO0R)	
HEXYLENE GLYCOL (UNII: KEH0A3F75J)	

ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)
CETEARETH-25 (UNII: 8FA93U5T67)
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)
LINALOOL, (+/-)- (UNII: D81QY6I88E)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)
DICAPRYLYL CARBONATE (UNII: 609A3V1SUA)
DIPROPYLENE GLYCOL DIBENZOATE (UNII: 60A5ZDY41O)
PROPANEDIOL (UNII: 5965N8W85T)
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
DISODIUM ETHYLENE DICOCAMIDE PEG-15 DISULFATE (UNII: QI9A6U005W)
PPG-15 STEARYL ETHER BENZOATE (UNII: 80D2J6361M)
PHENYLPROPANOL (UNII: 0F897O3O4M)
MYRISTYL ALCOHOL (UNII: V42034O9PU)
MYRISTYL GLUCOSIDE (UNII: 6AK28695LF)
PANTHENOL (UNII: WW9CM0O67Z)
PROPYLENE CARBONATE (UNII: 8D08K3S51E)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82141-2338-1	1 in 1 CARTON	10/01/2022	
1		40 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	M020	10/01/2022	

TOTY ILUMINA CC CREAM 1C

titanium dioxide, zinc oxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82141-2329
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	9 g in 100 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	6.3 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
BUTYL METHACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID/STYRENE CROSSPOLYMER (UNII: V5RS026Q0H)	
1,3-BUTYLENE GLYCOL COCOATE (UNII: B2JUC5N9EH)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	
STEARALKONIUM HECTORITE (UNII: O LX698AH5P)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
PHLEBODIUM AUREUM LEAF (UNII: BG58BW230G)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
COCO GLUCOSIDE (UNII: ICS790225B)	
WATER (UNII: 059QF0KO0R)	
HEXYLENE GLYCOL (UNII: KEH0A3F75J)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
CETEARETH-25 (UNII: 8FA93U5T67)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
LINALOOL, (+/-)- (UNII: D81QY6I88E)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
DICAPRYLYL CARBONATE (UNII: 609A3V1SUA)	
DIPROPYLENE GLYCOL DIBENZOATE (UNII: 60A5ZDY41O)	
PROPANEDIOL (UNII: 5965N8W85T)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
DISODIUM ETHYLENE DICOCAMIDE PEG-15 DISULFATE (UNII: QI9A6U005W)	
PPG-15 STEARYL ETHER BENZOATE (UNII: 80D2J6361M)	
PHENYLPROPANOL (UNII: 0F897O3O4M)	
MYRISTYL ALCOHOL (UNII: V42034O9PU)	
MYRISTYL GLUCOSIDE (UNII: 6AK28695LF)	
PANTHENOL (UNII: WW9CM0O67Z)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82141-2329-1	1 in 1 CARTON	10/01/2022	

1	40 g in 1 TUBE; Type 0: Not a Combination Product		
---	---	--	--

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	M020	10/01/2022	

TOTY ILUMINA CC CREAM 1W

titanium dioxide, zinc oxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82141-2328
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	9 g in 100 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	6.3 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
BUTYL METHACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID/STYRENE CROSSPOLYMER (UNII: V5RS026Q0H)	
1,3-BUTYLENE GLYCOL COCOATE (UNII: B2JUC5N9EH)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	
STEARALKONIUM HECTORITE (UNII: OLX698AH5P)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
PHLEBODIUM AUREUM LEAF (UNII: BG58BW230G)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
COCO GLUCOSIDE (UNII: ICS790225B)	
WATER (UNII: 059QF0KO0R)	
HEXYLENE GLYCOL (UNII: KEH0A3F75J)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
CETEARETH-25 (UNII: 8FA93U5T67)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
LINALOOL, (+/-)- (UNII: D81QY6I88E)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
DICAPRYLYL CARBONATE (UNII: 609A3V1SUA)	
DIPROPYLENE GLYCOL DIBENZOATE (UNII: 60A5ZDY41O)	

PROPANEDIOL (UNII: 5965N8W85T)
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
DISODIUM ETHYLENE DICOCAMIDE PEG-15 DISULFATE (UNII: QI9A6U005W)
PPG-15 STEARYL ETHER BENZOATE (UNII: 80D2J6361M)
PHENYLPROPANOL (UNII: 0F897O3O4M)
MYRISTYL ALCOHOL (UNII: V42034O9PU)
MYRISTYL GLUCOSIDE (UNII: 6AK28695LF)
PANTHENOL (UNII: WW9CM0O67Z)
PROPYLENE CARBONATE (UNII: 8D08K3S51E)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82141-2328-1	1 in 1 CARTON	10/01/2022	
1		40 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	M020	10/01/2022	

TOTY ILUMINA CC CREAM 2N

titanium dioxide, zinc oxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82141-2330
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	9 g in 100 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	6.3 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
BUTYL METHACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID/STYRENE CROSSPOLYMER (UNII: V5RS026Q0H)	

1,3-BUTYLENE GLYCOL COCOATE (UNII: B2JUC5N9EH)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
GREEN TEA LEAF (UNII: W2ZU1RY8B0)
STEARALKONIUM HECTORITE (UNII: O LX698AH5P)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
PHLEBODIUM AUREUM LEAF (UNII: BG58BW230G)
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)
COCO GLUCOSIDE (UNII: ICS790225B)
WATER (UNII: 059QF0KO0R)
HEXYLENE GLYCOL (UNII: KEH0A3F75J)
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)
CETEARETH-25 (UNII: 8FA93U5T67)
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)
LINALOOL, (+/-)- (UNII: D81QY6I88E)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)
DICAPRYLYL CARBONATE (UNII: 609A3V1SUA)
DIPROPYLENE GLYCOL DIBENZOATE (UNII: 6OA5ZDY41O)
PROPANEDIOL (UNII: 5965N8W85T)
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
DISODIUM ETHYLENE DICOCAMIDE PEG-15 DISULFATE (UNII: QI9A6U005W)
PPG-15 STEARYL ETHER BENZOATE (UNII: 80D2J6361M)
PHENYLPROPANOL (UNII: 0F897O3O4M)
MYRISTYL ALCOHOL (UNII: V42034O9PU)
MYRISTYL GLUCOSIDE (UNII: 6AK28695LF)
PANTHENOL (UNII: WW9CM0067Z)
PROPYLENE CARBONATE (UNII: 8D08K3S51E)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82141-2330-1	1 in 1 CARTON	10/01/2022	
1		40 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	M020	10/01/2022	

TOTY ILUMINA CC CREAM 3C

titanium dioxide, zinc oxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82141-2335
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	9 g in 100 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	6.3 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
1,3-BUTYLENE GLYCOL COCOATE (UNII: B2JUC5N9EH)	
BUTYL METHACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID/STYRENE CROSSPOLYMER (UNII: V5RS026Q0H)	
BISMUTH OXYCHLORIDE (UNII: 4ZR792I587)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	
STEARALKONIUM HECTORITE (UNII: O LX698AH5P)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
PHLEBODIUM AUREUM LEAF (UNII: BG58BW230G)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
COCO GLUCOSIDE (UNII: ICS790225B)	
WATER (UNII: 059QF0K00R)	
HEXYLENE GLYCOL (UNII: KEH0A3F75J)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
CETEARETH-25 (UNII: 8FA93U5T67)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
LINALOOL, (+/-)- (UNII: D81QY6I88E)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
DICAPRYLYL CARBONATE (UNII: 609A3V1SUA)	
DIPROPYLENE GLYCOL DIBENZOATE (UNII: 6OA5ZDY41O)	
PROPANEDIOL (UNII: 5965N8W85T)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
DISODIUM ETHYLENE DICOCAMIDE PEG-15 DISULFATE (UNII: QI9A6U005W)	
PPG-15 STEARYL ETHER BENZOATE (UNII: 80D2J6361M)	

PHENYLPROPANOL (UNII: 0F897O3O4M)
MYRISTYL ALCOHOL (UNII: V42034O9PU)
MYRISTYL GLUCOSIDE (UNII: 6AK28695LF)
PANTHENOL (UNII: WW9CM0067Z)
PROPYLENE CARBONATE (UNII: 8D08K3S51E)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82141-2335-1	1 in 1 CARTON	10/01/2022	
1		40 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	M020	10/01/2022	

TOTY ILUMINA CC CREAM 5W1

titanium dioxide, zinc oxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82141-2340
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	9 g in 100 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	6.3 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
BUTYL METHACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID/STYRENE CROSSPOLYMER (UNII: V5RS026Q0H)	
1,3-BUTYLENE GLYCOL COCOATE (UNII: B2JUC5N9EH)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
PEG-100 STEARATE (UNII: YD01N1999R)	
MICA (UNII: V8A1AW0880)	
STEARETH-21 (UNII: 53J3F32P58)	
STEARETH-2 (UNII: V56DFE46J5)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	

CAPRYLYL GLYCOL (UNII: 00YIU5438U)
GREEN TEA LEAF (UNII: W2ZU1RY8B0)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
PHLEBODIUM AUREUM LEAF (UNII: BG58BW230G)
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)
WATER (UNII: 059QF0KO0R)
HEXYLENE GLYCOL (UNII: KEH0A3F75J)
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)
CETEARETH-25 (UNII: 8FA93U5T67)
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)
LINALOOL, (+/-)- (UNII: D81QY6I88E)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)
DIPROPYLENE GLYCOL DIBENZOATE (UNII: 6OA5ZDY41O)
PROPANEDIOL (UNII: 5965N8W85T)
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
DISODIUM ETHYLENE DICOCAMIDE PEG-15 DISULFATE (UNII: QI9A6U005W)
PPG-15 STEARYL ETHER BENZOATE (UNII: 80D2J6361M)
PHENYLPROPANOL (UNII: 0F897O3O4M)
PANTHENOL (UNII: WW9CM0067Z)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82141-2340-1	1 in 1 CARTON	10/01/2022	
1		40 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	M020	10/01/2022	

TOTY ILUMINA CC CREAM 5W2

titanium dioxide, zinc oxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82141-2341
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	9 g in 100 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	6.3 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
BUTYL METHACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID/STYRENE CROSSPOLYMER (UNII: V5RS026Q0H)	
1,3-BUTYLENE GLYCOL COCOATE (UNII: B2JUC5N9EH)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
PEG-100 STEARATE (UNII: YD01N1999R)	
MICA (UNII: V8A1AW0880)	
STEARETH-21 (UNII: 53J3F32P58)	
STEARETH-2 (UNII: V56DFE46J5)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
PHLEBODIUM AUREUM LEAF (UNII: BG58BW230G)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0K00R)	
HEXYLENE GLYCOL (UNII: KEH0A3F75J)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
CETEARETH-25 (UNII: 8FA93U5T67)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
LINALOOL, (+/-)- (UNII: D81QY6I88E)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
DIPROPYLENE GLYCOL DIBENZOATE (UNII: 6OA5ZDY41O)	
PROPANEDIOL (UNII: 5965N8W85T)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
DISODIUM ETHYLENE DICOCAMIDE PEG-15 DISULFATE (UNII: QI9A6U005W)	
PPG-15 STEARYL ETHER BENZOATE (UNII: 80D2J6361M)	
PHENYLPROPANOL (UNII: 0F897O3O4M)	
PANTHENOL (UNII: WW9CM0O67Z)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
----------	------------------	----------------------------	-----------------------------	---------------------------

1	NDC:82141-2341-1	1 in 1 CARTON	10/01/2022
1		40 g in 1 TUBE; Type 0: Not a Combination Product	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	M020	10/01/2022	

TOTY ILLUMINA CC CREAM 3W

titanium dioxide, zinc oxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82141-2334
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	9 g in 100 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	6.3 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
1,3-BUTYLENE GLYCOL COCOATE (UNII: B2JUC5N9EH)	
BUTYL METHACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID/STYRENE CROSSPOLYMER (UNII: V5RS026Q0H)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	
STEARALKONIUM HECTORITE (UNII: O LX698AH5P)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
PHLEBODIUM AUREUM LEAF (UNII: BG58BW230G)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
COCO GLUCOSIDE (UNII: ICS790225B)	
WATER (UNII: 059QF0KO0R)	
HEXYLENE GLYCOL (UNII: KEH0A3F75J)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
CETEARETH-25 (UNII: 8FA93U5T67)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
LINALOOL, (+/-)- (UNII: D81QY6I88E)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX43802MRT)	

HYALURONATE SODIUM (UNII: YSE9PPT4TH)
DICAPRYLYL CARBONATE (UNII: 609A3V1SUA)
DIPROPYLENE GLYCOL DIBENZOATE (UNII: 60A5ZDY41O)
PROPANEDIOL (UNII: 5965N8W85T)
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
DISODIUM ETHYLENE DICOCAMIDE PEG-15 DISULFATE (UNII: QI9A6U005W)
PPG-15 STEARYL ETHER BENZOATE (UNII: 80D2J6361M)
PHENYLPROPANOL (UNII: 0F897O3O4M)
MYRISTYL ALCOHOL (UNII: V42034O9PU)
MYRISTYL GLUCOSIDE (UNII: 6AK28695LF)
PANTHENOL (UNII: WW9CM0O67Z)
PROPYLENE CARBONATE (UNII: 8D08K3S51E)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82141-2334-1	1 in 1 CARTON	10/01/2022	
1		40 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	M020	10/01/2022	

TOTY ILLUMINA CC CREAM 4N

titanium dioxide, zinc oxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82141-2336
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	9 g in 100 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	6.3 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
BUTYL METHACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID/STYRENE CROSSPOLYMER (UNII: V5RS026Q0H)	
1,3-BUTYLENE GLYCOL COCOATE (UNII: B2JUC5N9EH)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	
STEARALKONIUM HECTORITE (UNII: O LX698AH5P)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
PHLEBODIUM AUREUM LEAF (UNII: BG58BW230G)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
COCO GLUCOSIDE (UNII: ICS790225B)	
WATER (UNII: 059QF0KO0R)	
HEXYLENE GLYCOL (UNII: KEH0A3F75J)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
CETEARETH-25 (UNII: 8FA93U5T67)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
LINALOOL, (+/-)- (UNII: D81QY6I88E)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
DICAPRYLYL CARBONATE (UNII: 609A3V1SUA)	
DIPROPYLENE GLYCOL DIBENZOATE (UNII: 60A5ZDY41O)	
PROPANEDIOL (UNII: 5965N8W85T)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
DISODIUM ETHYLENE DICOCAMIDE PEG-15 DISULFATE (UNII: QI9A6U005W)	
PPG-15 STEARYL ETHER BENZOATE (UNII: 80D2J6361M)	
PHENYLPROPANOL (UNII: 0F897O3O4M)	
MYRISTYL ALCOHOL (UNII: V42034O9PU)	
MYRISTYL GLUCOSIDE (UNII: 6AK28695LF)	
PANTHENOL (UNII: WW9CM0O67Z)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82141-2336-1	1 in 1 CARTON	10/01/2022	
1		40 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing	Application Number or Monograph	Marketing Start	Marketing End
-----------	---------------------------------	-----------------	---------------

Category	Citation	Date	Date
OTC monograph final	M020	10/01/2022	

TOTY ILUMINA CC CREAM 5W

titanium dioxide, zinc oxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82141-2339
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	9 g in 100 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	6.3 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
1,3-BUTYLENE GLYCOL COCOATE (UNII: B2JUC5N9EH)	
BUTYL METHACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID/STYRENE CROSSPOLYMER (UNII: V5RS026Q0H)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
PEG-100 STEARATE (UNII: YD01N1999R)	
MICA (UNII: V8A1AW0880)	
STEARETH-21 (UNII: 53J3F32P58)	
STEARETH-2 (UNII: V56DFE46J5)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
PHLEBODIUM AUREUM LEAF (UNII: BG58BW230G)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
HEXYLENE GLYCOL (UNII: KEH0A3F75J)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
CETEARETH-25 (UNII: 8FA93U5T67)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
LINALOOL, (+/-)- (UNII: D81QY6I88E)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
DIPROPYLENE GLYCOL DIBENZOATE (UNII: 6OA5ZDY41O)	
PROPANEDIOL (UNII: 5965N8W85T)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	

BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
DISODIUM ETHYLENE DICOCAMIDE PEG-15 DISULFATE (UNII: QI9A6U005W)
PPG-15 STEARYL ETHER BENZOATE (UNII: 80D2J6361M)
PHENYLPROPANOL (UNII: 0F897O3O4M)
PANTHENOL (UNII: WW9CM0O67Z)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82141-2339-1	1 in 1 CARTON	10/01/2022	
1		40 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	M020	10/01/2022	

TOTY ILUMINA CC CREAM 3N

titanium dioxide, zinc oxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82141-2333
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	9 g in 100 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	6.3 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
1,3-BUTYLENE GLYCOL COCOATE (UNII: B2JUC5N9EH)	
BUTYL METHACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID/STYRENE CROSSPOLYMER (UNII: V5RS026Q0H)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	
STEARALKONIUM HECTORITE (UNII: O LX698AH5P)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	

.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
PHLEBODIUM AUREUM LEAF (UNII: BG58BW230G)
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)
COCO GLUCOSIDE (UNII: ICS790225B)
WATER (UNII: 059QF0KO0R)
HEXYLENE GLYCOL (UNII: KEH0A3F75J)
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)
CETEARETH-25 (UNII: 8FA93U5T67)
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)
LINALOOL, (+/-)- (UNII: D81QY6I88E)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)
DICAPRYLYL CARBONATE (UNII: 609A3V1SUA)
DIPROPYLENE GLYCOL DIBENZOATE (UNII: 6OA5ZDY41O)
PROPANEDIOL (UNII: 5965N8W85T)
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
DISODIUM ETHYLENE DICOCAMIDE PEG-15 DISULFATE (UNII: QI9A6U005W)
PPG-15 STEARYL ETHER BENZOATE (UNII: 80D2J6361M)
PHENYLPROPANOL (UNII: 0F897O3O4M)
MYRISTYL ALCOHOL (UNII: V42034O9PU)
MYRISTYL GLUCOSIDE (UNII: 6AK28695LF)
PANTHENOL (UNII: WW9CM0O67Z)
PROPYLENE CARBONATE (UNII: 8D08K3S51E)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82141-2333-1	1 in 1 CARTON	10/01/2022	
1		40 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	M020	10/01/2022	

TOTY ILUMINA CC CREAM 4W

titanium dioxide, zinc oxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82141-2337
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	9 g in 100 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	6.3 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
BUTYL METHACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID/STYRENE CROSSPOLYMER (UNII: V5RS026Q0H)	
1,3-BUTYLENE GLYCOL COCOATE (UNII: B2JUC5N9EH)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
PEG-100 STEARATE (UNII: YD01N1999R)	
MICA (UNII: V8A1AW0880)	
STEARETH-21 (UNII: 53J3F32P58)	
STEARETH-2 (UNII: V56DFE46J5)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
FERROSO FERRIC OXIDE (UNII: XM0M87F357)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
PHLEBODIUM AUREUM LEAF (UNII: BG58BW230G)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
HEXYLENE GLYCOL (UNII: KEH0A3F75J)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
CETARETH-25 (UNII: 8FA93U5T67)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
LINALOOL, (+/-)- (UNII: D81QY6I88E)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
DIPROPYLENE GLYCOL DIBENZOATE (UNII: 6OA5ZDY41O)	
PROPANEDIOL (UNII: 5965N8W85T)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
DISODIUM ETHYLENE DICOCAMIDE PEG-15 DISULFATE (UNII: QI9A6U005W)	
PPG-15 STEARYL ETHER BENZOATE (UNII: 80D2J6361M)	
PHENYLPROPANOL (UNII: 0F897O3O4M)	
PANTHENOL (UNII: WW9CM0O67Z)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82141-2337-1	1 in 1 CARTON	10/01/2022	
1		40 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	M020	10/01/2022	

TOTY ILUMINA CC CREAM 2C

titanium dioxide, zinc oxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82141-2332
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	9 g in 100 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	6.3 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
1,3-BUTYLENE GLYCOL COCOATE (UNII: B2JUC5N9EH)	
BUTYL METHACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID/STYRENE CROSSPOLYMER (UNII: V5RS026Q0H)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	
STEARALKONIUM HECTORITE (UNII: OLX698AH5P)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
PHLEBODIUM AUREUM LEAF (UNII: BG58BW230G)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
COCO GLUCOSIDE (UNII: ICS790225B)	
WATER (UNII: 059QF0KO0R)	
HEXYLENE GLYCOL (UNII: KEH0A3F75J)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
CETEARETH-25 (UNII: 8FA93U5T67)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	

LINALOOL, (+/-)- (UNII: D81QY6I88E)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)
DICAPRYLYL CARBONATE (UNII: 609A3V1SUA)
DIPROPYLENE GLYCOL DIBENZOATE (UNII: 60A5ZDY41O)
PROPANEDIOL (UNII: 5965N8W85T)
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
DISODIUM ETHYLENE DICOCAMIDE PEG-15 DISULFATE (UNII: QI9A6U005W)
PPG-15 STEARYL ETHER BENZOATE (UNII: 80D2J6361M)
PHENYLPROPANOL (UNII: 0F897O3O4M)
MYRISTYL ALCOHOL (UNII: V42034O9PU)
MYRISTYL GLUCOSIDE (UNII: 6AK28695LF)
PANTHENOL (UNII: WW9CM0067Z)
PROPYLENE CARBONATE (UNII: 8D08K3S51E)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82141-2332-1	1 in 1 CARTON	10/01/2022	
1		40 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	M020	10/01/2022	

TOTY ILUMINA CC CREAM 2W

titanium dioxide, zinc oxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82141-2331
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	9 g in 100 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	6.3 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
BUTYL METHACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID/STYRENE CROSSPOLYMER (UNII: V5RS026Q0H)	
1,3-BUTYLENE GLYCOL COCOATE (UNII: B2JUC5N9EH)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	
STEARALKONIUM HECTORITE (UNII: O LX698AH5P)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
PHLEBODIUM AUREUM LEAF (UNII: BG58BW230G)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
COCO GLUCOSIDE (UNII: ICS790225B)	
WATER (UNII: 059QF0KO0R)	
HEXYLENE GLYCOL (UNII: KEH0A3F75J)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
CETEARETH-25 (UNII: 8FA93U5T67)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
LINALOOL, (+/-)- (UNII: D81QY6I88E)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
DICAPRYLYL CARBONATE (UNII: 609A3V1SUA)	
DIPROPYLENE GLYCOL DIBENZOATE (UNII: 6OA5ZDY41O)	
PROPANEDIOL (UNII: 5965N8W85T)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
DISODIUM ETHYLENE DICOCAMIDE PEG-15 DISULFATE (UNII: QI9A6U005W)	
PPG-15 STEARYL ETHER BENZOATE (UNII: 80D2J6361M)	
PHENYLPROPANOL (UNII: 0F897O3O4M)	
MYRISTYL ALCOHOL (UNII: V42034O9PU)	
MYRISTYL GLUCOSIDE (UNII: 6AK28695LF)	
PANTHENOL (UNII: WW9CM0O67Z)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82141-2331-1	1 in 1 CARTON	10/01/2022	
1		40 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	M020	10/01/2022	

Labeler - Chipican LLC (118132015)

Establishment

Name	Address	ID/FEI	Business Operations
Industrial Farmaceutica Cantabria SA		470471158	manufacture(82141-2327, 82141-2328, 82141-2329, 82141-2330, 82141-2331, 82141-2332, 82141-2333, 82141-2334, 82141-2335, 82141-2336, 82141-2337, 82141-2338, 82141-2339, 82141-2340, 82141-2341) , pack(82141-2327, 82141-2328, 82141-2329, 82141-2330, 82141-2331, 82141-2332, 82141-2333, 82141-2334, 82141-2335, 82141-2336, 82141-2337, 82141-2338, 82141-2339, 82141-2340, 82141-2341) , label(82141-2327, 82141-2328, 82141-2329, 82141-2330, 82141-2331, 82141-2332, 82141-2333, 82141-2334, 82141-2335, 82141-2336, 82141-2337, 82141-2338, 82141-2339, 82141-2340, 82141-2341)

Revised: 9/2022

Chipican LLC