

CLE DE PEAU BEAUTE RADIANT CREAM TO POWDER FOUNDATION I10- octinoxate and titanium dioxide cream
CLE DE PEAU BEAUTE RADIANT CREAM TO POWDER FOUNDATION O10- octinoxate and titanium dioxide cream
CLE DE PEAU BEAUTE RADIANT CREAM TO POWDER FOUNDATION O20- octinoxate and titanium dioxide cream
CLE DE PEAU BEAUTE RADIANT CREAM TO POWDER FOUNDATION O30- octinoxate and titanium dioxide cream
CLE DE PEAU BEAUTE RADIANT CREAM TO POWDER FOUNDATION O40- octinoxate and titanium dioxide cream
CLE DE PEAU BEAUTE RADIANT CREAM TO POWDER FOUNDATION O50- octinoxate and titanium dioxide cream
CLE DE PEAU BEAUTE RADIANT CREAM TO POWDER FOUNDATION O60- octinoxate and titanium dioxide cream
CLE DE PEAU BEAUTE RADIANT CREAM TO POWDER FOUNDATION B10- octinoxate and titanium dioxide cream
CLE DE PEAU BEAUTE RADIANT CREAM TO POWDER FOUNDATION B20- octinoxate and titanium dioxide cream
CLE DE PEAU BEAUTE RADIANT CREAM TO POWDER FOUNDATION B30- octinoxate and titanium dioxide cream
CLE DE PEAU BEAUTE RADIANT CREAM TO POWDER FOUNDATION BF20- octinoxate and titanium dioxide cream
CLE DE PEAU BEAUTE RADIANT CREAM TO POWDER FOUNDATION WB20- octinoxate and titanium dioxide cream
SHISEIDO AMERICAS CORPORATION

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

CLÉ DE PEAU BEAUTÉ RADIANT CREAM TO POWDER FOUNDATION

Drug Facts

<i>Active ingredients</i>	<i>Purpose</i>
<i>(For shades I10, O10, O20, O30, B10, B20, B30, BF20, WB20)</i>	
OCTINOXATE 3.4%	Sunscreen
TITANIUM DIOXIDE 4.3%	Sunscreen
<i>(For shades O40, O50, O60)</i>	
OCTINOXATE 3.4%	Sunscreen
TITANIUM DIOXIDE 5.2%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure

- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive Ingredients

I10

DIMETHICONE•WATER•POLYMETHYLSILSESQUIOXANE•BARIUM SULFATE•DIPROPYLENE GLYCOL•GLYCERIN•PARAFFIN•PEG-10 DIMETHICONE•XANTHAN GUM•TREHALOSE•DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER•SODIUM ACETYLATED HYALURONATE•PEG/PPG-14/7 DIMETHYL ETHER•TRIMETHYLSILOXYSILICATE•ROSA ROXBURGHII FRUIT EXTRACT•POLYQUATERNIUM-51•HYDROLYZED CONCHIOLIN PROTEIN•HYDROLYZED SILK•SILICA•ORYZA SATIVA (RICE) BRAN WAX•SORBITAN SESQUIISOSTEARATE•HYDRATED SILICA•DISTEARYLDIMONIUM CHLORIDE•SILICA DIMETHYL SILYLATE•PALMITIC ACID•DISTEARDIMONIUM HECTORITE•MICROCRYSTALLINE WAX•TRISODIUM EDTA•ALUMINA•SODIUM METAPHOSPHATE•MAGNESIUM MYRISTATE•CELLULOSE GUM•ISOPROPYL ALCOHOL•TOCOPHEROL•VINYL DIMETHICONE/METHICONE SILSESQUIOXANE CROSSPOLYMER•DIPHENYL DIMETHICONE/VINYL DIPHENYL DIMETHICONE/SILSESQUIOXANE CROSSPOLYMER•SYNTHETIC FLUORPHLOGOPITE•BHT•BUTYLENE GLYCOL•TRIETHOXYSILYLETHYL POLYDIMETHYLSILOXYETHYL DIMETHICONE•THEANINE•ETHYL PARABEN•METHYL PARABEN•PHENOXYETHANOL•FRAGRANCE•TITANIUM DIOXIDE•IRON OXIDES•MICA•

O10, O20, O30, B10, B20, B30, BF20, WB20

DIMETHICONE•WATER•POLYMETHYLSILSESQUIOXANE•BARIUM SULFATE•DIPROPYLENE GLYCOL•GLYCERIN•PARAFFIN•PEG-10 DIMETHICONE•SILICA•XANTHAN GUM•TREHALOSE•DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER•SODIUM ACETYLATED HYALURONATE•PEG/PPG-14/7 DIMETHYL ETHER•TRIMETHYLSILOXYSILICATE•ROSA ROXBURGHII FRUIT EXTRACT•POLYQUATERNIUM-51•HYDROLYZED CONCHIOLIN PROTEIN•HYDROLYZED SILK•ORYZA SATIVA (RICE) BRAN WAX•SORBITAN SESQUIISOSTEARATE•HYDRATED SILICA•DISTEARYLDIMONIUM CHLORIDE•SILICA DIMETHYL SILYLATE•PALMITIC ACID•DISTEARDIMONIUM HECTORITE•MICROCRYSTALLINE WAX•TRISODIUM EDTA•ALUMINA•SODIUM METAPHOSPHATE•MAGNESIUM MYRISTATE•CELLULOSE GUM•ISOPROPYL ALCOHOL•TOCOPHEROL•VINYL DIMETHICONE/METHICONE SILSESQUIOXANE CROSSPOLYMER•DIPHENYL DIMETHICONE/VINYL DIPHENYL DIMETHICONE/SILSESQUIOXANE CROSSPOLYMER•SYNTHETIC FLUORPHLOGOPITE•BHT•BUTYLENE GLYCOL•POLYSILICONE-2•TRIETHOXYSILYLETHYL POLYDIMETHYLSILOXYETHYL DIMETHICONE•THEANINE•ETHYL PARABEN•METHYL PARABEN•PHENOXYETHANOL•FRAGRANCE•TITANIUM DIOXIDE•IRON OXIDES•MICA•

O40, O50, O60

DIMETHICONE•WATER•POLYMETHYLSILSESQUIOXANE•BARIUM SULFATE•DIPROPYLENE GLYCOL•GLYCERIN•PARAFFIN•PEG-10 DIMETHICONE•XANTHAN GUM•TREHALOSE•DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER•SODIUM ACETYLATED HYALURONATE•PEG/PPG-14/7 DIMETHYL ETHER•TRIMETHYLSILOXYSILICATE•ROSA ROXBURGHII FRUIT EXTRACT•POLYQUATERNIUM-51•HYDROLYZED CONCHIOLIN PROTEIN•HYDROLYZED SILK•SILICA•ORYZA SATIVA (RICE) BRAN WAX•HYDRATED SILICA•SORBITAN SESQUIISOSTEARATE•DISTEARYLDIMONIUM CHLORIDE•SILICA DIMETHYL SILYLATE•PALMITIC ACID•DISTEARDIMONIUM HECTORITE•MICROCRYSTALLINE WAX•TRISODIUM EDTA•ALUMINA•SODIUM METAPHOSPHATE•MAGNESIUM MYRISTATE•CELLULOSE GUM•ISOPROPYL ALCOHOL•TOCOPHEROL•VINYL

DIMETHICONE/METHICONE SILSESQUIOXANE CROSSPOLYMER•DIPHENYL
DIMETHICONE/VINYL DIPHENYL DIMETHICONE/SILSESQUIOXANE
CROSSPOLYMER•SYNTHETIC FLUORPHLOGOPITE•POLYSILICONE-2•BHT•BUTYLENE
GLYCOL•TRIETHOXYSILYLETHYL POLYDIMETHYLSILOXYETHYL
DIMETHICONE•THEANINE•ETHYLPARABEN•METHYLPARABEN•PHENOXYETHANOL•FRAGRANCE•TITANIUM
DIOXIDE•IRON OXIDES•MICA•

Other information

- protect this product in this container from excessive heat and direct sun.

Questions or comments?

Call toll free 1-800-906-7503

PRINCIPAL DISPLAY PANEL - 12 g Container Carton - I10

clé de peau

BEAUTÉ

radiant cream to powder foundation

BROAD SPECTRUM

SPF 24

SUNSCREEN

12g NET WT. .42 OZ.



PRINCIPAL DISPLAY PANEL - 12 g Container Carton - O10

clé de peau

BEAUTÉ

radiant cream to powder foundation

BROAD SPECTRUM

SPF 24

SUNSCREEN

12g NET WT. .42 OZ.

radiant cream to powder foundation

110

Reducing the quantity of application will lower the SPF of sunscreen products significantly.

Drug Facts (continued)

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product, keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunburn use:

- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: limit time in the sun, especially from 10 a.m. to 2 p.m.; wear long-sleeve shirts, pants, hats, and sunglasses.
- Children under 6 months: Ask a doctor.



radiant cream to powder foundation

BROAD SPECTRUM
SPF 24
SUNSCREEN

12g NET WT. .42 OZ.

7 30852 14977 9

18mm X 33mm 10mm X 15mm

This package is made using bagasse paper (a non-wood paper).

14977-41-5040
AAA

Drug Facts (continued)

Inactive ingredients

DMETHICONE - WATER - POLYMETHYLSILOXANONE -
BARIUM SULFATE - DIPROPYLENE GLYCOL - GLYCERIN -
PARAFIN - PEG-10 DIMETHICONE - XANTHAN GUM -
TRIALOLOSE - DIMETHICONE/NOVOL - DIMETHICONE CROSSPOLYMER -
SODIUM ACETYLATED HYALURONATE -
PEG/PPG-14/7 DIMETHYL ETHER - TRIMETHYLSILOXOSULFONATE -
ROSA ROBURGII FRUIT EXTRACT - POLYQUATERNIUM-15 -
HYDROLYZED CONCHUSILIN PROTEIN - HYDROLYZED SILK - SILICA
ORYZA SATIVA (RICE) BRAN WAX - SORBITAN SESQUILAUROSTEARATE -
HYDRATED SILICA - OSTEARYL DIMONIUM CHLORIDE -
SILICA DIMETHYL SILYLATE - PALMITIC ACID -
DISTEAROYL MONIUM HECTORITE - MICROCRYSTALLINE WAX -
TRISODIUM EDTA - ALLUMINA - SODIUM METAPHOSPHATE -
MAGNESIUM MYRISTATE - CELLULOSE GUM -
ISOPROPYL ALCOHOL - TOCOPHEROL -
VINYL DIMETHICONE/METHICONE SILSESQUOXANE
CROSSPOLYMER -
DIPHENYL DIMETHICONE/VINYL DIPHENYL
DIMETHICONE/SILSESQUOXANE CROSSPOLYMER -
SYNTHETIC FLUOROPOLYMER - BHT - BUTYLENE GLYCOL -
TETRAOXYETHYLENE POLYDIMETHYLSILOXYMETHYL DIMETHICONE -
TRISODIUM EDTA - ETHYL PARABEN - METHYL PARABEN -
PHENYLETHANOL - FRAGRANCE - TITANIUM DIOXIDE -
IRON OXIDES - MICA -

Other Information

Do not use this product if this container
has been exposed to heat and direct sun.

Questions or Comments?

Call toll free 1-800-868-7563

clé de peau
BEAUTÉ

RADIANT CREAM TO POWDER FOUNDATION
BROAD SPECTRUM SPF 24
SUNSCREEN

110

A state-of-the-art foundation that creates a weightless, beautiful second skin finish. This hybrid formulation that glides over skin and instantly transforms from a luxurious cream into a subtle, lightweight powder for unparalleled adherence. Maintains a refined finish throughout the day while revealing a look of natural radiance.

- Contains a special combination of moisturizing ingredients.
- NON-COMEDOGENIC.
- DERMATOLOGIST-TESTED.

Drug Facts

Active Ingredients

OCTINOXATE 3.4% Sunscreen
TITANIUM DIOXIDE 4.3% Sunscreen

Purpose

Uses

helps prevent sunburn
if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Drug Facts (continued)

Inactive ingredients

DMETHICONE - WATER - POLYMETHYLSILOXANONE -
BARIUM SULFATE - DIPROPYLENE GLYCOL - GLYCERIN -
PARAFIN - PEG-10 DIMETHICONE - SILICA - XANTHAN GUM -
TRIALOLOSE - DIMETHICONE/NOVOL - DIMETHICONE CROSSPOLYMER -
SODIUM ACETYLATED HYALURONATE -
PEG/PPG-14/7 DIMETHYL ETHER - TRIMETHYLSILOXOSULFONATE -
ROSA ROBURGII FRUIT EXTRACT - POLYQUATERNIUM-15 -
HYDROLYZED CONCHUSILIN PROTEIN - HYDROLYZED SILK -
ORYZA SATIVA (RICE) BRAN WAX - SORBITAN SESQUILAUROSTEARATE -
HYDRATED SILICA - OSTEARYL DIMONIUM CHLORIDE -
SILICA DIMETHYL SILYLATE - PALMITIC ACID -
DISTEAROYL MONIUM HECTORITE - MICROCRYSTALLINE WAX -
TRISODIUM EDTA - ALLUMINA - SODIUM METAPHOSPHATE -
MAGNESIUM MYRISTATE - CELLULOSE GUM -
ISOPROPYL ALCOHOL - TOCOPHEROL -
VINYL DIMETHICONE/METHICONE SILSESQUOXANE
CROSSPOLYMER -
DIPHENYL DIMETHICONE/VINYL DIPHENYL
DIMETHICONE/SILSESQUOXANE CROSSPOLYMER -
SYNTHETIC FLUOROPOLYMER - BHT - BUTYLENE GLYCOL -
POLYBUTYLENE GLYCOL -
TETRAOXYETHYLENE POLYDIMETHYLSILOXYMETHYL DIMETHICONE -
TRISODIUM EDTA - ETHYL PARABEN - METHYL PARABEN -
PHENYLETHANOL - FRAGRANCE - TITANIUM DIOXIDE -
IRON OXIDES - MICA -



PRINCIPAL DISPLAY PANEL - 12 g Container Carton - O20

clé de peau
BEAUTÉ

radiant cream to powder foundation

BROAD SPECTRUM
SPF 24
SUNSCREEN

12g NET WT. .42 OZ.

radiant cream to powder foundation

110

Reducing the quantity of application will lower the SPF of sunscreen products significantly.

Drug Facts (continued)

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Flush with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunburn use:

- Apply liberally 15 minutes before sun exposure
- Use a water resistant sunscreen if swimming or sweating
- Reapply at least every 2 hours
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. to 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
 - children under 6 months: Ask a doctor



clé de peau
BEAUTÉ

radiant cream to powder foundation

BROAD SPECTRUM
SPF 24
SUNSCREEN

12g NET WT. .42 OZ.

Drug Facts (continued)

Inactive ingredients

DIMETHICONE - WATER - POLYMETHYLSILOXANONE -
 BARBITUM SULFATE - DIPROPYLENE GLYCOL - GLYCERIN -
 PARAFFIN - PEG-10 DIMETHICONE - XANTHAN GUM -
 TREHALULOSE - DIMETHICONE/NOVOL DIMETHICONE COPOLYMER -
 SODIUM ACETYLATED HYALURONATE -
 PEG/PPG-14/7 DIMETHYL ETHER - TRIMETHYLSILOXOSULFONATE -
 ROSA ROXBURGHII FRUIT EXTRACT - POLYQUATERNIUM-51 -
 HYDROLYZED CONCHUKOLIN PROTEIN - HYDROLYZED SILK -
 ORYZA SATIVA (RICE) BRAN WAX - SCORBITAN SESQUIMONOSTEARATE -
 HYDRATED SILICA - OBTAINED FROM HYDROLYZED CHITOSAN -
 SILICA DIMETHYL SILYLATE - PALMITIC ACID -
 OBTAINED FROM WAX - MICROCRYSTALLINE WAX -
 TRISODIUM EDTA - ALUMINA - SODIUM METAPHOSPHATE -
 MAGNESIUM HYPOPHOSPHATE - CELLULOSE GUM -
 BISOPROPYL ALCOHOL - TOCOPHEROL -
 VINYL DIMETHICONE/METHICONE SILSESQUOXANE
 COPOLYMER -
 DIMETHYL DIMETHICONE/NOVOL DIMETHYL
 DIMETHICONE/SILSESQUOXANE COPOLYMER -
 SYNTHETIC FLUOROPOLYMER - BHT - BUTYLENE GLYCOL -
 POLYSILOXANE-2 -
 TRITHOXYSULFETHYL POLYDIMETHYLSILOXYMETHYL DIMETHICONE -
 THREANINE - ETHYL PARABEN - METHYL PARABEN -
 PHENYLOXYETHANOL - FRAGRANCE - TITANIUM DIOXIDE -
 IRON OXIDES - MICA

Other Information

Protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-868-7563

This package is made using bagasse paper (a non-wood paper).

7 30852 14977 9

18mm X 33mm 10mm X 15mm

14977-41-5040
AAA

clé de peau
BEAUTÉ
RADIANT CREAM TO POWDER FOUNDATION
BROAD SPECTRUM SPF 24
SUNSCREEN

110

A state-of-the-art foundation that creates a weightless, beautiful second skin finish. This hybrid formulation that glides over skin and instantly transforms from a luxurious cream into a subtle, lightweight powder for unparalleled adherence. Maintains a refined finish throughout the day while revealing a look of natural radiance.

- Contains a special combination of moisturizing ingredients.
- NON-COMEDOGENIC.
- DERMATOLOGIST-TESTED.

Drug Facts

Active Ingredients

OCTINOXATE 3.4%	Sunscreen
TITANIUM DIOXIDE 4.3%	Sunscreen

Purpose

Uses


- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Drug Facts (continued)

Inactive ingredients

DIMETHICONE - WATER - POLYMETHYLSILOXANONE -
 BARBITUM SULFATE - DIPROPYLENE GLYCOL - GLYCERIN -
 PARAFFIN - PEG-10 DIMETHICONE - SILICA - XANTHAN GUM -
 TREHALULOSE - DIMETHICONE/NOVOL DIMETHICONE COPOLYMER -
 SODIUM ACETYLATED HYALURONATE -
 PEG/PPG-14/7 DIMETHYL ETHER - TRIMETHYLSILOXOSULFONATE -
 ROSA ROXBURGHII FRUIT EXTRACT - POLYQUATERNIUM-51 -
 HYDROLYZED CONCHUKOLIN PROTEIN - HYDROLYZED SILK -
 ORYZA SATIVA (RICE) BRAN WAX - SCORBITAN SESQUIMONOSTEARATE -
 HYDRATED SILICA - OBTAINED FROM HYDROLYZED CHITOSAN -
 SILICA DIMETHYL SILYLATE - PALMITIC ACID -
 OBTAINED FROM WAX - MICROCRYSTALLINE WAX -
 TRISODIUM EDTA - ALUMINA - SODIUM METAPHOSPHATE -
 MAGNESIUM HYPOPHOSPHATE - CELLULOSE GUM -
 BISOPROPYL ALCOHOL - TOCOPHEROL -
 VINYL DIMETHICONE/METHICONE SILSESQUOXANE
 COPOLYMER -
 DIMETHYL DIMETHICONE/NOVOL DIMETHYL
 DIMETHICONE/SILSESQUOXANE COPOLYMER -
 SYNTHETIC FLUOROPOLYMER - BHT - BUTYLENE GLYCOL -
 POLYSILOXANE-2 -
 TRITHOXYSULFETHYL POLYDIMETHYLSILOXYMETHYL DIMETHICONE -
 THREANINE - ETHYL PARABEN - METHYL PARABEN -
 PHENYLOXYETHANOL - FRAGRANCE - TITANIUM DIOXIDE -
 IRON OXIDES - MICA

Other Information



PRINCIPAL DISPLAY PANEL - 12 g Container Carton - O30

**clé de peau
BEAUTÉ**

radiant cream to powder foundation

***BROAD SPECTRUM
SPF 24
SUNSCREEN***

12g NET WT. .42 OZ.

radiant cream to powder foundation

110

Increasing the quantity of application will lower the SPF of sunscreen proportionally.

Drug Facts (continued)

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Flush with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunburn use:

- Apply liberally 15 minutes before sun exposure
- Use a water resistant sunscreen if swimming or sweating
- Reapply at least every 2 hours
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: limit time in the sun, especially from 10 a.m. to 2 p.m.; wear long-sleeve shirts, pants, hats, and sunglasses
- Children under 6 months: Ask a doctor



clé de peau BEAUTÉ

radiant cream to powder foundation

BROAD SPECTRUM SPF 24 SUNSCREEN

12g NET WT. .42 OZ.

7 30852 14977 9

18mm X 33mm 10mm X 15mm

This package is made using bagasse paper (a non-wood paper).

14977-41-5040 AAA

Drug Facts (continued)

Inactive ingredients

DIMETHICONE - WATER - POLYMETHYLSILOXANONE - BARBITUM SULFATE - DIPHENYLENE GLYCOL - GLYCERIN - PARAFIN - PEG-10 DIMETHICONE - XANTHAN GUM - TREHALULOSE - DIMETHICONE/MINY. DIMETHICONE CROSSPOLYMER - SODIUM ACETYLATED HYALURONATE - PEG/PPG-14/7 DIMETHYL ETHER - TRIMETHYLSILOXANOLATE - ROSA ROBINSONII FRUIT EXTRACT - POLYQUATERNIUM-51 - HYDROLYZED CONCHILIN PROTEIN - HYDROLYZED SILK - ORIZA SATIVA (RICE) BRAN WAX - SORBITAN SESQUISOOSTERATE - HYDRATED SILICA - DISTEARYL DIMONIUM CHLORIDE - SILICA DIMETHYL SILYLATE - PALMITIC ACID - DISTEAROUMONIUM HECTORITE - MICROCRYSTALLINE WAX - TRIBECHEM EDIA - ALUMINA - SODIUM METAPHOSPHATE - MAGNESIUM HYDROXIDE - CELLULOSE GUM - ISOPROPYL ALCOHOL - TOCOPHEROL - NYLON DIMETHACRYLATE/METHACRYLATE DIMETHACRYLATE - DIMETHYLSILOXANONE CROSSPOLYMER - DIPHENYL DIMETHICONE/MINYL DIPHENYL DIMETHICONE/SESQUIOXANE CROSSPOLYMER - SYNTHETIC FLUOROPOLYMER - BHT - BUTYLENE GLYCOL - POLYSILOXANE-7 - TRITHOXYSULFETHYL POLYDIMETHYLSILOXETHYL DIMETHICONE - THEAINE - ETHYL PARABEN - METHYL PARABEN - PHENOXETHANOL - FRAGRANCE - TITANIUM DIOXIDE - IRON OXIDES - MICA

Other Information

Protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-828-7503

clé de peau BEAUTÉ RADIANT CREAM TO POWDER FOUNDATION BROAD SPECTRUM SPF 24 SUNSCREEN

110

A state-of-the-art foundation that creates a weightless, beautiful second skin finish. This hybrid formulation that glides over skin and instantly transforms from a luxurious cream into a subtle, lightweight powder for unparalleled adherence. Maintains a refined finish throughout the day while revealing a look of natural radiance.

- Contains a special combination of moisturizing ingredients.
- NON-COMEDOGENIC.
- DERMATOLOGIST-TESTED.

Drug Facts

Active Ingredients

OCTINOXATE 3.4%	Sunscreen
TITANIUM DIOXIDE 4.3%	Sunscreen

Purpose

Uses


- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Drug Facts (continued)

Inactive ingredients

DIMETHICONE - WATER - POLYMETHYLSILOXANONE - BARBITUM SULFATE - DIPHENYLENE GLYCOL - GLYCERIN - PARAFIN - PEG-10 DIMETHICONE - SILICA - XANTHAN GUM - TREHALULOSE - DIMETHICONE/MINY. DIMETHICONE CROSSPOLYMER - SODIUM ACETYLATED HYALURONATE - PEG/PPG-14/7 DIMETHYL ETHER - TRIMETHYLSILOXANOLATE - ROSA ROBINSONII FRUIT EXTRACT - POLYQUATERNIUM-51 - HYDROLYZED CONCHILIN PROTEIN - HYDROLYZED SILK - ORIZA SATIVA (RICE) BRAN WAX - SORBITAN SESQUISOOSTERATE - HYDRATED SILICA - DISTEARYL DIMONIUM CHLORIDE - SILICA DIMETHYL SILYLATE - PALMITIC ACID - DISTEAROUMONIUM HECTORITE - MICROCRYSTALLINE WAX - TRIBECHEM EDIA - ALUMINA - SODIUM METAPHOSPHATE - MAGNESIUM HYDROXIDE - CELLULOSE GUM - ISOPROPYL ALCOHOL - TOCOPHEROL - NYLON DIMETHACRYLATE/METHACRYLATE DIMETHACRYLATE - DIMETHYLSILOXANONE CROSSPOLYMER - DIPHENYL DIMETHICONE/MINYL DIPHENYL DIMETHICONE/SESQUIOXANE CROSSPOLYMER - SYNTHETIC FLUOROPOLYMER - BHT - BUTYLENE GLYCOL - POLYSILOXANE-7 - TRITHOXYSULFETHYL POLYDIMETHYLSILOXETHYL DIMETHICONE - THEAINE - ETHYL PARABEN - METHYL PARABEN - PHENOXETHANOL - FRAGRANCE - TITANIUM DIOXIDE - IRON OXIDES - MICA

Other Information



PRINCIPAL DISPLAY PANEL - 12 g Container Carton - O40

**clé de peau
BEAUTÉ**

radiant cream to powder foundation

***BROAD SPECTRUM
SPF 24
SUNSCREEN***

12g NET WT. .42 OZ.

radiant cream to powder foundation

110

Reducing the quantity of application will lower the level of sunscreen protection significantly.

Drug Facts (continued)

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Flush with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunburn use:

- Apply liberally 15 minutes before sun exposure
- Use a water resistant sunscreen if swimming or sweating
- Reapply at least every 2 hours
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: limit time in the sun, especially from 10 a.m. to 2 p.m.; wear long-sleeve shirts, pants, hats, and sunglasses
- Children under 6 months: Ask a doctor



clé de peau
BEAUTÉ

radiant cream to powder foundation

BROAD SPECTRUM
SPF 24
SUNSCREEN

12g NET WT. .42 OZ.

7 30852 14977 9

18mm X 33mm 10mm X 15mm

This package is made using bagasse paper (a non-wood paper).

14977-41-5040
AAA

Drug Facts (continued)

Inactive ingredients

DIMETHICONE - WATER - POLYMETHYLSILOXANOLANE - BARBITURIC ACID - DIMETHYLGLYCOL - GLYCERIN - PARAFIN - PEG-10 DIMETHICONE - XANTHAN GUM - TREHALOSE - DIMETHICONE/VINYL DIMETHICONE COPOLYMER - SODIUM ACETYLATED HYALURONATE - PEG/PPG-14/7 DIMETHYL ETHER - TRIMETHYLSILOXYSULFATE - ROSA HEDERIFORMIS FRUIT EXTRACT - POLYQUATERNIUM-61 - HYDROLYZED CONJUGLIN PROTEIN - HYDROLYZED SILK - SILICA - ORYZA SATIVA (RICE) BRAN WAX - HYDRATED SILICA - SORBANOL SESQUISOESTERATE - OXYETHYLDIMETHYLMETHACRYLATE - DIMETHYL METHACRYLATE - PALMITIC ACID - TETRABENZYLQUINONE TETRABENZOATE - MICROCRYSTALLINE WAX - TRISORBIN EDIN - ALUMINA - SODIUM METAPHOSPHATE - MAGNESIUM HYDROXIDE - CELLULOSE GUM - ISOPROPYL ALCOHOL - TOCOPHEROL - VINYL DIMETHICONE/METHICONE SESQUISOXANOLANE COPOLYMER - DIMETHYL DIMETHICONE/VINYL DIMETHICONE DIMETHICONE/SESQUISOXANOLANE COPOLYMER - SYNTHETIC FLUOROPOLYMER - BUTYLENE GLYCOL - TETRAETHYLETHYL POLYDIMETHYLSILOXYETHYL DIMETHICONE - THEANINE - ETHYL PARABEN - METHYL PARABEN - PHENOXETHANOL - FRAGRANCE - TITANIUM DIOXIDE - IRON OXIDES - MICA

Other Information

Protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-868-7503

Drug Facts

Active Ingredients

OCTINOXATE 3.4% Sunscreen
TITANIUM DIOXIDE 5.2% Sunscreen

Purpose

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Drug Facts (continued)

Inactive ingredients

DIMETHICONE - WATER - POLYMETHYLSILOXANOLANE - BARBITURIC ACID - DIMETHYLGLYCOL - GLYCERIN - PARAFIN - PEG-10 DIMETHICONE - XANTHAN GUM - TREHALOSE - DIMETHICONE/VINYL DIMETHICONE COPOLYMER - SODIUM ACETYLATED HYALURONATE - PEG/PPG-14/7 DIMETHYL ETHER - TRIMETHYLSILOXYSULFATE - ROSA HEDERIFORMIS FRUIT EXTRACT - POLYQUATERNIUM-61 - HYDROLYZED CONJUGLIN PROTEIN - HYDROLYZED SILK - SILICA - ORYZA SATIVA (RICE) BRAN WAX - HYDRATED SILICA - SORBANOL SESQUISOESTERATE - OXYETHYLDIMETHYLMETHACRYLATE - DIMETHYL METHACRYLATE - PALMITIC ACID - TETRABENZYLQUINONE TETRABENZOATE - MICROCRYSTALLINE WAX - TRISORBIN EDIN - ALUMINA - SODIUM METAPHOSPHATE - MAGNESIUM HYDROXIDE - CELLULOSE GUM - ISOPROPYL ALCOHOL - TOCOPHEROL - VINYL DIMETHICONE/METHICONE SESQUISOXANOLANE COPOLYMER - DIMETHYL DIMETHICONE/VINYL DIMETHICONE DIMETHICONE/SESQUISOXANOLANE COPOLYMER - SYNTHETIC FLUOROPOLYMER - POLYSILOXANE-2 - BUTYLENE GLYCOL - TETRAETHYLETHYL POLYDIMETHYLSILOXYETHYL DIMETHICONE - THEANINE - ETHYL PARABEN - METHYL PARABEN - PHENOXETHANOL - FRAGRANCE - TITANIUM DIOXIDE - IRON OXIDES - MICA

Other Information



Other Information
protect this product in this container
from excessive heat and direct sun,
Questions or Comments?
Call to free 1-800-808-7503

clé de peau
BEAUTÉ
RADIANT CREAM TO POWDER FOUNDATION
BROAD SPECTRUM SPF 24
SUNSCREEN
O40

radiant cream to powder foundation
O40

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10022
MADE IN U.S.A.
GLO, 14981
www.cledepeau-beaute.com

14981-41-5040
AAA

縮小サイズ0.85倍 10mm/バー
16mm×33mm
7 30852 14981 6


PRINCIPAL DISPLAY PANEL - 12 g Container Carton - O50

clé de peau
BEAUTÉ

radiant cream to powder foundation

BROAD SPECTRUM
SPF 24
SUNSCREEN

12g NET WT. .42 OZ.



PRINCIPAL DISPLAY PANEL - 12 g Container Carton - O60

**clé de peau
BEAUTÉ**

radiant cream to powder foundation

**BROAD SPECTRUM
SPF 24
SUNSCREEN**

12g NET WT. .42 OZ.

radiant cream to powder foundation

110

Reducing the quantity of application will lower the level of sunscreen protection significantly.

Drug Facts (continued)

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Flush with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunburn use:

- Apply liberally 15 minutes before sun exposure
- Use a water resistant sunscreen if swimming or sweating
- Reapply at least every 2 hours
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. to 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
 - children under 6 months: Ask a doctor

clé de peau BEAUTÉ

radiant cream to powder foundation

BROAD SPECTRUM SPF 24 SUNSCREEN

12g NET WT. .42 OZ.

7 30852 14977 9

18mm X 33mm 10mm X 15mm

This package is made using bagasse paper (a non-wood paper).

14977-41-5040 AAA

Drug Facts (continued)

Inactive ingredients

DIMETHICONE - WATER - POLYMETHYLSILOXANONE - BARBITUM SULFATE - DIPHENYLENE GLYCOL - GLYCERIN - PARAFIN - PEG-10 DIMETHICONE - XANTHAN GUM - TREHALULOSE - DIMETHICONE NYL-10 DIMETHICONE CROSSPOLYMER - SODIUM ACETYLATED HYALURONATE - PEG-140 DIMETHYL ETHER - DIMETHYLSILOXANOLATE - ROSA ROBOURGIN FRUIT EXTRACT - POLYQUATERNIUM-6 - HYDROLYZED CONCHURIN PROTEIN - HYDROLYZED SILICA - ORYZA SATIVA (RICE) BRAN WAX - COMPLEXED SODIUM HYDROLYZED SILICA - ESTERYLUMONIUM OIL OLEATE - SILICA DIMETHYL SILYLATE - PALMITIC ACID - DISTEARDIMONIUM HECTORITE - MICROCRYSTALLINE WAX - TRISODIUM EDTA - ALLUMINA - SODIUM METAPHOSPHATE - MAGNESIUM MYRISTATE - CELLULOSE GUM - ISOPROPYL ALCOHOL - TOCOPHEROL - VINYL DIMETHACRYLATE/METHACRYLATE COPOLYMER - DIMETHYLSILOXANOLATE - DIMETHYLSILOXANONE CROSSPOLYMER - SYNTHETIC FLUOROPHOSPHITE - BHT - BUTYLENE GLYCOL - TETRACYCLOMETHYL POLYDIMETHYLSILOXANOLATE - DIMETHICONE - TRIETHANOL - ETHYL PARABEN - METHYL PARABEN - PHENOXETHANOL - FRAGRANCE - TITANIUM DIOXIDE - IRON OXIDES - MICA

Other Information

Protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-868-7563

Drug Facts

Active Ingredients

OCTINOXATE 3.4% Sunscreen
TITANIUM DIOXIDE 5.2% Sunscreen

Purpose


Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Drug Facts (continued)

Inactive ingredients

DIMETHICONE - WATER - POLYMETHYLSILOXANONE - BARBITUM SULFATE - DIPHENYLENE GLYCOL - GLYCERIN - PARAFIN - PEG-10 DIMETHICONE - XANTHAN GUM - TREHALULOSE - DIMETHICONE NYL-10 DIMETHICONE CROSSPOLYMER - SODIUM ACETYLATED HYALURONATE - PEG-140 DIMETHYL ETHER - DIMETHYLSILOXANOLATE - ROSA ROBOURGIN FRUIT EXTRACT - POLYQUATERNIUM-6 - HYDROLYZED CONCHURIN PROTEIN - HYDROLYZED SILICA - SILICA - ORYZA SATIVA (RICE) BRAN WAX - COMPLEXED SODIUM HYDROLYZED SILICA - ESTERYLUMONIUM OIL OLEATE - SILICA DIMETHYL SILYLATE - PALMITIC ACID - DISTEARDIMONIUM HECTORITE - MICROCRYSTALLINE WAX - TRISODIUM EDTA - ALLUMINA - SODIUM METAPHOSPHATE - MAGNESIUM MYRISTATE - CELLULOSE GUM - ISOPROPYL ALCOHOL - TOCOPHEROL - VINYL DIMETHACRYLATE/METHACRYLATE COPOLYMER - DIMETHYLSILOXANOLATE - DIMETHYLSILOXANONE CROSSPOLYMER - SYNTHETIC FLUOROPHOSPHITE - POLYGLYCOS-2 - BHT - BUTYLENE GLYCOL - TETRACYCLOMETHYL POLYDIMETHYLSILOXANOLATE - DIMETHICONE - TRIETHANOL - ETHYL PARABEN - METHYL PARABEN - PHENOXETHANOL - FRAGRANCE - TITANIUM DIOXIDE - IRON OXIDES - MICA



PRINCIPAL DISPLAY PANEL - 12 g Container Carton - B10

clé de peau
BEAUTÉ

radiant cream to powder foundation

BROAD SPECTRUM
SPF 24
SUNSCREEN

12g NET WT. .42 OZ.

radiant cream to powder foundation

110

Reducing the quantity of application will lower the SPF of sunscreen products significantly.

Drug Facts (continued)

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product, keep out of eyes. Flush with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunburn use:

- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: limit time in the sun, especially from 10 a.m. to 2 p.m.; wear long-sleeve shirts, pants, hats, and sunglasses.
- Children under 6 months: Ask a doctor.



clé de peau
BEAUTÉ

radiant cream to powder foundation

BROAD SPECTRUM
SPF 24
SUNSCREEN

12g NET WT. .42 OZ.

7 30852 14977 9

18mm X 33mm 10mm X 15mm

This package is made using bagasse paper (a non-wood paper).

14977-41-5040
AAA

Drug Facts (continued)

Inactive ingredients

DIMETHICONE - WATER - POLYMETHYLSILOXANOLANE -
BARIUM SULFATE - DIPROPYLENE GLYCOL - GLYCERIN -
PARAFIN - PEG-10 DIMETHICONE - XANTHAN GUM -
TREHALULOSE - DIMETHICONE/NO-NONYL DIMETHICONE COPOLYMER -
SODIUM ACETYLATED HYALURONATE -
PES-PPG-14/7 DIMETHYL ETHER - TRIMETHYLSILOXANOLATE -
ROSA ROBINSONII FRUIT EXTRACT - POLYDIAMINEMIM-GL -
HYDROLYZED CONCHUKIN PROTEIN - HYDROLYZED SILK -
ORYZA SATIVA BRIST BRAN WAX - SORBITAN SESQUILDOSTEARATE -
HYDRATED SILICA - DISTEARYLDIMONIUM CHLORIDE -
SILICA DIMETHYL SILYLATE - PALMITIC ACID -
DISTEARDIMONIUM HECTORITE - MICROCRYSTALLINE WAX -
TRISODIUM EDTA - ALUMINA - SODIUM METAPHOSPHATE -
MAGNESIUM MYRISTATE - CELLULOSE GUM -
ISOPROPYL ALCOHOL - TOCOPHEROL -
VINYL DIMETHICONE/METHICONE-SILOXANOLANE
COPOLYMER -
DIPHENYL DIMETHICONE/VINYL DIPHENYL
DIMETHICONE-SILOXANOLANE COPOLYMER -
SYNTHETIC FLUOROPOLYMER - BHT - BUTYLENE GLYCOL -
TETRABENZYL METHYL POLYBUTYL METHACRYLATE DIMETHICONE -
TRENOLINE - ETHYL PARABEN - METHYL PARABEN -
PHENOXETHANOL - FRAGRANCE - TITANIUM DIOXIDE -
IRON OXIDES - MICA

Other Information

Protect this product from heat. This container
may become hot and direct sun.

Questions or Comments?

Call toll free 1-800-868-7563

clé de peau
BEAUTÉ
RADIANT CREAM TO POWDER FOUNDATION
BROAD SPECTRUM SPF 24
SUNSCREEN

110

A state-of-the-art foundation that creates a weightless, beautiful second skin finish. This hybrid formulation that glides over skin and instantly transforms from a luxurious cream into a subtle, lightweight powder for unparalleled adherence. Maintains a refined finish throughout the day while revealing a look of natural radiance.

- Contains a special combination of moisturizing ingredients.
- NON-COMEDOGENIC.
- DERMATOLOGIST-TESTED.

Drug Facts

Active Ingredients

OCTINOXATE 3.4% Sunscreen
TITANIUM DIOXIDE 4.3% Sunscreen


Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Drug Facts (continued)

Inactive ingredients

DIMETHICONE - WATER - POLYMETHYLSILOXANOLANE -
BARIUM SULFATE - DIPROPYLENE GLYCOL - GLYCERIN -
PARAFIN - PEG-10 DIMETHICONE - SILICA - XANTHAN GUM -
TREHALULOSE - DIMETHICONE/NO-NONYL DIMETHICONE COPOLYMER -
SODIUM ACETYLATED HYALURONATE -
PES-PPG-14/7 DIMETHYL ETHER - TRIMETHYLSILOXANOLATE -
ROSA ROBINSONII FRUIT EXTRACT - POLYDIAMINEMIM-GL -
HYDROLYZED CONCHUKIN PROTEIN - HYDROLYZED SILK -
ORYZA SATIVA BRIST BRAN WAX - SORBITAN SESQUILDOSTEARATE -
HYDRATED SILICA - DISTEARYLDIMONIUM CHLORIDE -
SILICA DIMETHYL SILYLATE - PALMITIC ACID -
DISTEARDIMONIUM HECTORITE - MICROCRYSTALLINE WAX -
TRISODIUM EDTA - ALUMINA - SODIUM METAPHOSPHATE -
MAGNESIUM MYRISTATE - CELLULOSE GUM -
ISOPROPYL ALCOHOL - TOCOPHEROL -
VINYL DIMETHICONE/METHICONE-SILOXANOLANE
COPOLYMER -
DIPHENYL DIMETHICONE/VINYL DIPHENYL
DIMETHICONE-SILOXANOLANE COPOLYMER -
SYNTHETIC FLUOROPOLYMER - BHT - BUTYLENE GLYCOL -
POLYBUTYLENE-2 -
TETRABENZYL METHYL POLYBUTYL METHACRYLATE DIMETHICONE -
TRENOLINE - ETHYL PARABEN - METHYL PARABEN -
PHENOXETHANOL - FRAGRANCE - TITANIUM DIOXIDE -
IRON OXIDES - MICA



PRINCIPAL DISPLAY PANEL - 12 g Container Carton - B20

**clé de peau
BEAUTÉ**

radiant cream to powder foundation

***BROAD SPECTRUM
SPF 24
SUNSCREEN***

12g NET WT. .42 OZ.

radiant cream to powder foundation

110

Reducing the quantity of application will lower the SPF of sunscreen products significantly.

Drug Facts (continued)

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Flush with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunburn use:

- Apply liberally 15 minutes before sun exposure
- Use a water resistant sunscreen if swimming or sweating
- Reapply at least every 2 hours
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m. to 2 p.m.
 - Wear long-sleeve shirts, pants, hats, and sunglasses.
 - Children under 6 months: Ask a doctor



clé de peau BEAUTÉ

radiant cream to powder foundation

BROAD SPECTRUM SPF 24 SUNSCREEN

12g NET WT. .42 OZ.

7 30852 14977 9

18mm X 33mm 10mm X 15mm

This package is made using bagasse paper (a non-wood paper).

14977-41-5040 AAA

Drug Facts (continued)

Inactive ingredients

DIMETHICONE - WATER - POLYMETHYLSILOXANOLANE - BARIUM SULFATE - DIPROPYLENE GLYCOL - GLYCERIN - PARAFIN - PEG-10 DIMETHICONE - XANTHAN GUM - TREHALULOSE - DIMETHICONE/NOXY DIMETHICONE COPOLYMER - SODIUM ACETYLATED HYALURONATE - PEG/PPG-14/7 DIMETHYL ETHER - TRIMETHYLSILOXANOLATE - ROSA ROBINSONIANA FRUIT EXTRACT - POLYDIAMINEMIM-GL - HYDROLYZED CONCHUKIN PROTEIN - HYDROLYZED SILK - ORYZA SATIVA BRISTLE BRAN WAX - SORBITAN SESQUILDOSTEARATE - HYDRATED SILICA - DISTEAROYL DIMONIUM CHLORIDE - SILICA DIMETHYL SILYLATE - PALMITIC ACID - DISTEAROXYMETHYL HECTORITE - MICROCRYSTALLINE WAX - TRISODIUM EDTA - ALUMINA - SODIUM METAPHOSPHATE - MAGNESIUM MYRISTATE - CELLULOSE GUM - ISOPROPYL ALCOHOL - TOCOPHEROL - VINYL DIMETHICONE/METHICONE-SILOXANOLANE COPOLYMER - DIPHENYL DIMETHICONE/VINYL DIPHENYL DIMETHICONE-SILOXANOLANE COPOLYMER - SYNTHETIC FLUOROPOLYMER - BHT - BUTYLENE GLYCOL - TETRABENZYL METHYL POLYBUTYLSILOXYMETHYL DIMETHICONE - TRIETHANOL - ETHYL PARABEN - METHYL PARABEN - PHENOXETHANOL - FRAGRANCE - TITANIUM DIOXIDE - IRON OXIDES - MICA

Other Information

Protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-828-7523

clé de peau BEAUTÉ RADIANT CREAM TO POWDER FOUNDATION BROAD SPECTRUM SPF 24 SUNSCREEN

110

A state-of-the-art foundation that creates a weightless, beautiful second skin finish. This hybrid formulation that glides over skin and instantly transforms from a luxurious cream into a subtle, lightweight powder for unparalleled adherence. Maintains a refined finish throughout the day while revealing a look of natural radiance.

- Contains a special combination of moisturizing ingredients.
- NON-COMEDOGENIC.
- DERMATOLOGIST-TESTED.

Drug Facts

Active Ingredients

OCTINOXATE 3.4% Sunscreen TITANIUM DIOXIDE 4.3% Sunscreen

Purpose

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Drug Facts (continued)

Inactive ingredients

DIMETHICONE - WATER - POLYMETHYLSILOXANOLANE - BARIUM SULFATE - DIPROPYLENE GLYCOL - GLYCERIN - PARAFIN - PEG-10 DIMETHICONE - SILICA - XANTHAN GUM - TREHALULOSE - DIMETHICONE/NOXY DIMETHICONE COPOLYMER - SODIUM ACETYLATED HYALURONATE - PEG/PPG-14/7 DIMETHYL ETHER - TRIMETHYLSILOXANOLATE - ROSA ROBINSONIANA FRUIT EXTRACT - POLYDIAMINEMIM-GL - HYDROLYZED CONCHUKIN PROTEIN - HYDROLYZED SILK - ORYZA SATIVA BRISTLE BRAN WAX - SORBITAN SESQUILDOSTEARATE - HYDRATED SILICA - DISTEAROYL DIMONIUM CHLORIDE - SILICA DIMETHYL SILYLATE - PALMITIC ACID - DISTEAROXYMETHYL HECTORITE - MICROCRYSTALLINE WAX - TRISODIUM EDTA - ALUMINA - SODIUM METAPHOSPHATE - MAGNESIUM MYRISTATE - CELLULOSE GUM - ISOPROPYL ALCOHOL - TOCOPHEROL - VINYL DIMETHICONE/METHICONE-SILOXANOLANE COPOLYMER - DIPHENYL DIMETHICONE/VINYL DIPHENYL DIMETHICONE-SILOXANOLANE COPOLYMER - SYNTHETIC FLUOROPOLYMER - BHT - BUTYLENE GLYCOL - POLYBUTYLENE-2 - TETRABENZYL METHYL POLYBUTYLSILOXYMETHYL DIMETHICONE - TRIETHANOL - ETHYL PARABEN - METHYL PARABEN - PHENOXETHANOL - FRAGRANCE - TITANIUM DIOXIDE - IRON OXIDES - MICA



PRINCIPAL DISPLAY PANEL - 12 g Container Carton - B30

**clé de peau
BEAUTÉ**

radiant cream to powder foundation

***BROAD SPECTRUM
SPF 24
SUNSCREEN***

12g NET WT. .42 OZ.

radiant cream to powder foundation

110

Reducing the quantity of application will lower the SPF of sunscreen products significantly.

Drug Facts (continued)

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Flush with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunburn use:

- Apply liberally 15 minutes before sun exposure
- Use a water resistant sunscreen if swimming or sweating
- Reapply at least every 2 hours
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m. to 2 p.m.
 - Wear long-sleeve shirts, pants, hats, and sunglasses.
 - Children under 6 months: Ask a doctor



clé de peau BEAUTÉ

radiant cream to powder foundation

BROAD SPECTRUM SPF 24 SUNSCREEN

12g NET WT. .42 OZ.

7 30852 14977 9

18mm X 33mm 10mm X 15mm

This package is made using bagasse paper (a non-wood paper).

14977-41-5040 AAA

Drug Facts (continued)

Inactive ingredients

DIMETHICONE - WATER - POLYMETHYLSILOXANOLANE - BARIUM SULFATE - DIPROPYLENE GLYCOL - GLYCERIN - PARAFIN - PEG-10 DIMETHICONE - XANTHAN GUM - TREHALULOSE - DIMETHICONE/AVNYL DIMETHICONE COPOLYMER - SODIUM ACETYLATED HYALURONATE - PEG/PPG-14/7 DIMETHYL ETHER - TRIMETHYLSILOXANOLATE - ROSA ROXBURGHII FRUIT EXTRACT - POLYDIAMINUM-CL - HYDROLYZED CONCHUKIN PROTEIN - HYDROLYZED SILK - ORYZA SATIVA BRISTLE BRAN WAX - SORBITAN SESQUISOBTATE - HYDRATED SILICA - DISTEAROYL DIMONIUM CHLORIDE - SILICA DIMETHYL SILYLATE - PALMITIC ACID - DISTEAROXYMETHYL HECTORITE - MICROCRYSTALLINE WAX - TRISODIUM EDTA - ALUMINA - SODIUM METAPHOSPHATE - MAGNESIUM MYRISTATE - CELLULOSE GUM - ISOPROPYL ALCOHOL - TOCOPHEROL - VINYL DIMETHICONE/METHICONE-OLSESQUOXANE COPOLYMER - DIPHENYL DIMETHICONE/VINYL DIPHENYL DIMETHICONE/SESQUOXANE COPOLYMER - SYNTHETIC FLUOROPOLYMER - BHT - BUTYLENE GLYCOL - TETRABENZYL METHYL POLYBUTYL METHYL DIMETHICONE - TRIETHANOL - ETHYL PARABEN - METHYL PARABEN - PHENOXETHANOL - FRAGRANCE - TITANIUM DIOXIDE - IRON OXIDES - MICA

Other Information

Protect this product from this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-828-7523

clé de peau BEAUTÉ RADIANT CREAM TO POWDER FOUNDATION BROAD SPECTRUM SPF 24 SUNSCREEN

110

A state-of-the-art foundation that creates a weightless, beautiful second skin finish. This hybrid formulation that glides over skin and instantly transforms from a luxurious cream into a subtle, lightweight powder for unparalleled adherence. Maintains a refined finish throughout the day while revealing a look of natural radiance.

- Contains a special combination of moisturizing ingredients.
- NON-COMEDOGENIC.
- DERMATOLOGIST-TESTED.

Drug Facts

Active Ingredients

OCTINOXATE 3.4% Sunscreen TITANIUM DIOXIDE 4.3% Sunscreen

Purpose


Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Drug Facts (continued)

Inactive ingredients

DIMETHICONE - WATER - POLYMETHYLSILOXANOLANE - BARIUM SULFATE - DIPROPYLENE GLYCOL - GLYCERIN - PARAFIN - PEG-10 DIMETHICONE - SILICA - XANTHAN GUM - TREHALULOSE - DIMETHICONE/AVNYL DIMETHICONE COPOLYMER - SODIUM ACETYLATED HYALURONATE - PEG/PPG-14/7 DIMETHYL ETHER - TRIMETHYLSILOXANOLATE - ROSA ROXBURGHII FRUIT EXTRACT - POLYDIAMINUM-CL - HYDROLYZED CONCHUKIN PROTEIN - HYDROLYZED SILK - ORYZA SATIVA BRISTLE BRAN WAX - SORBITAN SESQUISOBTATE - HYDRATED SILICA - DISTEAROYL DIMONIUM CHLORIDE - SILICA DIMETHYL SILYLATE - PALMITIC ACID - DISTEAROXYMETHYL HECTORITE - MICROCRYSTALLINE WAX - TRISODIUM EDTA - ALUMINA - SODIUM METAPHOSPHATE - MAGNESIUM MYRISTATE - CELLULOSE GUM - ISOPROPYL ALCOHOL - TOCOPHEROL - VINYL DIMETHICONE/METHICONE-OLSESQUOXANE COPOLYMER - DIPHENYL DIMETHICONE/VINYL DIPHENYL DIMETHICONE/SESQUOXANE COPOLYMER - SYNTHETIC FLUOROPOLYMER - BHT - BUTYLENE GLYCOL - POLYBUTYLENE-2 - TETRABENZYL METHYL POLYBUTYL METHYL DIMETHICONE - TRIETHANOL - ETHYL PARABEN - METHYL PARABEN - PHENOXETHANOL - FRAGRANCE - TITANIUM DIOXIDE - IRON OXIDES - MICA



PRINCIPAL DISPLAY PANEL - 12 g Container Carton - BF20

**clé de peau
BEAUTÉ**

radiant cream to powder foundation

***BROAD SPECTRUM
SPF 24
SUNSCREEN***

12g NET WT. .42 OZ.

radiant cream to powder foundation

110

Reducing the quantity of application will lower the amount of sunscreen protection significantly.

Drug Facts (continued)

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Flush with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunburn use:

- Apply liberally 15 minutes before sun exposure
- Use a water resistant sunscreen if swimming or sweating
- Reapply at least every 2 hours
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. to 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
 - children under 6 months: Ask a doctor



clé de peau
BEAUTÉ

radiant cream to powder foundation

BROAD SPECTRUM
SPF 24
SUNSCREEN

12g NET WT. .42 OZ.

Drug Facts (continued)

Inactive ingredients

DIMETHICONE - WATER - POLYETHYLSILOXANOLANE -
 BARIUM SULFATE - DIPROPYLENE GLYCOL - GLYCERIN -
 PARAFIN - PEG-10 DIMETHICONE - XANTHAN GUM -
 TREHALULOSE - DIMETHICONE METHYL DIMETHICONE COPOLYMER -
 SODIUM ACETYLATED HYALURONATE -
 PEG-PPG-14/12 METHYL ETHER - TRIMETHYLSILOXYDIMETHYL
 ROSA ROSEA FRUIT EXTRACT - POLYDIATERPENUM-41 -
 HYDROLYZED CONCHYLIN PROTEIN - HYDROLYZED SILK - SILICA
 ORYZA SATIVA BRUCEI BRAN WAX - COCETH-10 POLYESTER-2 -
 HYDRATED SILICA - DISTEARYL DIMONIUM CHLORIDE -
 SILICA DIMETHYL SILYLATE - PALMITIC ACID -
 DISTEAROXYMETHYL HECTORITE - MICROCRYSTALLINE WAX -
 TRISODIUM EDTA - ALUMINA - SODIUM METAPHOSPHATE -
 MAGNESIUM MYRISTATE - CELLULOSE GUM -
 ISOPROPYL ALCOHOL - TOCOPHEROL -
 VINYL DIMETHICONE/METHICONE SILSESSOQUANE
 COPOLYMER -
 DIPHENYL DIMETHICONE/VINYL DIPHENYL
 DIMETHICONE SILSESSOQUANE COPOLYMER -
 SYNTHETIC FLUOROPOLYMER - BHT - BUTYLENE GLYCOL -
 TETRANOSILOXANOL POLYETHYLSILOXANOL DIMETHICONE -
 TRIMETHYL METHYL METHYLSILOXANOL DIMETHICONE -
 TRIMETHYL METHYL METHYLSILOXANOL DIMETHICONE -
 PHENOXETHANOL - FRAGRANCE - TITANIUM DIOXIDE -
 IRON OXIDES - MICA

Other Information

Do not use this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-828-7505

7 30852 14977 9

18mm X 33mm 10mm X 15mm

This package is made using bagasse paper (a non-wood paper).

14977-41-5040
AAA

clé de peau
BEAUTÉ
RADIANT CREAM TO POWDER FOUNDATION
BROAD SPECTRUM SPF 24
SUNSCREEN
110

A state-of-the-art foundation that creates a weightless, beautiful second skin finish. This hybrid formulation that glides over skin and instantly transforms from a luxurious cream into a subtle, lightweight powder for unparalleled adherence. Maintains a refined finish throughout the day while revealing a look of natural radiance.

- Contains a special combination of moisturizing ingredients.
- NON-COMEDOGENIC.
- DERMATOLOGIST-TESTED.

Drug Facts

Active Ingredients

OCTINOXATE 3.4%	Sunscreen
TITANIUM DIOXIDE 4.3%	Sunscreen

Purpose


Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Drug Facts (continued)

Inactive ingredients

DIMETHICONE - WATER - POLYETHYLSILOXANOLANE -
 BARIUM SULFATE - DIPROPYLENE GLYCOL - GLYCERIN -
 PARAFIN - PEG-10 DIMETHICONE - SILICA - XANTHAN GUM -
 TREHALULOSE - DIMETHICONE METHYL DIMETHICONE COPOLYMER -
 SODIUM ACETYLATED HYALURONATE -
 PEG-PPG-14/12 METHYL ETHER - TRIMETHYLSILOXYDIMETHYL
 ROSA ROSEA FRUIT EXTRACT - POLYDIATERPENUM-41 -
 HYDROLYZED CONCHYLIN PROTEIN - HYDROLYZED SILK -
 ORYZA SATIVA BRUCEI BRAN WAX - COCETH-10 POLYESTER-2 -
 HYDRATED SILICA - DISTEARYL DIMONIUM CHLORIDE -
 SILICA DIMETHYL SILYLATE - PALMITIC ACID -
 DISTEAROXYMETHYL HECTORITE - MICROCRYSTALLINE WAX -
 TRISODIUM EDTA - ALUMINA - SODIUM METAPHOSPHATE -
 MAGNESIUM MYRISTATE - CELLULOSE GUM -
 ISOPROPYL ALCOHOL - TOCOPHEROL -
 VINYL DIMETHICONE/METHICONE SILSESSOQUANE
 COPOLYMER -
 DIPHENYL DIMETHICONE/VINYL DIPHENYL
 DIMETHICONE SILSESSOQUANE COPOLYMER -
 SYNTHETIC FLUOROPOLYMER - BHT - BUTYLENE GLYCOL -
 POLYBUTYLENE-2 -
 TETRANOSILOXANOL POLYETHYLSILOXANOL DIMETHICONE -
 TRIMETHYL METHYL METHYLSILOXANOL DIMETHICONE -
 PHENOXETHANOL - FRAGRANCE - TITANIUM DIOXIDE -
 IRON OXIDES - MICA



PRINCIPAL DISPLAY PANEL - 12 g Container Carton - WB20

**clé de peau
BEAUTÉ**

radiant cream to powder foundation

***BROAD SPECTRUM
SPF 24
SUNSCREEN***

12g NET WT. .42 OZ.

radiant cream to powder foundation

110

Reducing the quantity of application will lower the SPF of sunscreen products significantly.

Drug Facts (continued)

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Flush with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunburn use:

- Apply liberally 15 minutes before sun exposure
- Use a water resistant sunscreen if swimming or sweating
- Reapply at least every 2 hours
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m. to 2 p.m.
 - Wear long-sleeve shirts, pants, hats, and sunglasses.
 - Children under 6 months: Ask a doctor



radiant cream to powder foundation

BROAD SPECTRUM SPF 24 SUNSCREEN

12g NET WT. .42 OZ.

7 30852 14977 9

18mm X 33mm 10mm X 15mm

This package is made using bagasse paper (a non-wood paper).

14977-41-5040 AAA

Drug Facts (continued)

Inactive ingredients

DIMETHICONE - WATER - POLYMETHYLSILOXANOLAN - BARIUM SULFATE - DIPROPYLENE GLYCOL - GLYCERIN - PARAFIN - PEG-10 DIMETHICONE - XANTHAN GUM - TREHALULOSE - DIMETHICONE/ALUMINA - DIMETHICONE CROSSPOLYMER - SODIUM ACETYLATED HYALURONATE - PEG/PPG-14/7 DIMETHYL ETHER - TRIMETHYLSILOXANOLANATE - ROSA ROBINSONIANA FRUIT EXTRACT - POLYDIAMINEMIM-GL - HYDROLYZED CONCHUKIN PROTEIN - HYDROLYZED SILK - ORYZA SATIVA BRIST BRAN WAX - SORBITAN SESQUILDOSTEARATE - HYDRATED SILICA - DISTEARYLDIMONIUM CHLORIDE - SILICA DIMETHYL SILYLATE - PALMITIC ACID - DISTEARDIMONIUM HECTORITE - MICROCRYSTALLINE WAX - TRISODIUM EDTA - ALUMINA - SODIUM METAPHOSPHATE - MAGNESIUM MYRISTATE - CELLULOSE GUM - ISOPROPYL ALCOHOL - TOCOPHEROL - VINYL DIMETHICONE/METHICONE-SILOXANOLAN CROSSPOLYMER - DIPHENYL DIMETHICONE/VINYL DIPHENYL DIMETHICONE/SILOXANOLAN CROSSPOLYMER - SYNTHETIC FLUOROPHOSPHITE - BIT - BUTYLENE GLYCOL - TETRABENZOTRIAZOLYL POLY(METHYLSILOXYMETHYL DIMETHICONE - TRISODIUM - ETHYL PARABEN - METHYL PARABEN - PHENOXETHANOL - FRAGRANCE - TITANIUM DIOXIDE - IRON OXIDES - MICA

Other Information

Protect this product from heat. This container may become hot and direct sun.

Questions or Comments?

Call toll free 1-800-868-7563

clé de peau BEAUTÉ RADIANT CREAM TO POWDER FOUNDATION BROAD SPECTRUM SPF 24 SUNSCREEN

110

A state-of-the-art foundation that creates a weightless, beautiful second skin finish. This hybrid formulation that glides over skin and instantly transforms from a luxurious cream into a subtle, lightweight powder for unparalleled adherence. Maintains a refined finish throughout the day while revealing a look of natural radiance.

- Contains a special combination of moisturizing ingredients.
- NON-COMEDOGENIC.
- DERMATOLOGIST-TESTED.

Drug Facts

Active Ingredients

OCTINOXATE 3.4% Sunscreen TITANIUM DIOXIDE 4.3% Sunscreen

Purpose


Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Drug Facts (continued)

Inactive ingredients

DIMETHICONE - WATER - POLYMETHYLSILOXANOLAN - BARIUM SULFATE - DIPROPYLENE GLYCOL - GLYCERIN - PARAFIN - PEG-10 DIMETHICONE - SILICA - XANTHAN GUM - TREHALULOSE - DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER - SODIUM ACETYLATED HYALURONATE - PEG/PPG-14/7 DIMETHYL ETHER - TRIMETHYLSILOXANOLANATE - ROSA ROBINSONIANA FRUIT EXTRACT - POLYDIAMINEMIM-GL - HYDROLYZED CONCHUKIN PROTEIN - HYDROLYZED SILK - ORYZA SATIVA BRIST BRAN WAX - SORBITAN SESQUILDOSTEARATE - HYDRATED SILICA - DISTEARYLDIMONIUM CHLORIDE - SILICA DIMETHYL SILYLATE - PALMITIC ACID - DISTEARDIMONIUM HECTORITE - MICROCRYSTALLINE WAX - TRISODIUM EDTA - ALUMINA - SODIUM METAPHOSPHATE - MAGNESIUM MYRISTATE - CELLULOSE GUM - ISOPROPYL ALCOHOL - TOCOPHEROL - VINYL DIMETHICONE/METHICONE-SILOXANOLAN CROSSPOLYMER - DIPHENYL DIMETHICONE/VINYL DIPHENYL DIMETHICONE/SILOXANOLAN CROSSPOLYMER - SYNTHETIC FLUOROPHOSPHITE - BIT - BUTYLENE GLYCOL - POLYBUTYLENE-2 - TETRABENZOTRIAZOLYL POLY(METHYLSILOXYMETHYL DIMETHICONE - TRISODIUM - ETHYL PARABEN - METHYL PARABEN - PHENOXETHANOL - FRAGRANCE - TITANIUM DIOXIDE - IRON OXIDES - MICA



CLE DE PEAU BEAUTE RADIANT CREAM TO POWDER FOUNDATION 110

octinoxate and titanium dioxide cream

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-427
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)		OCTINOXATE	408 mg in 12 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)		TITANIUM DIOXIDE	516 mg in 12 g
Inactive Ingredients			
Ingredient Name			Strength
DIMETHICONE (UNII: 92RU3N3Y1O)			
WATER (UNII: 059QF0KO0R)			
POLYMETHYLSILSESQUOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)			
BARIUM SULFATE (UNII: 25BB7EKE2E)			
DIPROPYLENE GLYCOL (UNII: E107L85C40)			
GLYCERIN (UNII: PDC6A3C0OX)			
PARAFFIN (UNII: I9O0E3H2ZE)			
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)			
XANTHAN GUM (UNII: TTV12P4NEE)			
TREHALOSE (UNII: B8WCK70T7I)			
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)			
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)			
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)			
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)			
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)			
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)			
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)			
RICE BRAN (UNII: R60QEP13IC)			
SORBITAN SESQUISOSTEARATE (UNII: VU97D01BF9)			
HYDRATED SILICA (UNII: Y6O7T4G8P9)			
DISTEARYLDIMONIUM CHLORIDE (UNII: OM9573ZX3X)			
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)			
PALMITIC ACID (UNII: 2V16EO95H1)			

DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)
EDETATE TRISODIUM (UNII: 420IP921MB)
ALUMINUM OXIDE (UNII: LMI26O6933)
SODIUM POLYMETAPHOSPHATE (UNII: P1BM4ZH95L)
MAGNESIUM MYRISTATE (UNII: Z1917F0578)
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED FORM (UNII: K679OBS311)
ISOPROPYL ALCOHOL (UNII: ND2M416302)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
VINYL DIMETHICONE/METHICONE SILSESQUOXANE CROSSPOLYMER (UNII: 9NH1UDD2RR)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
THEANINE (UNII: 8021PR16QO)
ETHYL PARABEN (UNII: 14255EXE39)
METHYL PARABEN (UNII: A218C7H9T)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROUS FERRIC OXIDE (UNII: XM0M87F357)
MICA (UNII: V8A1AW0880)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-427-30	1 in 1 CARTON	06/01/2018	
1		12 g in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	06/01/2018	

CLE DE PEAU BEAUTE RADIANT CREAM TO POWDER FOUNDATION O10

octinoxate and titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-428
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	408 mg in 12 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	516 mg in 12 g

Inactive Ingredients

Ingredient Name	Strength
DIMETHICONE (UNII: 92RU3N3Y1O)	
WATER (UNII: 059QF0K00R)	
POLYMETHYLSILSESQUOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
GLYCERIN (UNII: PDC6A3C0OX)	
PARAFFIN (UNII: I9O0E3H2ZE)	

PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
XANTHAN GUM (UNII: TTV12P4NEE)
TREHALOSE (UNII: B8WCK70T7I)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)
RICE BRAN (UNII: R60QEP13IC)
SORBITAN SESQUISO STEARATE (UNII: VU97D01BF9)
HYDRATED SILICA (UNII: Y6O7T4G8P9)
DISTEARYLDIMONIUM CHLORIDE (UNII: OM9573ZX3X)
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)
PALMITIC ACID (UNII: 2V16EO95HI)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)
EDETATE TRISODIUM (UNII: 420IP921MB)
ALUMINUM OXIDE (UNII: LMI26O6933)
SODIUM POLYMETAPHOSPHATE (UNII: P1BM4ZH95L)
MAGNESIUM MYRISTATE (UNII: Z1917F0578)
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED FORM (UNII: K679OBS311)
ISOPROPYL ALCOHOL (UNII: ND2M416302)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
VINYL DIMETHICONE/METHICONE SILSESQUOXANE CROSSPOLYMER (UNII: 9NH1UDD2RR)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
THEANINE (UNII: 8021PR16QO)
ETHYL PARABEN (UNII: 14255EXE39)
METHYL PARABEN (UNII: A218C7H9T)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROUS FERRIC OXIDE (UNII: XM0M87F357)
MICA (UNII: V8A1AW0880)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-428-30	1 in 1 CARTON	06/01/2018	
1		12 g in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	06/01/2018	

CLE DE PEAU BEAUTE RADIANT CREAM TO POWDER FOUNDATION O20

octinoxate and titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-429
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)		OCTINOXATE	408 mg in 12 g	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)		TITANIUM DIOXIDE	516 mg in 12 g	
Inactive Ingredients				
Ingredient Name			Strength	
DIMETHICONE (UNII: 92RU3N3Y1O)				
WATER (UNII: 059QF0K00R)				
POLYMETHYLSILSESQUOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)				
BARIUM SULFATE (UNII: 25BB7EKE2E)				
DIPROPYLENE GLYCOL (UNII: E107L85C40)				
GLYCERIN (UNII: PDC6A3C0OX)				
PARAFFIN (UNII: I9O0E3H2ZE)				
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)				
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)				
XANTHAN GUM (UNII: TTV12P4NEE)				
TREHALOSE (UNII: B8WCK70T7I)				
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4C00W6C5)				
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)				
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)				
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)				
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)				
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)				
RICE BRAN (UNII: R60QEP13IC)				
SORBITAN SESQUISOSEARATE (UNII: VU97D01BF9)				
HYDRATED SILICA (UNII: Y6O7T4G8P9)				
DISTEARYLDIMONIUM CHLORIDE (UNII: OM9573ZX3X)				
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)				
PALMITIC ACID (UNII: 2V16EO95H1)				
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)				
MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)				
EDETATE TRISODIUM (UNII: 420IP921MB)				
ALUMINUM OXIDE (UNII: LMI26O6933)				
SODIUM POLYMETAPHOSPHATE (UNII: P1BM4ZH95L)				
MAGNESIUM MYRISTATE (UNII: Z1917F0578)				
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED FORM (UNII: K679OBS311)				
ISOPROPYL ALCOHOL (UNII: ND2M416302)				
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)				
VINYL DIMETHICONE/METHICONE SILSESQUOXANE CROSSPOLYMER (UNII: 9NH1UDD2RR)				
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)				
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)				
THEANINE (UNII: 8021PR16QO)				
ETHYLPARABEN (UNII: 14255EXE39)				
METHYLPARABEN (UNII: A2I8C7HI9T)				
PHENOXYETHANOL (UNII: HIE492ZZ3T)				
FERRIC OXIDE RED (UNII: 1K09F3G675)				
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)				
FERROSFERRIC OXIDE (UNII: XM0M87F357)				
MICA (UNII: V8A1AW0880)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-429-30	1 in 1 CARTON	06/01/2018	
1		12 g in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	06/01/2018	

CLE DE PEAU BEAUTE RADIANT CREAM TO POWDER FOUNDATION O30

octinoxate and titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-430
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	408 mg in 12 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	516 mg in 12 g

Inactive Ingredients

Ingredient Name	Strength
DIMETHICONE (UNII: 92RU3N3Y1O)	
WATER (UNII: 059QF0K00R)	
POLYMETHYLSILSESQUOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
GLYCERIN (UNII: PDC6A3C0OX)	
PARAFFIN (UNII: I9O0E3H2ZE)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
XANTHAN GUM (UNII: TTV12P4NEE)	
TREHALOSE (UNII: B8WCK70T71)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)	
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)	
RICE BRAN (UNII: R60QEP13IC)	
SORBITAN SESQUISO STEARATE (UNII: VU97D01BF9)	
HYDRATED SILICA (UNII: Y6O7T4G8P9)	
DISTEARYLDIMONIUM CHLORIDE (UNII: OM9573ZX3X)	
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)	
PALMITIC ACID (UNII: 2V16EO95H1)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
SODIUM POLYMETAPHOSPHATE (UNII: P1BM4ZH95L)	
MAGNESIUM MYRISTATE (UNII: Z1917F0578)	
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED FORM (UNII: K679OBS311)	
ISOPROPYL ALCOHOL (UNII: ND2M416302)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
VINYL DIMETHICONE/METHICONE SILSESQUOXANE CROSSPOLYMER (UNII: 9NH1UDD2RR)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	

THEANINE (UNII: 8021PR16QO)	
ETHYL PARABEN (UNII: 14255EXE39)	
METHYL PARABEN (UNII: A218C7H9T)	
PHENOXYETHANOL (UNII: HIE492Z3T)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROUS FERRIC OXIDE (UNII: XM0M87F357)	
MICA (UNII: V8A1AW0880)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-430-30	1 in 1 CARTON	06/01/2018	
1		12 g in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	06/01/2018	

CLE DE PEAU BEAUTE RADIANT CREAM TO POWDER FOUNDATION O40

octinoxate and titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-431
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	408 mg in 12 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	624 mg in 12 g

Inactive Ingredients

Ingredient Name	Strength
DIMETHICONE (UNII: 92RU3N3Y1O)	
WATER (UNII: 059QF0K00R)	
POLYMETHYLSILSESQUOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
GLYCERIN (UNII: PDC6A3C0OX)	
PARAFFIN (UNII: I9O0E3H2ZE)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
XANTHAN GUM (UNII: TTV12P4NEE)	
TREHALOSE (UNII: B8WCK70T7I)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)	
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
RICE BRAN (UNII: R60QEP13IC)	
HYDRATED SILICA (UNII: Y6O7T4G8P9)	

SORBITAN SESQUISO STEARATE (UNII: VU97D01BF9)
DISTEARYL DIMONIUM CHLORIDE (UNII: OM9573ZX3X)
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)
PALMITIC ACID (UNII: 2V16EO95H1)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)
EDETATE TRISODIUM (UNII: 420IP921MB)
ALUMINUM OXIDE (UNII: LM26O6933)
SODIUM POLYMETAPHOSPHATE (UNII: P1BM4ZH95L)
MAGNESIUM MYRISTATE (UNII: Z1917F0578)
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED FORM (UNII: K679OBS311)
ISOPROPYL ALCOHOL (UNII: ND2M416302)
.ALPHA.-T COPHEROL (UNII: H4N855PNZ1)
VINYL DIMETHICONE/METHICONE SILSESQUOXANE CROSSPOLYMER (UNII: 9NH1UDD2RR)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
THEANINE (UNII: 8021PR16QQ)
ETHYL PARABEN (UNII: 14255EXE39)
METHYL PARABEN (UNII: A2I8C7HI9T)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROUS FERRIC OXIDE (UNII: XM0M87F357)
MICA (UNII: V8A1AW0880)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-431-30	1 in 1 CARTON	06/01/2018	
1		12 g in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	06/01/2018	

CLE DE PEAU BEAUTE RADIANT CREAM TO POWDER FOUNDATION O50

octinoxate and titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-432
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	408 mg in 12 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	624 mg in 12 g

Inactive Ingredients

Ingredient Name	Strength
DIMETHICONE (UNII: 92RU3N3Y1O)	
WATER (UNII: 059QF0K00R)	
POLYMETHYLSILSESQUOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	

DIPROPYLENE GLYCOL (UNII: E107L85C40)
GLYCERIN (UNII: PDC6A3C0OX)
PARAFFIN (UNII: I9O0E3H2ZE)
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)
XANTHAN GUM (UNII: TTV12P4NEE)
TREHALOSE (UNII: B8WCK70T71)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
RICE BRAN (UNII: R60QEP13IC)
HYDRATED SILICA (UNII: Y6O7T4G8P9)
SORBITAN SESQUISO STEARATE (UNII: VU97D01BF9)
DISTEARYLDIMONIUM CHLORIDE (UNII: OM9573ZX3X)
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)
PALMITIC ACID (UNII: 2V16EO95HI)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)
EDETATE TRISODIUM (UNII: 420IP921MB)
ALUMINUM OXIDE (UNII: LMI26O6933)
SODIUM POLYMETAPHOSPHATE (UNII: P1BM4ZH95L)
MAGNESIUM MYRISTATE (UNII: Z1917F0578)
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED FORM (UNII: K679OBS311)
ISOPROPYL ALCOHOL (UNII: ND2M416302)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
VINYL DIMETHICONE/METHICONE SILSESQUOXANE CROSSPOLYMER (UNII: 9NH1UDD2RR)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
THEANINE (UNII: 8021PR16QO)
ETHYL PARABEN (UNII: 14255EXE39)
METHYL PARABEN (UNII: A218C7H9T)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROUS FERRIC OXIDE (UNII: XM0M87F357)
MICA (UNII: V8A1AW0880)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-432-30	1 in 1 CARTON	06/01/2018	
1		12 g in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	06/01/2018	

CLE DE PEAU BEAUTE RADIANT CREAM TO POWDER FOUNDATION O60

octinoxate and titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-433
--------------	----------------	--------------------	---------------

Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
	Ingredient Name	Basis of Strength	Strength
	OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	408 mg in 12 g
	TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	624 mg in 12 g
Inactive Ingredients			
	Ingredient Name	Strength	
	DIMETHICONE (UNII: 92RU3N3Y1O)		
	WATER (UNII: 059QF0KO0R)		
	POLYMETHYLSILSESQUOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)		
	BARIUM SULFATE (UNII: 25BB7EKE2E)		
	DIPROPYLENE GLYCOL (UNII: E107L85C40)		
	GLYCERIN (UNII: PDC6A3C0OX)		
	PARAFFIN (UNII: I9O0E3H2ZE)		
	PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)		
	XANTHAN GUM (UNII: TTV12P4NEE)		
	TREHALOSE (UNII: B8WCK70T7I)		
	DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)		
	SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)		
	PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)		
	TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)		
	ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)		
	POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)		
	SILICON DIOXIDE (UNII: ETJ7Z6XBU4)		
	RICE BRAN (UNII: R60QEP13IC)		
	HYDRATED SILICA (UNII: Y6O7T4G8P9)		
	SORBITAN SESQUISO STEARATE (UNII: VU97D01BF9)		
	DISTEARYLDIMONIUM CHLORIDE (UNII: OM9573ZX3X)		
	SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)		
	PALMITIC ACID (UNII: 2V16EO95H1)		
	DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)		
	MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)		
	EDETATE TRISODIUM (UNII: 420IP921MB)		
	ALUMINUM OXIDE (UNII: LM26O6933)		
	SODIUM POLYMETAPHOSPHATE (UNII: P1BM4ZH95L)		
	MAGNESIUM MYRISTATE (UNII: Z1917F0578)		
	CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED FORM (UNII: K679OBS311)		
	ISOPROPYL ALCOHOL (UNII: ND2M416302)		
	.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)		
	VINYL DIMETHICONE/METHICONE SILSESQUOXANE CROSSPOLYMER (UNII: 9NH1UDD2RR)		
	BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)		
	BUTYLENE GLYCOL (UNII: 3XUS85K0RA)		
	THEANINE (UNII: 8021PR16QO)		
	ETHYL PARABEN (UNII: 14255EXE39)		
	METHYL PARABEN (UNII: A2I8C7HI9T)		
	PHENOXYETHANOL (UNII: HIE492ZZ3T)		
	FERRIC OXIDE RED (UNII: 1K09F3G675)		
	FERRIC OXIDE YELLOW (UNII: EX438O2MRT)		
	FERROUS FERRIC OXIDE (UNII: XM0M87F357)		
	MICA (UNII: V8A1AW0880)		
Packaging			
#	Item Code	Package Description	Marketing Start Date Marketing End Date

1	NDC:58411-433-30	1 in 1 CARTON	06/01/2018	
1		12 g in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	06/01/2018	

CLE DE PEAU BEAUTE RADIANT CREAM TO POWDER FOUNDATION B10

octinoxate and titanium dioxide cream

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-434
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	408 mg in 12 g	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	516 mg in 12 g	
Inactive Ingredients			
Ingredient Name	Strength		
DIMETHICONE (UNII: 92RU3N3Y1O)			
WATER (UNII: 059QF0K00R)			
POLYMETHYLSILSESQUOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)			
BARIUM SULFATE (UNII: 25BB7EKE2E)			
DIPROPYLENE GLYCOL (UNII: E107L85C40)			
GLYCERIN (UNII: PDC6A3C0OX)			
PARAFFIN (UNII: I9O0E3H2ZE)			
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)			
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)			
XANTHAN GUM (UNII: TTV12P4NEE)			
TREHALOSE (UNII: B8WCK70T7I)			
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)			
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)			
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)			
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)			
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)			
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)			
RICE BRAN (UNII: R60QEP13IC)			
SORBITAN SESQUISOSTEARATE (UNII: VU97D01BF9)			
HYDRATED SILICA (UNII: Y6O7T4G8P9)			
DISTEARYLDIMONIUM CHLORIDE (UNII: OM9573ZX3X)			
SILICA DIMETHYL Silylate (UNII: EU2PSP0G0W)			
PALMITIC ACID (UNII: 2V16EO95H1)			
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)			
MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)			
EDETATE TRISODIUM (UNII: 420IP921MB)			
ALUMINUM OXIDE (UNII: LMI26O6933)			
SODIUM POLYMETAPHOSPHATE (UNII: P1BM4ZH95L)			
MAGNESIUM MYRISTATE (UNII: Z1917F0578)			
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED FORM (UNII: K679OBS311)			
ISOPROPYL ALCOHOL (UNII: ND2M416302)			

.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
VINYL DIMETHICONE/METHICONE SILSESQUOXANE CROSSPOLYMER (UNII: 9NH1UDD2RR)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
THEANINE (UNII: 8021PR16QO)
ETHYL PARABEN (UNII: 14255EXE39)
METHYL PARABEN (UNII: A218C7H9T)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROUS FERRIC OXIDE (UNII: XM0M87F357)
MICA (UNII: V8A1AW0880)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-434-30	1 in 1 CARTON	06/01/2018	
1		12 g in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	06/01/2018	

CLE DE PEAU BEAUTE RADIANT CREAM TO POWDER FOUNDATION B20

octinoxate and titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-435
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	408 mg in 12 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	516 mg in 12 g

Inactive Ingredients

Ingredient Name	Strength
DIMETHICONE (UNII: 92RU3N3Y1O)	
WATER (UNII: 059QF0K00R)	
POLYMETHYLSILSESQUOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
GLYCERIN (UNII: PDC6A3C0OX)	
PARAFFIN (UNII: I9O0E3H2ZE)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
XANTHAN GUM (UNII: TTV12P4NEE)	
TREHALOSE (UNII: B8WCK70T71)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)	

POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)
RICE BRAN (UNII: R60QEP13IC)
SORBITAN SESQUIISOSTEARATE (UNII: VU97D01BF9)
HYDRATED SILICA (UNII: Y6O7T4G8P9)
DISTEARYLDIMONIUM CHLORIDE (UNII: OM9573ZX3X)
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)
PALMITIC ACID (UNII: 2V16EO95H1)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)
EDETATE TRISODIUM (UNII: 420IP921MB)
ALUMINUM OXIDE (UNII: LMI26O6933)
SODIUM POLYMETAPHOSPHATE (UNII: P1BM4ZH95L)
MAGNESIUM MYRISTATE (UNII: Z1917F0578)
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED FORM (UNII: K679OBS311)
ISOPROPYL ALCOHOL (UNII: ND2M416302)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
VINYL DIMETHICONE/METHICONE SILSESQUOXANE CROSSPOLYMER (UNII: 9NH1UDD2RR)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
THEANINE (UNII: 8021PR16QO)
ETHYLPARABEN (UNII: 14255EXE39)
METHYLPARABEN (UNII: A2I8C7H9T)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
MICA (UNII: V8A1AW0880)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-435-30	1 in 1 CARTON	06/01/2018	
1		12 g in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	06/01/2018	

CLE DE PEAU BEAUTE RADIANT CREAM TO POWDER FOUNDATION B30

octinoxate and titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-436
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	408 mg in 12 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	516 mg in 12 g

Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

DIMETHICONE (UNII: 92RU3N3Y1O)
WATER (UNII: 059QF0K00R)
POLYMETHYLSILSESQUOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)
BARIUM SULFATE (UNII: 25BB7EKE2E)
DIPROPYLENE GLYCOL (UNII: E107L85C40)
GLYCERIN (UNII: PDC6A3C0OX)
PARAFFIN (UNII: I9O0E3H2ZE)
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
XANTHAN GUM (UNII: TTV12P4NEE)
TREHALOSE (UNII: B8WCK70T7I)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)
RICE BRAN (UNII: R60QEP13IC)
SORBITAN SESQUISO STEARATE (UNII: VU97D01BF9)
HYDRATED SILICA (UNII: Y6O7T4G8P9)
DISTEARYLDIMONIUM CHLORIDE (UNII: OM9573ZX3X)
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)
PALMITIC ACID (UNII: 2V16EO95H1)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)
EDETATE TRISODIUM (UNII: 420IP921MB)
ALUMINUM OXIDE (UNII: LM26O6933)
SODIUM POLYMETAPHOSPHATE (UNII: PIBM4ZH95L)
MAGNESIUM MYRISTATE (UNII: Z1917F0578)
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED FORM (UNII: K679OBS311)
ISOPROPYL ALCOHOL (UNII: ND2M416302)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
VINYL DIMETHICONE/METHICONE SILSESQUOXANE CROSSPOLYMER (UNII: 9NH1UDD2RR)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
THEANINE (UNII: 8021PR16QO)
ETHYLPARABEN (UNII: 14255EXE39)
METHYLPARABEN (UNII: A2I8C7H9T)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROUS FERRIC OXIDE (UNII: XM0M87F357)
MICA (UNII: V8A1AW0880)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-436-30	1 in 1 CARTON	06/01/2018	
1		12 g in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	06/01/2018	

CLE DE PEAU BEAUTE RADIANT CREAM TO POWDER FOUNDATION BF20

octinoxate and titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-437
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	408 mg in 12 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	516 mg in 12 g

Inactive Ingredients

Ingredient Name	Strength
DIMETHICONE (UNII: 92RU3N3Y1O)	
WATER (UNII: 059QF0KO0R)	
POLYMETHYLSILSESQUOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
GLYCERIN (UNII: PDC6A3C0OX)	
PARAFFIN (UNII: I9O0E3H2ZE)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
XANTHAN GUM (UNII: TTV12P4NEE)	
TREHALOSE (UNII: B8WCK70T71)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)	
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)	
RICE BRAN (UNII: R60QEP13IC)	
SORBITAN SESQUISO STEARATE (UNII: VU97D01BF9)	
HYDRATED SILICA (UNII: Y6O7T4G8P9)	
DISTEARYLDIMONIUM CHLORIDE (UNII: OM9573ZX3X)	
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)	
PALMITIC ACID (UNII: 2V16EO95H1)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
SODIUM POLYMETAPHOSPHATE (UNII: P1BM4ZH95L)	
MAGNESIUM MYRISTATE (UNII: Z1917F0578)	
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED FORM (UNII: K679OBS311)	
ISOPROPYL ALCOHOL (UNII: ND2M416302)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
VINYL DIMETHICONE/METHICONE SILSESQUOXANE CROSSPOLYMER (UNII: 9NH1UDD2RR)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
THEANINE (UNII: 8021PR16QO)	
ETHYLPARABEN (UNII: 14255EXE39)	
METHYLPARABEN (UNII: A2I8C7H9T)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSO FERRIC OXIDE (UNII: XM0M87F357)	
MICA (UNII: V8A1AW0880)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-437-30	1 in 1 CARTON	06/01/2018	
1		12 g in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	06/01/2018	

CLE DE PEAU BEAUTE RADIANT CREAM TO POWDER FOUNDATION WB20

octinoxate and titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-438
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	408 mg in 12 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	516 mg in 12 g

Inactive Ingredients

Ingredient Name	Strength
DIMETHICONE (UNII: 92RU3N3Y1O)	
WATER (UNII: 059QF0KO0R)	
POLYMETHYLSILSESQUOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
GLYCERIN (UNII: PDC6A3C0OX)	
PARAFFIN (UNII: I9O0E3H2ZE)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
XANTHAN GUM (UNII: TTV12P4NEE)	
TREHALOSE (UNII: B8WCK70T7I)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)	
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)	
RICE BRAN (UNII: R60QEP13IC)	
SORBITAN SESQUISOESTEATE (UNII: VU97D01BF9)	
HYDRATED SILICA (UNII: Y6O7T4G8P9)	
DISTEARYLDIMONIUM CHLORIDE (UNII: OM9573ZX3X)	
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)	
PALMITIC ACID (UNII: 2V16EO95HI)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
ALUMINUM OXIDE (UNII: LMI26O6933)	

SODIUM POLYMETAPHOSPHATE (UNII: PIBM4ZH95L)
MAGNESIUM MYRISTATE (UNII: Z1917F0578)
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED FORM (UNII: K679OBS311)
ISOPROPYL ALCOHOL (UNII: ND2M416302)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
VINYL DIMETHICONE/METHICONE SILSESQUOXANE CROSSPOLYMER (UNII: 9NHIUDD2RR)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
THEANINE (UNII: 8021PR16QQ)
ETHYLPARABEN (UNII: 14255EXE39)
METHYLPARABEN (UNII: A2I8C7HI9T)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
MICA (UNII: V8A1AW0880)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-438-30	1 in 1 CARTON	06/01/2018	
1		12 g in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	06/01/2018	

Labeler - SHISEIDO AMERICAS CORPORATION (193691821)

Establishment

Name	Address	ID/FEI	Business Operations
SHISEIDO AMERICA INC.		782677132	MANUFACTURE(58411-427, 58411-428, 58411-429, 58411-430, 58411-431, 58411-432, 58411-433, 58411-434, 58411-435, 58411-436, 58411-437, 58411-438) , ANALYSIS(58411-427, 58411-428, 58411-429, 58411-430, 58411-431, 58411-432, 58411-433, 58411-434, 58411-435, 58411-436, 58411-437, 58411-438)

Revised: 5/2018

SHISEIDO AMERICAS CORPORATION