

**DOVE MEN PLUS CARE INVISIBLE FRESH DRY ANTIPERSPIRANT- aluminum chlorohydrate aerosol, spray**  
**Conopco Inc. d/b/a Unilever**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**Dove Men + Care-Invisible Fresh Dry Spray Antiperspirant**

***Drug Facts***

***Active ingredient***

Aluminum Chlorohydrate (20.2%)

***Purpose***

anti-perspirant

***Uses***

- reduces underarm wetness

***Warnings***

- FLAMMABLE. DO NOT USE NEAR HEAT, FLAME, OR WHILE SMOKING. CAN CAUSE SERIOUS INJURY OR DEATH.
- Keep away from face and mouth to avoid breathing in.
- Avoid spraying in eyes. Contents under pressure. Do not puncture or incinerate. Do not expose to heat or store at temperatures above 120°F/50°C or in enclosed places that could overheat.
- Do not use on broken skin. Stop use if rash or irritation occurs.
- Ask a doctor before using if you have kidney disease.
- USE ONLY AS DIRECTED. INTENTIONAL MISUSE BY DELIBERATELY CONCENTRATING AND INHALING THE CONTENTS CAN BE HARMFUL OR FATAL. Help stop inhalation abuse. For information visit [www.inhalant.org](http://www.inhalant.org)
- KEEP OUT OF REACH OF CHILDREN

***Directions***

apply to underarms only

***Inactive ingredients***

Butane, Hydrofluorocarbon 152a, Cyclopentasiloxane, Isobutane, PPG-14 Butyl Ether, Fragrance (Parfum), Helianthus Annuus (Sunflower) Seed Oil, Disteardimonium Hectorite, C12-15 Alkyl Benzoate, Propane, BHT, Octyldodecanol, Propylene Carbonate, Dimethiconol, Tocopheryl Acetate.

***Questions?***

Call toll-free **1-800-761-3683**

**NO WHITE MARKS ON COLORS**

**48h POWERFUL PROTECTION**  
**NON-IRRITANT ANTIPERSPIRANT FORMULA**  
**GOES ON INSTANTLY DRY**

**Packaging**

NO WHITE MARKS ON  
  
**NEW**

Dove

MEN 

+CARE

DRY SPRAY

GOES ON INSTANTLY DRY

---

**Drug Facts**

|                                     |                 |
|-------------------------------------|-----------------|
| <b>Active ingredient</b>            | <b>Purpose</b>  |
| Aluminum Chlorohydrate (20.2%)..... | anti-perspirant |

**Uses**

- reduces underarm wetness

---

**Warnings**

- FLAMMABLE. DO NOT USE NEAR HEAT, FLAME OR WHILE SMOKING. CAN CAUSE SERIOUS INJURY OR DEATH.
- Keep away from face and mouth to avoid breathing in.
- Avoid spraying in eyes. Contents under pressure. Do not puncture or incinerate. Do not expose to heat or store at temperatures above 120°F/50°C or in enclosed places that could overheat.
- Do not use on broken skin. Stop use if rash or irritation occurs.
- Ask a doctor before using if you have kidney disease.
- KEEP OUT OF REACH OF CHILDREN.
- USE ONLY AS DIRECTED. INTENTIONAL MISUSE BY DELIBERATELY CONCENTRATING AND INHALING THE CONTENTS CAN BE HARMFUL OR FATAL. Help stop inhalation abuse. For information visit [www.inhalant.org](http://www.inhalant.org).

Drug Facts continued below ▼

INVISIBLE  
FRESH

NON-IRRITANT



- SHAKE WELL BEFORE EACH USE
- HOLD CAN 6 INCHES FROM THE UNDERARM



- SPRAY TO UNDERARM TO FEEL THE DIFFERENCE
- TOUGH ON SWEAT NOT ON SKIN

[ 48h POWERFUL PROTECTION ]

48h POWERFUL PROTECTION

NON-IRRITANT ANTIPERSPIRANT FORMULA

ANTIPERSPIRANT

NET WT. 3.8 OZ/107g

ALUMINUM CHLOROHYDRATE

Drug Facts (continued)

**Directions** apply to underarms only

**Inactive ingredients**  
 Butane, Hydrofluorocarbon 152a, Cyclopentasiloxane, Isobutane, PPC-14 Butyl Ether, Fragrance (Parfum), Helianthus Annuus (Sunflower) Seed Oil, Distearidimonium Hectorite, C12-15 Alkyl Benzoate, Propane, BHT, Octyldecano, Propylene Carbonate, Dimethiconol, Tocopheryl Acetate.

**Questions?** Call toll-free 1-800-761-3683



Dist. by ©Unilever  
 Trumbull, CT 06611  
**Made in Mexico**  
 83336872  
 83338229

Dove and Men+Care are Registered Trademarks.  
[www.dovemencare.com](http://www.dovemencare.com)  
 DOT 2P  
 M6084



0 79400167262 9

**DOVE MEN PLUS CARE INVISIBLE FRESH DRY ANTIPERSPIRANT**

aluminum chlorohydrate aerosol, spray

**Product Information**

|                                |                |                           |                |
|--------------------------------|----------------|---------------------------|----------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:64942-1453 |
| <b>Route of Administration</b> | TOPICAL        |                           |                |

**Active Ingredient/Active Moiety**

| Ingredient Name                                                                      | Basis of Strength      | Strength        |
|--------------------------------------------------------------------------------------|------------------------|-----------------|
| ALUMINUM CHLOROHYDRATE (UNII: HPN8MZW13M) (ALUMINUM CHLOROHYDRATE - UNII:HPN8MZW13M) | ALUMINUM CHLOROHYDRATE | 20.2 g in 100 g |

**Inactive Ingredients**

| Ingredient Name                               | Strength |
|-----------------------------------------------|----------|
| BUTANE (UNII: 6LV4FOR43R)                     |          |
| 1,1-DIFLUOROETHANE (UNII: 0B1U8K2ME0)         |          |
| CYCLOMETHICONE 5 (UNII: 0THT5PC10R)           |          |
| ISOBUTANE (UNII: BXR49TP611)                  |          |
| PPG-14 BUTYL ETHER (UNII: R199TJT95T)         |          |
| SUNFLOWER OIL (UNII: 3W1JG795Y)               |          |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)  |          |
| ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)    |          |
| PROPANE (UNII: T75W9911L6)                    |          |
| BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)   |          |
| OCTYLDODECANOL (UNII: 461N1O614Y)             |          |
| PROPYLENE CARBONATE (UNII: 8D08K3S51E)        |          |
| DIMETHICONOL (40 CST) (UNII: 343C7U75XW)      |          |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) |          |

**Packaging**

| # | Item Code        | Package Description                               | Marketing Start Date | Marketing End Date |
|---|------------------|---------------------------------------------------|----------------------|--------------------|
| 1 | NDC:64942-1453-1 | 107 g in 1 CAN; Type 0: Not a Combination Product | 09/19/2016           |                    |

**Marketing Information**

| Marketing Category   | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|----------------------|------------------------------------------|----------------------|--------------------|
| OTC mono graph final | part350                                  | 09/19/2016           |                    |

**Labeler** - Conopco Inc. d/b/a Unilever (001375088)

Revised: 9/2020

Conopco Inc. d/b/a Unilever