

CLE DE PEAU BEAUTE THE FOUNDATION I10- octinoxate and titanium dioxide cream  
 CLE DE PEAU BEAUTE THE FOUNDATION O10- octinoxate and titanium dioxide cream  
 CLE DE PEAU BEAUTE THE FOUNDATION O20- octinoxate and titanium dioxide cream  
 CLE DE PEAU BEAUTE THE FOUNDATION O30- octinoxate and titanium dioxide cream  
 CLE DE PEAU BEAUTE THE FOUNDATION O40- octinoxate and titanium dioxide cream  
 CLE DE PEAU BEAUTE THE FOUNDATION O50- octinoxate and titanium dioxide cream  
 CLE DE PEAU BEAUTE THE FOUNDATION O60- octinoxate and titanium dioxide cream  
 CLE DE PEAU BEAUTE THE FOUNDATION B10- octinoxate and titanium dioxide cream  
 CLE DE PEAU BEAUTE THE FOUNDATION B20- octinoxate and titanium dioxide cream  
 CLE DE PEAU BEAUTE THE FOUNDATION B30- octinoxate and titanium dioxide cream  
 CLE DE PEAU BEAUTE THE FOUNDATION BF20- octinoxate and titanium dioxide cream  
 CLE DE PEAU BEAUTE THE FOUNDATION WB20- octinoxate and titanium dioxide cream  
 SHISEIDO AMERICAS CORPORATION

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**CLÉ DE PEAU BEAUTÉ THE FOUNDATION**

***Drug Facts***

<b><i>Active ingredients</i></b>	<b><i>Purpose</i></b>
OCTINOXATE 3.9%	Sunscreen
TITANIUM DIOXIDE 3.3%	Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.

- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

### **Inactive Ingredients**

WATER·DIMETHICONE·BUTYLENE GLYCOL·GLYCERIN·ISOHEXADECANE·CETYL ETHYLHEXANOATE·CETYL PEG/PPG-10/1 DIMETHICONE·DIPHENYLSILOXY PHENYL TRIMETHICONE·TREHALOSE·TOCOPHERYL ACETATE·SODIUM HYALURONATE·DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER·BUPLEURUM FALCATUM ROOT EXTRACT·SODIUM ACETYLATED HYALURONATE·PEG/PPG-14/7 DIMETHYL ETHER·ROSA ROXBURGHII FRUIT EXTRACT·POLYQUATERNIUM-51·HYDROLYZED CONCHIOLIN PROTEIN·HYDROLYZED SILK·DEXTRIN PALMITATE·PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE·ALUMINUM HYDROXIDE·STEARIC ACID·TRISODIUM EDTA·CELLULOSE GUM·PALMITIC ACID·DISODIUM STEAROYL GLUTAMATE·DISTEARYLDIMONIUM CHLORIDE·SYNTHETIC FLUORPHLOGOPITE·POLYMETHYLSILSESQUIOXANE·ISOPROPYL ALCOHOL·BHT·THEANINE·POLYSILICONE-2-PHENOXYETHANOL·METHYL PARABEN·FRAGRANCE·TITANIUM DIOXIDE·IRON OXIDES·MICA·

### **Other information**

- protect this product in this container from excessive heat and direct sun.

### **Questions or comments?**

Call toll free 1-800-906-7503

### **PRINCIPAL DISPLAY PANEL - 27 mL Jar Carton - I10**

clé de peau  
BEAUTÉ

*the foundation*

**BROAD SPECTRUM**

**SPF 21**

**SUNSCREEN**

27mL NET WT. 1 OZ.

the foundation

110



**P**  
clé de peau  
BEAUTÉ

the foundation

**BROAD SPECTRUM  
SPF 21  
SUNSCREEN**

27mL NET WT. 1 OZ.

**Drug Facts (continued)**

**Inactive ingredients**


WATER • DIMETHICONE • BUTYLENE GLYCOL • GLYCERIN • ISOHEXADECANE •  
CETYL ETHYLHEXANOATE • CETYL PEG/PPG-10/1 DIMETHICONE •  
DIPHENYLSILOXY PHENYL TRIMETHICONE • TREHALOSE • TOCOPHERYL ACETATE •  
SODIUM HYALURONATE • DIMETHICONE/ETHYL DIMETHICONE CROSSPOLYMER •  
BUPLEURUM FALCATUM ROOT EXTRACT • SODIUM ACETYLATED HYALURONATE •  
PEG/PPG-14/7 DIMETHYL ETHER • ROSA ROXBURGHII FRUIT EXTRACT • POLYQUATERNIUM-51 •  
HYDROLYZED CONCHOLIN PROTEIN • HYDROLYZED SILK • DEXTRIN PALMITATE •  
PEG-8 POLYDIMETHYLSILOXYETHYL DIMETHICONE • ALUMINUM HYDROXIDE • STEARIC ACID •  
TRISODIUM EDTA • CELLULOSE GUM • PALMITIC ACID • DISODIUM STEAROYL GLUTAMATE •  
DISTEAROYL MONIUM CHLORIDE • SYNTHETIC FLUORPHLOGOPITE • POLYMETHYLSILOSESQUOXANE •  
ISOPROPYL ALCOHOL • BHT • THEAINE • POLYSILOXANE-2 • PHENOXYETHANOL • METHYL PARABEN •  
FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • MICA •

**Other Information**

Protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-806-7503



clé de peau  
 BEAUTÉ  
 THE FOUNDATION  
 BROAD SPECTRUM SPF 21  
 SUNSCREEN  
 110

**Drug Facts**

**Active Ingredients**

OCTINOXATE 3.9% .....	Sunscreen
TITANIUM DIOXIDE 3.3% .....	Sunscreen

**Purpose**

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

READ INSERTION.  
 SHISEIDO AMERICAS CORPORATION DIST.  
 NEW YORK, NY 10022  
 MADE IN U.S.A.  
 G.L.O. 13690

[www.cledepeau-beaute.com](http://www.cledepeau-beaute.com)

This package is made using bagasse paper (a non-wood paper).



縮小サイズ0.85倍 10mmバー  
 16mm×33mm

7 30852 13690 8

13690-41-5040  
 AAA

**Drug Facts (continued)**

**Warnings**

**For external use only**

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

**PRINCIPAL DISPLAY PANEL - 27 mL Jar Carton - O10**

clé de peau  
 BEAUTÉ  
 the foundation

*BROAD SPECTRUM*  
*SPF 21*  
*SUNSCREEN*  
27mL NET WT. 1 OZ.

the foundation  
010



clé de peau  
BEAUTÉ

the foundation  
BROAD SPECTRUM  
SPF 21  
SUNSCREEN

27mL NET WT. 1 OZ.

**Drug Facts (continued)**

**Inactive ingredients**

WATER • DIMETHICONE • BUTYLENE GLYCOL • GLYCERIN • ISOHEXADECANE •  
CETYL ETHYLHEXANOATE • CETYL PEG/PPG-10/1 DIMETHICONE •  
DIPHENYLSILOXY PHENYL TRIMETHICONE • TREHALOSE • TOCOPHERYL ACETATE •  
SODIUM HYALURONATE • DIMETHICONE/MIMYL DIMETHICONE CROSSPOLYMER •  
BUPLEURUM FALCATUM ROOT EXTRACT • SODIUM ACETYLATED HYALURONATE •  
PEG/PPG-14/7 DIMETHYL ETHER • ROSA ROXBURGHII FRUIT EXTRACT • POLYQUATERNIUM-51 •  
HYDROLYZED CONCHILIN PROTEIN • HYDROLYZED SILK • DEXTRIN PALMITATE •  
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • ALUMINUM HYDROXIDE • STEARIC ACID •  
TRISODIUM EDTA • CELLULOSE GUM • PALMITIC ACID • DISODIUM STEAROYL GLUTAMATE •  
DISTEAROYL DIMONIUM CHLORIDE • SYNTHETIC FLUOROPHLOGYRITE • POLYMETHYLSILSESQUOXANE •  
ISOPROPYL ALCOHOL • BHT • THEANINE • POLYSILOXANE-2 • PHENOXYETHANOL • METHYL PARABEN •  
FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • MICA

**Other Information**

■ protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-908-7503



clé de peau  
BEAUTÉ  
THE FOUNDATION  
BROAD SPECTRUM SPF 21  
SUNSCREEN

O 10

**Drug Facts**

**Active Ingredients**

OCTINOXATE 3.9%  
TITANIUM DIOXIDE 3.3%

**Purpose**

Sunscreen  
Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

SHISEIDO AMERICAS CORPORATION DIST.  
NEW YORK, NY 10022  
MADE IN U.S.A.  
GLO. 13691  
[www.cledepeau-beaute.com](http://www.cledepeau-beaute.com)



縮小サイズ0.85倍 10mmバー  
16mm×33mm

7 30852 13691 5

13691-41-5040  
AAA

**Drug Facts (continued)**

**Warnings**

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

**PRINCIPAL DISPLAY PANEL - 27 mL Jar Carton - O20**

clé de peau  
BEAUTÉ

the foundation

BROAD SPECTRUM

*SPF 21*  
*SUNSCREEN*

27mL NET WT. 1 OZ.



the foundation

020



clé de peau  
BEAUTÉ

the foundation

BROAD SPECTRUM  
SPF 21  
SUNSCREEN

27mL NET WT. 1 OZ.

**Drug Facts (continued)**

**Inactive ingredients**

WATER • DIMETHICONE • BUTYLENE GLYCOL • GLYCERIN • ISO HEXADECANE •  
CETYL ETHYLHEXANOATE • CETYL PEG/PPG-10/1 DIMETHICONE •  
DIPHENYLSILOXY PHENYL TRIMETHICONE • TREHALOSE • TOCOPHERYL ACETATE •  
SODIUM HYALURONATE • DIMETHICONE/AMYL DIMETHICONE CROSSPOLYMER •  
BUPLEURUM FALCATUM ROOT EXTRACT • SODIUM ACETYLATED HYALURONATE •  
PEG/PPG-14/7 DIMETHYL ETHER • ROSA ROXBURGHII FRUIT EXTRACT • POLYQUATERNIUM-51 •  
HYDROLYZED CONCHOLIN PROTEIN • HYDROLYZED SILK • DEXTRIN PALMITATE •  
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • ALUMINUM HYDROXIDE • STEARIC ACID •  
TRISODIUM EDTA • CELLULOSE GUM • PALMITIC ACID • DISODIUM STEAROYL GLUTAMATE •  
DISTEAROYL DIMONIUM CHLORIDE • SYNTHETIC FLUORPHLOGYITE • POLYMETHYLSILSESQUOXANE •  
ISOPROPYL ALCOHOL • BHT • THIAMINE • POLYSILOXANE-2 • PHENOXYETHANOL • METHYL PARABEN •  
FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • MICA •

**Other Information**

■ protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-906-7503

clé de peau  
BEAUTÉ  
THE FOUNDATION  
BROAD SPECTRUM SPF 21  
SUNSCREEN  
O20

**Drug Facts**

**Active Ingredients**

OCTINOXATE 3.9%  
TITANIUM DIOXIDE 3.3%

**Purpose**

Sunscreen  
Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

SHISEIDO AMERICAS CORPORATION DIST.  
NEW YORK, NY 10022  
MADE IN U.S.A.  
G.L.O. 13692  
[www.cledepeau-beaute.com](http://www.cledepeau-beaute.com)



最小サイズ0.85倍 10mmバー  
18mm×33mm

7 30852 13692 2

13692-41-5040  
AAA

**Drug Facts (continued)**

**Warnings**

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

**PRINCIPAL DISPLAY PANEL - 27 mL Jar Carton - O30**

clé de peau  
BEAUTÉ  
the foundation

*BROAD SPECTRUM*  
*SPF 21*  
*SUNSCREEN*  
27mL NET WT. 1 OZ.

the foundation

030



clé de peau  
BEAUTÉ

the foundation

BROAD SPECTRUM  
SPF 21  
SUNSCREEN

27mL NET WT. 1 OZ.

**Drug Facts (continued)**

**Inactive ingredients**

WATER • DIMETHICONE • BUTYLENE GLYCOL • GLYCERIN • ISO HEXADECANE •  
CETYL ETHYLHEXANOATE • CETYL PEG/PPG-10/1 DIMETHICONE •  
DIPHENYLSILOXY PHENYL TRIMETHICONE • TREHALOSE • TOCOPHERYL ACETATE •  
SODIUM HYALURONATE • DIMETHICONE/MINYL DIMETHICONE CROSSPOLYMER •  
SULFURURUM FALCATUM ROOT EXTRACT • SODIUM ACETYLATED HYALURONATE •  
PEG/PPG-14/7 DIMETHYL ETHER • ROSA ROXBURGHII FRUIT EXTRACT • POLYQUATERNIUM-51 •  
HYDROLYZED CONCHOLIN PROTEIN • HYDROLYZED SILK • DEXTRIN PALMITATE •  
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • ALUMINUM HYDROXIDE • STEARIC ACID •  
TRISODIUM EDTA • CELLULOSE GUM • PALMITIC ACID • DISODIUM STEAROYL GLUTAMATE •  
DISTEARYL DIMONIUM CHLORIDE • SYNTHETIC FLUOROPHLOGYRITE • POLYMETHYLSILSESQUOXANE •  
ISOPROPYL ALCOHOL • BHT • THYMINE • POLYSILOXANE-2 • PHENOXYETHANOL • METHYL PARABEN •  
FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • MICA •


**Other Information**

■ protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-906-7503





clé de peau  
 BEAUTÉ  
 THE FOUNDATION  
 BROAD SPECTRUM SPF 21  
 SUNSCREEN  
 O 30

**Drug Facts**

<b>Active Ingredients</b>	<b>Purpose</b>
OCTINOXATE 3.5% .....	Sunscreen
TITANIUM DIOXIDE 3.3% .....	Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

SHISEIDO AMERICAS CORPORATION DIST.  
 NEW YORK, NY 10022  
 MADE IN U.S.A.  
 GLO. 13693  
 www.cledepeau-beaute.com



縮小サイズ0.85倍 10mmバー  
 16mmX53mm  
 7 30852 13693 9

13693-41-5040  
 AAA

**Drug Facts (continued)**

**Warnings**  
 For external use only  
 Do not use on damaged or broken skin  
 When using this product keep out of eyes. Rinse with water to remove.  
 Stop use and ask a doctor if rash occurs  
 Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
 For sunscreen use:  
 ■ apply liberally 15 minutes before sun exposure  
 ■ use a water resistant sunscreen if swimming or sweating  
 ■ reapply at least every 2 hours  
 ■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:  
 • limit time in the sun, especially from 10 a.m. – 2 p.m.  
 • wear long-sleeve shirts, pants, hats, and sunglasses  
 ■ children under 6 months: Ask a doctor

**PRINCIPAL DISPLAY PANEL - 27 mL Jar Carton - O40**

clé de peau  
 BEAUTÉ

*the foundation*

**BROAD SPECTRUM  
 SPF 21**

*SUNSCREEN*

27mL NET WT. 1 OZ.

the foundation

040



clé de peau  
BEAUTÉ

the foundation  
BROAD SPECTRUM  
SPF 21  
SUNSCREEN

27mL NET WT. 1 OZ.

**Drug Facts (continued)**

**Inactive ingredients**

WATER • DIMETHICONE • BUTYLENE GLYCOL • GLYCERIN • ISO HEXADECANE •  
CETYL ETHYLHEXANOATE • CETYL PEG/PPG-10/1 DIMETHICONE •  
DIPHENYLSILOXY PHENYL TRIMETHICONE • TREHALOSE • TOCOPHERYL ACETATE •  
SODIUM HYALURONATE • DIMETHICONE/AMYL DIMETHICONE CROSSPOLYMER •  
BUPLEURUM FALCATUM ROOT EXTRACT • SODIUM ACETYLATED HYALURONATE •  
PEG/PPG-14/7 DIMETHYL ETHER • ROSA ROXBURGHII FRUIT EXTRACT • POLYQUATERNIUM-51 •  
HYDROLYZED CONCHOLIN PROTEIN • HYDROLYZED SILK • DEXTRAN PALMITATE •  
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • ALUMINUM HYDROXIDE • STEARIC ACID •  
TRISODIUM EDTA • CELLULOSE GUM • PALMITIC ACID • DISODIUM STEAROYL GLUTAMATE •  
DISTEAROYL DIMONIUM CHLORIDE • SYNTHETIC FLUOROPHLOGOPITE • POLYMETHYLSILSESQUOXANE •  
ISOPROPYL ALCOHOL • BHT • THENANE • POLYSILOXANE-2 • PHENOXYETHANOL • METHYL PARABEN •  
FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • MICA •

**Other Information**

■ protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-906-7503



clé de peau  
BEAUTÉ  
THE FOUNDATION  
BROAD SPECTRUM SPF 21  
SUNSCREEN  
O40

**Drug Facts**

**Active Ingredients**

OCTINOXATE 3.9%  
TITANIUM DIOXIDE 3.3%

**Purpose**

Sunscreen  
Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

SHISEIDO AMERICAS CORPORATION DIST.  
NEW YORK, NY 10022  
MADE IN U.S.A.  
G.L.O. 13694  
[www.cledepeau-beaute.com](http://www.cledepeau-beaute.com)



縮小サイズ0.85倍 10mmバー  
16mm×33mm

7 30852 13694 6

13694-41-5040  
AAA

**Drug Facts (continued)**

**Warnings**

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

**PRINCIPAL DISPLAY PANEL - 27 mL Jar Carton - O50**

clé de peau  
BEAUTÉ

the foundation

BROAD SPECTRUM

*SPF 21*  
*SUNSCREEN*

27mL NET WT. 1 OZ.

the foundation  
050



clé de peau  
BEAUTÉ

the foundation  
BROAD SPECTRUM  
SPF 21  
SUNSCREEN

27mL NET WT. 1 OZ.

**Drug Facts (continued)**

**Inactive ingredients**

WATER • DIMETHICONE • BUTYLENE GLYCOL • GLYCERIN • ISOHEXDECANE • CETYL ETHYLHEXANOATE • CETYL PEG/PPG-10/1 DIMETHICONE • DIPHEMYSILOXY PHENYL TRIMETHICONE • TREHALOSE • TOCOPHERYL ACETATE • SODIUM HYALURONATE • DIMETHICONE/MINIL D DIMETHICONE CROSSPOLYMER • BIOPLEURUM FALCATUM ROOT EXTRACT • SODIUM ACETYLATED HYALURONATE • PEG/PPG-14/7 DIMETHYL ETHER • ROSA ROXBURGHII FRUIT EXTRACT • POLYQUATERNIUM-51 • HYDROLYZED CONCHOLIN PROTEIN • HYDROLYZED SILK • DEXTRIN PALMITATE • PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • ALUMINUM HYDROXIDE • STEARIC ACID • TRISODIUM EDTA • CELLULOSE GUM • PALMITIC ACID • DISODIUM STEAROYL GLUTAMATE • DISTEAROYL DIMONIUM CHLORIDE • SYNTHETIC FLUOROPHLOGOPITE • POLYETHYLSILSESQUOXANE • ISOPROPYL ALCOHOL • BHT • THIAMINE • POLYSILOXANE-2 • PHENOXYETHANOL • METHYL PARABEN • FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • MICA

**Other Information**

■ protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-906-7503

clé de peau  
BEAUTÉ  
THE FOUNDATION  
BROAD SPECTRUM SPF 21  
SUNSCREEN  
O50

**Drug Facts**

**Active Ingredients**

OCTINOXATE 3.9% ..... Sunscreen  
TITANIUM DIOXIDE 3.3% ..... Sunscreen

**Purpose**

Sunscreen  
Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

SHISEIDO AMERICAS CORPORATION DIST.  
NEW YORK, NY 10022  
MADE IN U.S.A.  
GLO. 13695  
[www.cledepeau-beaute.com](http://www.cledepeau-beaute.com)



縮小サイズ0.85倍 10mmバー  
16mm×33mm

7 30852 13695 3

13695-41-5040  
AAA

**Drug Facts (continued)**

**Warnings**

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

**PRINCIPAL DISPLAY PANEL - 27 mL Jar Carton - O60**

clé de peau  
BEAUTÉ  
the foundation

*BROAD SPECTRUM*  
*SPF 21*  
*SUNSCREEN*  
27mL NET WT. 1 OZ.

the foundation

O60



clé de peau  
BEAUTÉ

the foundation  
BROAD SPECTRUM  
SPF 21  
SUNSCREEN

27mL NET WT. 1 OZ.

**Drug Facts (continued)**

**Inactive Ingredients**

WATER • DIMETHICONE • BUTYLENE GLYCOL • GLYCERIN • ISOHEXDECANE •  
CETYL ETHYLHEXANOATE • CETYL PEG/PPG-10/1 DIMETHICONE •  
DIPHENYLSILOXY PHENYL TRIMETHICONE • TREHALOSE • TOCOPHERYL ACETATE •  
SODIUM HYALURONATE • DIMETHICONE/PHYL DIMETHICONE CROSSPOLYMER •  
BIPLERURUM FALCATUM ROOT EXTRACT • SODIUM ACETYLATED HYALURONATE •  
PEG/PPG-14/7 DIMETHYL ETHER • ROSA ROXBURGHII FRUIT EXTRACT • POLYQUATERNIUM-51 •  
HYDROLYZED CONCHOLIN PROTEIN • HYDROLYZED SILK • DEXTRIN PALMITATE •  
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • ALUMINUM HYDROXIDE • STEARIC ACID •  
TRISODIUM EDTA • CELLULOSE GUM • PALMITIC ACID • DISODIUM STEAROYL GLUTAMATE •  
DISTEARYL DIMONIUM CHLORIDE • SYNTHETIC FLUOROPHOSFITE • POLYETHYLSILSESQUOXANE •  
ISOPROPYL ALCOHOL • BHT • THEANINE • POLYSILOXANE-2 • PHENOXYETHANOL • METHYL PARABEN •  
FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • MICA •

**Other Information**

Protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-906-7503



clé de peau  
BEAUTÉ  
THE FOUNDATION  
BROAD SPECTRUM SPF 21  
SUNSCREEN  
O60

**Drug Facts**

**Active Ingredients**

OCTINOXATE 3.9%  
TITANIUM DIOXIDE 3.3%

**Purpose**

Sunscreen  
Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

SHISEIDO AMERICAS CORPORATION DIST.  
NEW YORK, NY 10022  
MADE IN U.S.A.  
GLO. 13696  
[www.cledepeau-beaute.com](http://www.cledepeau-beaute.com)



縮小サイズ0.85倍 10mmバー  
16mm×33mm

7 30852 13696 0

13696-41-5040  
AAA

**Drug Facts (continued)**

**Warnings**

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

**PRINCIPAL DISPLAY PANEL - 27 mL Jar Carton - B10**

clé de peau  
BEAUTÉ

*the foundation*

**BROAD SPECTRUM**



*SPF 21*  
*SUNSCREEN*

27mL NET WT. 1 OZ.

the foundation  
B10



clé de peau  
BEAUTÉ

the foundation  
BROAD SPECTRUM  
SPF 21  
SUNSCREEN

27mL NET WT. 1 OZ.

**Drug Facts (continued)**

**Inactive ingredients**

WATER • DIMETHICONE • BUTYLENE GLYCOL • GLYCERIN • ISO HEXADECANE •  
CETYL ETHYLHEXANOATE • CETYL PEG/PPG-10/1 DIMETHICONE •  
DIPHENYLSILOXY PHENYL TRIMETHICONE • TREHALOSE • TOCOPHERYL ACETATE •  
SODIUM HYALURONATE • DIMETHICONE/AMYL DIMETHICONE CROSSPOLYMER •  
BUPLEIURUM FALCATA ROOT EXTRACT • SODIUM ACETYLATED HYALURONATE •  
PEG/PPG-14/7 DIMETHYL ETHER • ROSA ROXBURGHII FRUIT EXTRACT • POLYQUATERNIUM-51 •  
HYDROLYZED CONCHOLIN PROTEIN • HYDROLYZED SILK • DEXTRAN PALMITATE •  
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • ALUMINUM HYDROXIDE • STEARIC ACID •  
TRISODIUM EDTA • CELLULOSE GUM • PALMITIC ACID • DISODIUM STEAROYL GLUTAMATE •  
DISTEARYL DIMONIUM CHLORIDE • SYNTHETIC FLUORPHLOGOPITE • POLYMETHYLSILSESQUOXANE •  
ISOPROPYL ALCOHOL • BHT • THIAMINE • POLYSILOXANE-2 • PHENOXYETHANOL • METHYL PARABEN •  
FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • MICA •

**Other Information**

■ protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-906-7503

clé de peau  
BEAUTÉ  
THE FOUNDATION  
BROAD SPECTRUM SPF 21  
SUNSCREEN  
B 10

**Drug Facts**

**Active Ingredients**

OCTINOXATE 3.9% ..... Sunscreen  
TITANIUM DIOXIDE 3.3% ..... Sunscreen

**Purpose**

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

SHISEIDO AMERICAS CORPORATION DIST.  
NEW YORK, NY 10022  
MADE IN U.S.A.  
G.L.O. 13697  
[www.cledepeau-beaute.com](http://www.cledepeau-beaute.com)



縮小サイズ0.85倍 10mmバー  
16mm×33mm

7 30852 13697 7

13697-41-5040  
AAA

**Drug Facts (continued)**

**Warnings**

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

**PRINCIPAL DISPLAY PANEL - 27 mL Jar Carton - B20**

clé de peau  
BEAUTÉ  
the foundation

*BROAD SPECTRUM*  
*SPF 21*  
*SUNSCREEN*  
27mL NET WT. 1 OZ.

the foundation  
B20



clé de peau  
BEAUTÉ

the foundation  
BROAD SPECTRUM  
SPF 21  
SUNSCREEN

27mL NET WT. 1 OZ.

**Drug Facts (continued)**

**Inactive ingredients**

WATER • DIMETHICONE • BUTYLENE GLYCOL • GLYCERIN • ISO HEXADECANE •  
CETYL ETHYLHEXANOATE • CETYL PEG/PPG-10/1 DIMETHICONE •  
DIPHENYLSILOXY PHENYL TRIMETHICONE • TREHALOSE • TOCOPHERYL ACETATE •  
SODIUM HYALURONATE • DIMETHICONE/AMYL DIMETHICONE CROSSPOLYMER •  
BUPLEURUM FALCATUM ROOT EXTRACT • SODIUM ACETYLATED HYALURONATE •  
PEG/PPG-14/7 DIMETHYL ETHER • ROSA ROXBURGHII FRUIT EXTRACT • POLYQUATERNIUM-51 •  
HYDROLYZED CONCHOLIN PROTEIN • HYDROLYZED SILK • DEXTRAN PALMITATE •  
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • ALUMINUM HYDROXIDE • STEARIC ACID •  
TRISODIUM EDTA • CELLULOSE GUM • PALMITIC ACID • DISODIUM STEAROYL GLUTAMATE •  
DISTEARYL DIMONIUM CHLORIDE • SYNTHETIC FLUOROPHLOGOPITE • POLYMETHYLSILSESQUOXANE •  
ISOPROPYL ALCOHOL • BHT • THENANE • POLYSILOXANE-2 • PHENOXYETHANOL • METHYL PARABEN •  
FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • MICA •

**Other Information**

■ protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-906-7503



clé de peau  
BEAUTÉ  
THE FOUNDATION  
BROAD SPECTRUM SPF 21  
SUNSCREEN  
B20

**Drug Facts**

**Active Ingredients**

OCTINOXATE 3.9% ..... Sunscreen  
TITANIUM DIOXIDE 3.3% ..... Sunscreen

**Purpose**

Sunscreen  
Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

SHISEIDO AMERICAS CORPORATION DIST.  
NEW YORK, NY 10022  
MADE IN U.S.A.  
G.L.O. 13698  
[www.cledepeau-beaute.com](http://www.cledepeau-beaute.com)



最小サイズ0.85倍 10mmバー  
16mm×33mm

7 30852 13698 4

13698-41-5040  
AAA

**Drug Facts (continued)**

**Warnings**

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

**PRINCIPAL DISPLAY PANEL - 27 mL Jar Carton - B30**

clé de peau  
BEAUTÉ

*the foundation*

*BROAD SPECTRUM*

*SPF 21*  
*SUNSCREEN*

27mL NET WT. 1 OZ.



the foundation  
B30



clé de peau  
BEAUTÉ

the foundation  
BROAD SPECTRUM  
SPF 21  
SUNSCREEN

27mL NET WT. 1 OZ.

**Drug Facts (continued)**

**Inactive Ingredients**

WATER • DIMETHICONE • BUTYLENE GLYCOL • GLYCERIN • ISOHEXDECANE • CETYL ETHYLHEXANOATE • Cetyl PEG/PPG-10/1 DIMETHICONE • DIPHEMYSILOXY PHENYL TRIMETHICONE • TREHALOSE • TOCOPHERYL ACETATE • SODIUM HYALURONATE • DIMETHICONE/PHYL DIMETHICONE CROSSPOLYMER • BIPLERURUM FALCATUM ROOT EXTRACT • SODIUM ACETYLATED HYALURONATE • PEG/PPG-14/7 DIMETHYL ETHER • ROSA ROXBURGHII FRUIT EXTRACT • POLYQUATERNIUM-51 • HYDROLYZED CONCHOLIN PROTEIN • HYDROLYZED SILK • DEXTRIN PALMITATE • PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • ALUMINUM HYDROXIDE • STEARIC ACID • TRISODIUM EDTA • CELLULOSE GUM • PALMITIC ACID • DISODIUM STEAROYL GLUTAMATE • DISTEARYL DIMONIUM CHLORIDE • SYNTHETIC FLUORPHLOGOITE • POLYETHYLSILSESQUOXANE • ISOPROPYL ALCOHOL • BHT • THEANINE • POLYSILOXANE-2 • PHENOXYETHANOL • METHYL PARABEN • FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • MICA

**Other Information**

Protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-906-7503

clé de peau  
BEAUTÉ  
THE FOUNDATION  
BROAD SPECTRUM SPF 21  
SUNSCREEN  
B 30

**Drug Facts**

**Active Ingredients**

OCTINOXATE 3.9%  
TITANIUM DIOXIDE 3.3%

**Purpose**

Sunscreen  
Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

SHISEIDO AMERICAS CORPORATION DIST.  
NEW YORK, NY 10022  
MADE IN U.S.A.  
GLO. 13699  
[www.cledepeau-beaute.com](http://www.cledepeau-beaute.com)



縮小サイズ0.85倍 10mmバー  
16mmX33mm

7 30852 13699 1

13699-41-5040  
AAA

**Drug Facts (continued)**

**Warnings**

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

**PRINCIPAL DISPLAY PANEL - 27 mL Jar Carton - BF20**

clé de peau  
BEAUTÉ

*the foundation*

*BROAD SPECTRUM*

*SPF 21*  
*SUNSCREEN*

27mL NET WT. 1 OZ.

the foundation  
BF20



clé de peau  
BEAUTÉ

the foundation  
BROAD SPECTRUM  
SPF 21  
SUNSCREEN

27mL NET WT. 1 OZ.

**Drug Facts (continued)**

**Inactive ingredients**

WATER • DIMETHICONE • BUTYLENE GLYCOL • GLYCERIN • ISO HEXADECANE •  
CETYL ETHYLHEXANOATE • CETYL PEG/PPG-10/1 DIMETHICONE •  
DIPHENYLSILOXY PHENYL TRIMETHICONE • TREHALOSE • TOCOPHERYL ACETATE •  
SODIUM HYALURONATE • DIMETHICONE/ANILY DIMETHICONE CROSSPOLYMER •  
SULFURIUM FALCATUM ROOT EXTRACT • SODIUM ACETYLATED HYALURONATE •  
PEG/PPG-14/7 DIMETHYL ETHER • ROSA ROXBURGHII FRUIT EXTRACT • POLYQUATERNIUM-51 •  
HYDROLYZED CONCHOLIN PROTEIN • HYDROLYZED SILK • DEXTRIN PALMITATE •  
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • ALUMINUM HYDROXIDE • STEARIC ACID •  
TRISODIUM EDTA • CELLULOSE GUM • PALMITIC ACID • DISODIUM STEAROYL GLUTAMATE •  
DISTEAROYL DIMONIUM CHLORIDE • SYNTHETIC FLUOROPHLOGOPITE • POLYETHYLSILSESQUOXANE •  
ISOPROPYL ALCOHOL • BHT • THEBAINE • POLYSILOXANE-2 • PHENOXYETHANOL • METHYL PARABEN •  
FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • MICA

**Other Information**

Protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-906-7503

clé de peau  
BEAUTÉ  
THE FOUNDATION  
BROAD SPECTRUM SPF 21  
SUNSCREEN  
BF 20

**Drug Facts**

**Active Ingredients**

OCTINOXATE 3.9%  
TITANIUM DIOXIDE 3.3%

**Purpose**

Sunscreen  
Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

SHISEIDO AMERICAS CORPORATION DIST.  
NEW YORK, NY 10022  
MADE IN U.S.A.  
G.L.O. 13700  
[www.cledepeau-beaute.com](http://www.cledepeau-beaute.com)



縮小サイズ0.85倍 10mmバー  
18mm×33mm

7 30852 13700 4

13700-41-5040  
AAA

**Drug Facts (continued)**

**Warnings**

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

**PRINCIPAL DISPLAY PANEL - 27 mL Jar Carton - WB20**

clé de peau  
BEAUTÉ  
the foundation



*BROAD SPECTRUM*  
*SPF 21*  
*SUNSCREEN*  
27mL NET WT. 1 OZ.

the foundation  
WB 20



clé de peau  
BEAUTÉ

the foundation  
BROAD SPECTRUM  
SPF 21  
SUNSCREEN

27mL NET WT. 1 OZ.

**Drug Facts (continued)**

**Inactive ingredients**

WATER • DIMETHICONE • BUTYLENE GLYCOL • GLYCERIN • ISO HEXADECANE •  
CETYL ETHYLHEXANOATE • CETYL PEG/PPG-10/1 DIMETHICONE •  
DIPHENYLSILOXY PHENYL TRIMETHICONE • TREHALOSE • TOCOPHERYL ACETATE •  
SODIUM HYALURONATE • DIMETHICONE/AMYL DIMETHICONE CROSSPOLYMER •  
BUPLEURUM FALCATUM ROOT EXTRACT • SODIUM ACETYLATED HYALURONATE •  
PEG/PPG-14/7 DIMETHYL ETHER • ROSA ROXBURGHII FRUIT EXTRACT • POLYQUATERNIUM-51 •  
HYDROLYZED CONCHOLIN PROTEIN • HYDROLYZED SILK • DEXTRAN PALMITATE •  
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • ALUMINUM HYDROXIDE • STEARIC ACID •  
TRISODIUM EDTA • CELLULOSE GUM • PALMITIC ACID • DISODIUM STEAROYL GLUTAMATE •  
DISTEARYL DIMONIUM CHLORIDE • SYNTHETIC FLUORPHLOGOPITE • POLYMETHYLSILSESQUOXANE •  
ISOPROPYL ALCOHOL • BHT • THENANE • POLYSILOXANE-2 • PHENOXYETHANOL • METHYL PARABEN •  
FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • MICA •

**Other Information**

■ protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-906-7503



clé de peau  
BEAUTÉ  
THE FOUNDATION  
BROAD SPECTRUM SPF 21  
SUNSCREEN  
WB20

**Drug Facts**

**Active Ingredients**

OCTINOXATE 3.9%  
TITANIUM DIOXIDE 3.3%

**Purpose**

Sunscreen  
Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

SHISEIDO AMERICAS CORPORATION DIST.  
NEW YORK, NY 10022  
MADE IN U.S.A.  
GLO. 13701  
www.cledepeau-beaute.com



最小サイズ0.85g 10mmバー  
16mm×33mm

7 30852 13701 1

13701-41-5040  
AAA

**Drug Facts (continued)**

**Warnings**

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

**CLE DE PEAU BEAUTE THE FOUNDATION 110**

octinoxate and titanium dioxide cream

**Product Information**

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:58411-315

## Route of Administration

TOPICAL

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1228 mg in 27 mL
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1039 mg in 27 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>ISOHEXADECANE</b> (UNII: 918X1OUF1E)	
<b>CETYL ETHYLHEXANOATE</b> (UNII: 134647WMX4)	
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5)</b> (UNII: 035JKJ76MT)	
<b>DIPHENYLSILOXY PHENYL TRIMETHICONE</b> (UNII: I445L28B12)	
<b>TREHALOSE</b> (UNII: B8WCK70T7I)	
<b>.ALPHA.-TOCOPHEROL ACETATE, DL-</b> (UNII: WR1WPI7EW8)	
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>BUPLEURUM FALCATUM ROOT</b> (UNII: X04E310LUY)	
<b>SODIUM ACETYLATED HYALURONATE</b> (UNII: WN66R7GL93)	
<b>PEG/PPG-14/7 DIMETHYL ETHER</b> (UNII: 6DNW9T7YT2)	
<b>ROSA ROXBURGHII FRUIT</b> (UNII: CVT1AA87FF)	
<b>POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7)</b> (UNII: EL9825H96J)	
<b>DEXTRIN PALMITATE (CORN; 20000 MW)</b> (UNII: 89B2BSF9I3)	
<b>PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE</b> (UNII: TYP81E471F)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>EDETATE TRISODIUM</b> (UNII: 420IP921MB)	
<b>CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED FORM</b> (UNII: K679OBS311)	
<b>PALMITIC ACID</b> (UNII: 2V16EO95H1)	
<b>DISODIUM STEAROYL GLUTAMATE</b> (UNII: 45ASM2L11M)	
<b>DISTEARYLDIMONIUM CHLORIDE</b> (UNII: OM9573ZX3X)	
<b>POLYMETHYLSILSESQUOXANE (4.5 MICRONS)</b> (UNII: 59Z907ZB69)	
<b>ISOPROPYL ALCOHOL</b> (UNII: ND2M416302)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>THEANINE</b> (UNII: 8021PR16QO)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>METHYL PARABEN</b> (UNII: A2I8C7HI9T)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>MICA</b> (UNII: V8A1AW0880)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-315-50	1 in 1 CARTON	08/01/2017	
1		27 mL in 1 JAR; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	08/01/2017	

## CLE DE PEAU BEAUTE THE FOUNDATION O10

octinoxate and titanium dioxide cream

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-316
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1228 mg in 27 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1039 mg in 27 mL

### Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
GLYCERIN (UNII: PDC6A3C0OX)	
ISOHEXADECANE (UNII: 918X10UF1E)	
CETYL ETHYLHEXANOATE (UNII: 134647WMX4)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
TREHALOSE (UNII: B8WCK70T7I)	
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
BUPLEURUM FALCATUM ROOT (UNII: X04E310LUY)	
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)	
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)	
DEXTRIN PALMITATE (CORN; 20000 MW) (UNII: 89B2BSF9I3)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	

ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
STEARIC ACID (UNII: 4ELV7Z65AP)
EDETATE TRISODIUM (UNII: 420IP921MB)
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED FORM (UNII: K679OBS311)
PALMITIC ACID (UNII: 2V16EO95H1)
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)
DISTEARYLDIMONIUM CHLORIDE (UNII: OM9573ZX3X)
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)
ISOPROPYL ALCOHOL (UNII: ND2M416302)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
THEANINE (UNII: 8021PR16QO)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
METHYLPARABEN (UNII: A2I8C7HI9T)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
MICA (UNII: V8A1AW0880)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-316-50	1 in 1 CARTON	08/01/2017	
1		27 mL in 1 JAR; Type 0: Not a Combination Product		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph final	part352	08/01/2017		

**CLE DE PEAU BEAUTE THE FOUNDATION O20**  
octinoxate and titanium dioxide cream

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-317	
Route of Administration	TOPICAL			

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1228 mg in 27 mL	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1039 mg in 27 mL	

Inactive Ingredients		
Ingredient Name	Strength	
WATER (UNII: 059QF0K00R)		

DIMETHICONE (UNII: 92RU3N3Y1O)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
GLYCERIN (UNII: PDC6A3C0OX)
ISOHEXADECANE (UNII: 918X1OUF1E)
CETYL ETHYLHEXANOATE (UNII: 134647WMX4)
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)
TREHALOSE (UNII: B8WCK70T7I)
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
BUPLEURUM FALCATUM ROOT (UNII: X04E310LUY)
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)
DEXTRIN PALMITATE (CORN; 20000 MW) (UNII: 89B2BSF9I3)
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
STEARIC ACID (UNII: 4ELV7Z65AP)
EDETATE TRISODIUM (UNII: 420IP921MB)
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED FORM (UNII: K679OBS311)
PALMITIC ACID (UNII: 2V16EO95H1)
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)
DISTEARYLDIMONIUM CHLORIDE (UNII: OM9573ZX3X)
POLYMETHYLSILSESQUOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)
ISOPROPYL ALCOHOL (UNII: ND2M416302)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
THEANINE (UNII: 8021PR16QO)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
METHYLPARABEN (UNII: A2I8C7HI9T)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
MICA (UNII: V8A1AW0880)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-317-50	1 in 1 CARTON	08/01/2017	
1		27 mL in 1 JAR; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	08/01/2017	

# CLE DE PEAU BEAUTE THE FOUNDATION O30

octinoxate and titanium dioxide cream

## Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-318
Route of Administration	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1228 mg in 27 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1039 mg in 27 mL

## Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
GLYCERIN (UNII: PDC6A3C0OX)	
ISOHEXADECANE (UNII: 918X1OUF1E)	
CETYL ETHYLHEXANOATE (UNII: 134647WMX4)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
TREHALOSE (UNII: B8WCK70T7I)	
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
BUPLEURUM FALCATUM ROOT (UNII: X04E310LUY)	
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)	
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)	
DEXTRIN PALMITATE (CORN; 20000 MW) (UNII: 89B2BSF9I3)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED FORM (UNII: K679OBS311)	
PALMITIC ACID (UNII: 2V16EO95H1)	
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)	
DISTEARYLDIMONIUM CHLORIDE (UNII: OM9573ZX3X)	
POLYMETHYLSILSESQUOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
ISOPROPYL ALCOHOL (UNII: ND2M416302)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
THEANINE (UNII: 8021PR16QO)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
METHYL PARABEN (UNII: A218C7H9T)	



FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
MICA (UNII: V8A1AW0880)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-318-50	1 in 1 CARTON	08/01/2017	
1		27 mL in 1 JAR; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	08/01/2017	

## CLE DE PEAU BEAUTE THE FOUNDATION O40

octinoxate and titanium dioxide cream

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-319
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1228 mg in 27 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1039 mg in 27 mL

### Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
GLYCERIN (UNII: PDC6A3C0OX)	
ISOHEXADECANE (UNII: 918X1OUF1E)	
CETYL ETHYLHEXANOATE (UNII: 134647WMX4)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
TREHALOSE (UNII: B8WCK70T7I)	
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
BUPLEURUM FALCATUM ROOT (UNII: X04E310LUY)	

SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)
DEXTRIN PALMITATE (CORN; 20000 MW) (UNII: 89B2BSF9I3)
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
STEARIC ACID (UNII: 4ELV7Z65AP)
EDETATE TRISODIUM (UNII: 420IP921MB)
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED FORM (UNII: K679OBS311)
PALMITIC ACID (UNII: 2V16EO95HI)
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)
DISTEARYLDIMONIUM CHLORIDE (UNII: OM9573ZX3X)
POLYMETHYLSILSESQUOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)
ISOPROPYL ALCOHOL (UNII: ND2M416302)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
THEANINE (UNII: 8021PR16QO)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
METHYL PARABEN (UNII: A2I8C7HI9T)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
MICA (UNII: V8A1AW0880)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-319-50	1 in 1 CARTON	08/01/2017	
1		27 mL in 1 JAR; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	08/01/2017	

**CLE DE PEAU BEAUTE THE FOUNDATION O50**  
 octinoxate and titanium dioxide cream

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-320
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength

<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1228 mg in 27 mL
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1039 mg in 27 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0K00R)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y10)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>ISOHEXADECANE</b> (UNII: 918X10UF1E)	
<b>CETYL ETHYLHEXANOATE</b> (UNII: 134647WMX4)	
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5)</b> (UNII: 035JKJ76MT)	
<b>DIPHENYLSILOXY PHENYL TRIMETHICONE</b> (UNII: I445L28B12)	
<b>TREHALOSE</b> (UNII: B8WCK70T7I)	
<b>.ALPHA.-TOCOPHEROL ACETATE, DL-</b> (UNII: WR1WPI7EW8)	
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>BUPLEURUM FALCATUS ROOT</b> (UNII: X04E310LUY)	
<b>SODIUM ACETYLATED HYALURONATE</b> (UNII: WN66R7GL93)	
<b>PEG/PPG-14/7 DIMETHYL ETHER</b> (UNII: 6DNW9T7YT2)	
<b>ROSA ROXBURGHII FRUIT</b> (UNII: CVT1AA87FF)	
<b>POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7)</b> (UNII: EL9825H96J)	
<b>DEXTRIN PALMITATE (CORN; 20000 MW)</b> (UNII: 89B2BSF9I3)	
<b>PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE</b> (UNII: TYP81E471F)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>EDETATE TRISODIUM</b> (UNII: 420IP921MB)	
<b>CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED FORM</b> (UNII: K679OBS311)	
<b>PALMITIC ACID</b> (UNII: 2V16E095HI)	
<b>DISODIUM STEAROYL GLUTAMATE</b> (UNII: 45ASM2L11M)	
<b>DISTEARYLDIMONIUM CHLORIDE</b> (UNII: OM9573ZX3X)	
<b>POLYMETHYLSILSESQUIOXANE (4.5 MICRONS)</b> (UNII: 59Z907ZB69)	
<b>ISOPROPYL ALCOHOL</b> (UNII: ND2M416302)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>THEANINE</b> (UNII: 8021PR16QO)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>METHYL PARABEN</b> (UNII: A2I8C7HI9T)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>MICA</b> (UNII: V8A1AW0880)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-320-50	1 in 1 CARTON	08/01/2017	
1		27 mL in 1 JAR; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	08/01/2017	

## CLE DE PEAU BEAUTE THE FOUNDATION O60

octinoxate and titanium dioxide cream

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-321
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1228 mg in 27 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1039 mg in 27 mL

### Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
GLYCERIN (UNII: PDC6A3C0OX)	
ISOHEXADECANE (UNII: 918X10UF1E)	
CETYL ETHYLHEXANOATE (UNII: 134647WMX4)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
TREHALOSE (UNII: B8WCK70T7I)	
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
BUPLEURUM FALCATUM ROOT (UNII: X04E310LUY)	
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)	
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)	
DEXTRIN PALMITATE (CORN; 20000 MW) (UNII: 89B2BSF9I3)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED FORM (UNII: K679OBS311)	
PALMITIC ACID (UNII: 2V16EO95HI)	
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)	

DISTEARYLDIMONIUM CHLORIDE (UNII: OM9573ZX3X)
POLYMETHYLSILSESQUOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)
ISOPROPYL ALCOHOL (UNII: ND2M416302)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
THEANINE (UNII: 8021PR16QO)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
METHYL PARABEN (UNII: A2I8C7HI9T)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
MICA (UNII: V8A1AW0880)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-321-50	1 in 1 CARTON	08/01/2017	
1		27 mL in 1 JAR; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	08/01/2017	

## CLE DE PEAU BEAUTE THE FOUNDATION B10

octinoxate and titanium dioxide cream

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-322
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1228 mg in 27 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1039 mg in 27 mL

### Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
GLYCERIN (UNII: PDC6A3C0OX)	
ISOHEXADECANE (UNII: 918X1OUF1E)	
CETYL ETHYLHEXANOATE (UNII: 134647WMX4)	

CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)
TREHALOSE (UNII: B8WCK70T7I)
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
BUPLEURUM FALCATUS ROOT (UNII: X04E310LUY)
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)
DEXTRIN PALMITATE (CORN; 20000 MW) (UNII: 89B2BSF9I3)
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
STEARIC ACID (UNII: 4ELV7Z65AP)
EDETATE TRISODIUM (UNII: 420IP921MB)
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED FORM (UNII: K679OBS311)
PALMITIC ACID (UNII: 2V16EO95HI)
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)
DISTEARYLDIMONIUM CHLORIDE (UNII: OM9573ZX3X)
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)
ISOPROPYL ALCOHOL (UNII: ND2M416302)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
THEANINE (UNII: 8021PR16QO)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
METHYL PARABEN (UNII: A2I8C7HI9T)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
MICA (UNII: V8A1AW0880)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-322-50	1 in 1 CARTON	08/01/2017	
1		27 mL in 1 JAR; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	08/01/2017	

## CLE DE PEAU BEAUTE THE FOUNDATION B20

octinoxate and titanium dioxide cream

### Product Information



<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58411-323
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1228 mg in 27 mL
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1039 mg in 27 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>ISOHEXADECANE</b> (UNII: 918X1OUF1E)	
<b>CETYL ETHYLHEXANOATE</b> (UNII: 134647WMX4)	
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5)</b> (UNII: 035JKJ76MT)	
<b>DIPHENYLSILOXY PHENYL TRIMETHICONE</b> (UNII: I445L28B12)	
<b>TREHALOSE</b> (UNII: B8WCK70T7I)	
<b>.ALPHA.-TOCOPHEROL ACETATE, DL-</b> (UNII: WR1WPI7EW8)	
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>BUPLEURUM FALCATUM ROOT</b> (UNII: X04E310LUY)	
<b>SODIUM ACETYLATED HYALURONATE</b> (UNII: WN66R7GL93)	
<b>PEG/PPG-14/7 DIMETHYL ETHER</b> (UNII: 6DNW9T7YT2)	
<b>ROSA ROXBURGHII FRUIT</b> (UNII: CVT1AA87FF)	
<b>POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7)</b> (UNII: EL9825H96J)	
<b>DEXTRIN PALMITATE (CORN; 20000 MW)</b> (UNII: 89B2BSF9I3)	
<b>PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE</b> (UNII: TYP81E471F)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>EDETATE TRISODIUM</b> (UNII: 420IP921MB)	
<b>CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED FORM</b> (UNII: K679OBS311)	
<b>PALMITIC ACID</b> (UNII: 2V16EO95H1)	
<b>DISODIUM STEAROYL GLUTAMATE</b> (UNII: 45ASM2L11M)	
<b>DISTEARYLDIMONIUM CHLORIDE</b> (UNII: OM9573ZX3X)	
<b>POLYMETHYLSILSESQUOXANE (4.5 MICRONS)</b> (UNII: 59Z907ZB69)	
<b>ISOPROPYL ALCOHOL</b> (UNII: ND2M416302)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>THEANINE</b> (UNII: 8021PR16QO)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>MICA</b> (UNII: V8A1AW0880)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-323-50	1 in 1 CARTON	08/01/2017	
1		27 mL in 1 JAR; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	08/01/2017	

## CLE DE PEAU BEAUTE THE FOUNDATION B30

octinoxate and titanium dioxide cream

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-324
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1228 mg in 27 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1039 mg in 27 mL

### Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
GLYCERIN (UNII: PDC6A3C0OX)	
ISOHEXADECANE (UNII: 918X10UF1E)	
CETYL ETHYLHEXANOATE (UNII: 134647WMX4)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)	
DIPHENYLSILOXY PHENYL TRIMETHICONE (UNII: I445L28B12)	
TREHALOSE (UNII: B8WCK70T7I)	
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
BUPLEURUM FALCATUM ROOT (UNII: X04E310LUY)	
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
ROSA ROXBURGHII FRUIT (UNII: CVT1AA87FF)	
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)	
DEXTRIN PALMITATE (CORN; 20000 MW) (UNII: 89B2BSF9I3)	

PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
STEARIC ACID (UNII: 4ELV7Z65AP)
EDETATE TRISODIUM (UNII: 420IP921MB)
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED FORM (UNII: K679OBS311)
PALMITIC ACID (UNII: 2V16EO95H1)
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)
DISTEARYLDIMONIUM CHLORIDE (UNII: OM9573ZX3X)
POLYMETHYLSILSESQUOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)
ISOPROPYL ALCOHOL (UNII: ND2M416302)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
THEANINE (UNII: 8021PR16QO)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
METHYL PARABEN (UNII: A2I8C7HI9T)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
MICA (UNII: V8A1AW0880)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-324-50	1 in 1 CARTON	08/01/2017	
1		27 mL in 1 JAR; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	08/01/2017	

**CLE DE PEAU BEAUTE THE FOUNDATION BF20**  
 octinoxate and titanium dioxide cream

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-325
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)		OCTINOXATE	1228 mg in 27 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)		TITANIUM DIOXIDE	1039 mg in 27 mL

Inactive Ingredients	
Ingredient Name	Strength

<b>WATER</b> (UNII: 059QF0K00R)
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)
<b>ISOHEXADECANE</b> (UNII: 918X1OUF1E)
<b>CETYL ETHYLHEXANOATE</b> (UNII: 134647WMX4)
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5)</b> (UNII: 035JKJ76MT)
<b>DIPHENYLSILOXY PHENYL TRIMETHICONE</b> (UNII: I445L28B12)
<b>TREHALOSE</b> (UNII: B8WCK70T7I)
<b>.ALPHA.-TOCOPHEROL ACETATE, DL-</b> (UNII: WR1WPI7EW8)
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)
<b>BUPLEURUM FALCATUM ROOT</b> (UNII: X04E310LUY)
<b>SODIUM ACETYLATED HYALURONATE</b> (UNII: WN66R7GL93)
<b>PEG/PPG-14/7 DIMETHYL ETHER</b> (UNII: 6DNW9T7YT2)
<b>ROSA ROXBURGHII FRUIT</b> (UNII: CVT1AA87FF)
<b>POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7)</b> (UNII: EL9825H96J)
<b>DEXTRIN PALMITATE (CORN; 20000 MW)</b> (UNII: 89B2BSF9I3)
<b>PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE</b> (UNII: TYP81E471F)
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)
<b>EDETATE TRISODIUM</b> (UNII: 420IP921MB)
<b>CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED FORM</b> (UNII: K679OBS311)
<b>PALMITIC ACID</b> (UNII: 2V16EO95H1)
<b>DISODIUM STEAROYL GLUTAMATE</b> (UNII: 45ASM2L11M)
<b>DISTEARYLDIMONIUM CHLORIDE</b> (UNII: OM9573ZX3X)
<b>POLYMETHYLSILSESQUOXANE (4.5 MICRONS)</b> (UNII: 59Z907ZB69)
<b>ISOPROPYL ALCOHOL</b> (UNII: ND2M416302)
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)
<b>THEANINE</b> (UNII: 8021PR16QO)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>METHYL PARABEN</b> (UNII: A2I8C7HI9T)
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)
<b>MICA</b> (UNII: V8A1AW0880)

<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-325-50	1 in 1 CARTON	08/01/2017	
1		27 mL in 1 JAR; Type 0: Not a Combination Product		

<b>Marketing Information</b>			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	08/01/2017	

# CLE DE PEAU BEAUTE THE FOUNDATION WB20

octinoxate and titanium dioxide cream

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58411-326
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1228 mg in 27 mL
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1039 mg in 27 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0K00R)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>ISOHEXADECANE</b> (UNII: 918X10UF1E)	
<b>CETYL ETHYLHEXANOATE</b> (UNII: 134647WMX4)	
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5)</b> (UNII: 035JKJ76MT)	
<b>DIPHENYLSILOXY PHENYL TRIMETHICONE</b> (UNII: I445L28B12)	
<b>TREHALOSE</b> (UNII: B8WCK70T7I)	
<b>.ALPHA.-TOCOPHEROL ACETATE, DL-</b> (UNII: WR1WPI7EW8)	
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>BUPLEURUM FALCATUM ROOT</b> (UNII: X04E310LUY)	
<b>SODIUM ACETYLATED HYALURONATE</b> (UNII: WN66R7GL93)	
<b>PEG/PPG-14/7 DIMETHYL ETHER</b> (UNII: 6DNW9T7YT2)	
<b>ROSA ROXBURGHII FRUIT</b> (UNII: CVT1AA87FF)	
<b>POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7)</b> (UNII: EL9825H96J)	
<b>DEXTRIN PALMITATE (CORN; 20000 MW)</b> (UNII: 89B2BSF9I3)	
<b>PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE</b> (UNII: TYP81E471F)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>EDETATE TRISODIUM</b> (UNII: 420IP921MB)	
<b>CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED FORM</b> (UNII: K679OBS311)	
<b>PALMITIC ACID</b> (UNII: 2V16EO95H1)	
<b>DISODIUM STEAROYL GLUTAMATE</b> (UNII: 45ASM2L11M)	
<b>DISTEARYLDIMONIUM CHLORIDE</b> (UNII: OM9573ZX3X)	
<b>POLYMETHYLSILSESQUOXANE (4.5 MICRONS)</b> (UNII: 59Z907ZB69)	
<b>ISOPROPYL ALCOHOL</b> (UNII: ND2M416302)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>THEANINE</b> (UNII: 8021PR16QO)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	

<b>METHYL PARABEN</b> (UNII: A218C7H9T)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>MICA</b> (UNII: V8A1AW0880)	

<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-326-50	1 in 1 CARTON	08/01/2017	
1		27 mL in 1 JAR; Type 0: Not a Combination Product		

<b>Marketing Information</b>			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	08/01/2017	

**Labeler** - SHISEIDO AMERICAS CORPORATION (193691821)

<b>Establishment</b>			
Name	Address	ID/FEI	Business Operations
SHISEIDO AMERICA INC.		782677132	manufacture(58411-315, 58411-316, 58411-317, 58411-318, 58411-319, 58411-320, 58411-321, 58411-322, 58411-323, 58411-324, 58411-325, 58411-326) , analysis(58411-315, 58411-316, 58411-317, 58411-318, 58411-319, 58411-320, 58411-321, 58411-322, 58411-323, 58411-324, 58411-325, 58411-326)

Revised: 12/2018

SHISEIDO AMERICAS CORPORATION