

CITROMA- magesium citrate liquid
Rite Aid Corporation

Rite Aid 166.000/166AA rev 1-AB
Lemon Magnesium Citrate

Active Ingredient (in each fl oz)

Magnesium citrate 1.745g

Purpose

Saline laxative

Uses

- for relief of occasional constipation (irregularity).
- Generally produces bowel movement in 1/2 to 6 hours

Warnings

for this product

Ask a doctor before use if you have

- kidney disease
- a magnesium or sodium restricted diet
- abdominal pain, nausea, or vomiting
- noticed a sudden change in bowel habits that persists over a period of 2 weeks
- already used a laxative for a period longer than 1 week

Ask a doctor or pharmacist before use if you are

- taking any other drug.
- Take this product 2 or more hours before or after other drugs. Laxatives may affect how other drugs work.

Stop use and ask a doctor if

you have rectal bleeding or failure to have a bowel movement after use. These could be signs of a serious condition.

If pregnant or breast-feeding,

ask help professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Storage

Store at temperatures between 46 and 86F (8 and 30C)

Directions

- shake well before using
- drink a full glass (8 ounces) of liquid with each dose
- may be taken as a single daily dose or in divided doses

adults and children 12 years of age and over - 6.5 to 10 fl oz maximum 10 fl oz in 24 hours

children 6 to under 12 years of age - 3 to 7 fl oz maximum 7 fl oz in 24 hours

children 2 to under 6 years of age - 2 to 3 fl oz maximum 3 fl oz in 24 hours

children under 2 years of age - ask a doctor

other information

- **each fl oz contains:** magnesium 290 mg
- **each fl oz contains:** sodium 1 mg

Inactive ingredients

benzoic acid, citric acid, disodium EDTA, flavor, sucralose, water

Adverse Reaction

Non-USP: Non-Carbonated, Non-Pasteurized; Contains Preservatives

Satisfaction guarantee - of you are not satisfied, we'll happily refund your money.

DISTRIBUTED BY: RITE AID

200 NEWBERRY COMMONS

ETTERS, PA 17319

www.riteaid.com

Principal display panel

DO NOT USE IF TAMPER EVIDENT TWIST-OFF CAP IS MISSING, BROKEN OR SEPARATED FROM NECKRING

MAGNESIUM

CITRATE
 SALINE LAXATIVE
 Oral solution
 Dye-free
 Sugar-free
 LEMON
 FLAVOR
 10 FL OZ (296 mL)

DO NOT USE IF TAMPER EVIDENT TWIST-OFF CAP IS MISSING, BROKEN OR SEPARATED FROM NECKRING

MAGNESIUM CITRATE

SALINE LAXATIVE

Oral solution
 Dye-free
 Sugar-free

LEMON FLAVOR

10 FL OZ (296 mL)

<p>Drug Facts</p> <p>Active ingredient (in each fl oz) Purpose Magnesium citrate 1.745 g.....Saline laxative</p> <p>Uses ■ for relief of occasional constipation (irregularity). ■ Generally produces bowel movement in ½ to 6 hours</p> <p>Warnings Ask a doctor before use if you have ■ kidney disease ■ a magnesium restricted diet ■ abdominal pain, nausea, or vomiting ■ noticed a sudden change in bowel habits that persists over a period of 2 weeks ■ already used a laxative for a period longer than 1 week</p> <p>Ask a doctor or pharmacist before use if you are ■ taking any other drug. ■ Take this product 2 or more hours before or after other drugs. Laxatives may affect how other drugs work.</p> <p>Stop use and ask a doctor if you have rectal bleeding or failure to have a bowel movement after use. These could be signs of a serious condition.</p> <p>If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help ▶</p>	<p>Drug Facts (continued)</p> <p>or contact a Poison Control Center right away. Store at temperatures between 46° and 86° F (8° and 30° C)</p> <p>Directions ■ shake well before using ■ drink a full glass (8 ounces) of liquid with each dose ■ may be taken as a single daily dose or in divided doses</p> <table border="1"> <tr> <td>adults and children 12 years of age and over</td> <td>6.5 to 10 fl oz maximum 10 fl oz in 24 hours</td> </tr> <tr> <td>children 6 to under 12 years of age</td> <td>3 to 7 fl oz maximum 7 fl oz in 24 hours</td> </tr> <tr> <td>children 2 to under 6 years of age</td> <td>2 to 3 fl oz maximum 3 fl oz in 24 hours</td> </tr> <tr> <td>children under 2 years of age</td> <td>ask a doctor</td> </tr> </table> <p>Other information ■ each fl oz contains: magnesium 290 mg ■ each fl oz contains: sodium 1 mg</p> <p>Inactive ingredients benzoic acid, citric acid, disodium EDTA, flavor, sucralose, water</p> <p>L0019361SC</p>	adults and children 12 years of age and over	6.5 to 10 fl oz maximum 10 fl oz in 24 hours	children 6 to under 12 years of age	3 to 7 fl oz maximum 7 fl oz in 24 hours	children 2 to under 6 years of age	2 to 3 fl oz maximum 3 fl oz in 24 hours	children under 2 years of age	ask a doctor
adults and children 12 years of age and over	6.5 to 10 fl oz maximum 10 fl oz in 24 hours								
children 6 to under 12 years of age	3 to 7 fl oz maximum 7 fl oz in 24 hours								
children 2 to under 6 years of age	2 to 3 fl oz maximum 3 fl oz in 24 hours								
children under 2 years of age	ask a doctor								

SATISFACTION GUARANTEE: If you're not satisfied, we'll happily refund your money.

DISTRIBUTED BY:
 RITE AID
 200 NEUBERRY COMMONS
 ETTERS, PA 17319
 www.riteaid.com

0 11822 53300 3

Non-USP: Non-Carbonated, Non-Pasteurized; Contains Preservatives

CITROMA

magesium citrate liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11822-4330
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MAGNESIUM CITRATE (UNII: RHO26O1T9V) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM CITRATE	1.745 g in 29.6 mL

Inactive Ingredients

Ingredient Name	Strength
BENZOIC ACID (UNII: 8SKN0B0MIM)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-4330-2	296 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	08/05/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	08/05/2020	

Labeler - Rite Aid Corporation (014578892)

Registrant - Nice-Pak Products, LLC (119091520)

Establishment

Name	Address	ID/FEI	Business Operations
Nice-Pak Products, LLC		119091514	manufacture(11822-4330)

Revised: 1/2026

Rite Aid Corporation