

**CITROMA- magesium citrate liquid**  
**Rite Aid**

-----

**Rite Aid 166.000/166AA rev 1-AB**  
**Lemon Magnesium Citrate**

**Active Ingredient (in each fl oz)**

Magnesium citrate 1.745g

**Purpose**

Saline laxative

**Uses**

- for relief of occasional constipation (irregularity).
- Generally produces bowel movement in 1/2 to 6 hours

**Warnings**

for this product

**Ask a doctor before use if you have**

- kidney disease
- a magnesium or sodium restricted diet
- abdominal pain, nausea, or vomiting
- noticed a sudden change in bowel habits that persists over a period of 2 weeks
- already used a laxative for a period longer than 1 week

**Ask a doctor or pharmacist before use if you are**

- taking any other drug.
- Take this product 2 or more hours before or after other drugs. Laxatives may affect how other drugs work.

**Stop use and ask a doctor if**

you have rectal bleeding or failure to have a bowel movement after use. These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask help professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

**Storage**

Store at temperatures between 46 and 86F (8 and 30C)

**Directions**

- shake well before using
- drink a full glass (8 ounces) of liquid with each dose
- may be taken as a single daily dose or in divided doses

adults and children 12 years of age and over - 6.5 to 10 fl oz maximum 10 fl oz in 24 hours

children 6 to under 12 years of age - 3 to 7 fl oz maximum 7 fl oz in 24 hours

children 2 to under 6 years of age - 2 to 3 fl oz maximum 3 fl oz in 24 hours

children under 2 years of age - ask a doctor

**other information**

- **each fl oz contains:** magnesium 290 mg
- **each fl oz contains:** sodium 1 mg

**Inactive ingredients**

benzoic acid, citric acid, disodium EDTA, flavor, sucralose, water

**Adverse Reaction**

Non-USP: Non-Carbonated, Non-Pasteurized; Contains Preservatives

Satisfaction guarantee - of you are not satisfied, we'll happily refund your money.

DISTRIBUTED BY: RITE AID

200 NEWBERRY COMMONS

ETTERS, PA 17319

[www.riteaid.com](http://www.riteaid.com)

**Principal display panel**

DO NOT USE IF TAMPER EVIDENT TWIST-OFF CAP IS MISSING, BROKEN OR SEPARATED FROM NECKRING

MAGNESIUM

CITRATE

SALINE LAXATIVE

Oral solution

Dye-free

Sugar-free

LEMON

FLAVOR

10 FL OZ (296 mL)

DO NOT USE IF TAMPER EVIDENT TWIST-OFF CAP IS MISSING, BROKEN OR SEPARATED FROM NECKRING

# MAGNESIUM CITRATE

## SALINE LAXATIVE

Oral solution  
Dye-free  
Sugar-free

LEMON FLAVOR

10 FL OZ (296 mL)

### Drug Facts

**Active ingredient (in each fl oz) Purpose**  
Magnesium citrate 1.745 g.....Saline laxative

**Uses** ■ for relief of occasional constipation (irregularity).  
■ Generally produces bowel movement in ½ to 6 hours

**Warnings**  
**Ask a doctor before use if you have**  
■ kidney disease ■ a magnesium restricted diet  
■ abdominal pain, nausea, or vomiting  
■ noticed a sudden change in bowel habits that persists over a period of 2 weeks  
■ already used a laxative for a period longer than 1 week

**Ask a doctor or pharmacist before use if you are**  
■ taking any other drug.  
■ Take this product 2 or more hours before or after other drugs. Laxatives may affect how other drugs work.

**Stop use and ask a doctor if you have rectal bleeding or failure to have a bowel movement after use. These could be signs of a serious condition.**

**If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help**

### Drug Facts (continued)

or contact a Poison Control Center right away.  
Store at temperatures between 46° and 86° F (8° and 30° C)

**Directions** ■ shake well before using ■ drink a full glass (8 ounces) of liquid with each dose ■ may be taken as a single daily dose or in divided doses

adults and children 12 years of age and over	6.5 to 10 fl oz maximum 10 fl oz in 24 hours
children 6 to under 12 years of age	3 to 7 fl oz maximum 7 fl oz in 24 hours
children 2 to under 6 years of age	2 to 3 fl oz maximum 3 fl oz in 24 hours
children under 2 years of age	ask a doctor

**Other information**  
■ each fl oz contains: magnesium 290 mg  
■ each fl oz contains: sodium 1 mg

**Inactive ingredients** benzoic acid, citric acid, disodium EDTA, flavor, sucralose, water

L0019361SC

**SATISFACTION GUARANTEE:**  
If you're not satisfied, we'll happily refund your money.

**DISTRIBUTED BY:**  
RITE AID  
200 NEUBERRY COMMONS  
ETTERES, PA 17319  
www.riteaid.com

0 11822 53300 3

CITROMA

magesium citrate liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11822-4330
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
MAGNESIUM CITRATE (UNII: RHO26O1T9V) (MAGNESIUM CATION - UNII:T6V3LHY838)		MAGNESIUM CITRATE	1.745 g in 29.6 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>BENZOIC ACID</b> (UNII: 8SKN0B0MIM)	
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)	
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	
<b>WATER</b> (UNII: 059QF0KO0R)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-4330-2	296 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	08/05/2020	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	08/05/2020	

**Labeler** - Rite Aid (014578892)

**Registrant** - Consumer Product Partners, LLC (119091520)

## Establishment

Name	Address	ID/FEI	Business Operations
Consumer Product Partners, LLC		119091514	manufacture(11822-4330)