

**CELLULAR OXYGENATOR- cactus grandiflorus, ascorbicum acidum, nicotinamidum, pyridoxinum hydrochloricum, thiaminum hydrochloricum, magnesium gluconicum dihydricum, riboflavinum, magnesia phosphorica, adenosinum triphosphoricum dinatrum, alpha-lipoicum acidum, anthrachinonum, coenzyme a, nadidum, naja tripudians, ubidecarenonum (coq10) spray**  
**Nutritional Specialties, Inc.**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----

**DRUG FACTS:**

**ACTIVE INGREDIENTS:**

Cactus Grandiflorus 4X, Ascorbicum Acidum 6X, Nicotinamidum 6X, Pyridoxinum Hydrochloricum 6X, Thiaminum Hydrochloricum 6X, Magnesium Gluconicum Dihydricum 8X, Riboflavinum 8X, Magnesia Phosphorica 10X, Adenosinum Triphosphoricum Dinatrum 12X, Alpha-Lipoicum Acidum 12X, Anthrachinonum 12X, Coenzyme A 12X, Nadidum 12X, Naja Tripudians 12X, Ubidecarenonum (CoQ10) 12X.

**PURPOSE:**

Aids in increasing transport and absorption of oxygen into the cell. Beneficial in any and all conditions involving the damaging effect of oxidation which also increases free radical pathologies.†

†Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

**WARNINGS:**

**Professional Use Only**

**If pregnant or breast-feeding,** ask a health professional before use.

In case of overdose, get medical help or contact a Poison Control Center right away.

If condition worsens, seek medical attention.

**KEEP OUT OF REACH OF CHILDREN**

**Do not use if tamper evident seal is broken or missing.**

**Store in a cool place after opening**

**KEEP OUT OF REACH OF CHILDREN:**

In case of overdose, get medical help or contact a Poison Control Center right away.

**DIRECTIONS:**

Adults: 2 to 3 sprays orally, three times daily. Children under twelve one half adult dosage. Do not take within 15 minutes of consuming food, beverage or brushing teeth. Consult a physician for use in children under 12 years of age.

**INDICATIONS:**

Aids in increasing transport and absorption of oxygen into the cell. Beneficial in any and all conditions involving the damaging effect of oxidation which also increases free radical pathologies.†

†Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

**INACTIVE INGREDIENTS:**

Alcohol USP 20%, Purified Water USP.

**QUESTIONS:**

**MANUFACTURED EXCLUSIVELY FOR**

**NUTRITIONAL SPECIALTIES, INC.**

**PO BOX 97227**

**PITTSBURG, PA 15229**

**[www.phpltd.com](http://www.phpltd.com)**

**PACKAGE LABEL DISPLAY:**

**Professional**

**Health Products**

**HOMEOPATHIC**

**NDC 83027-0118-1**

**CELLULAR**

**OXYGENATOR**

**2 FL. OZ (60 ml)**

Professional Use Only

**WARNINGS:** If pregnant or breast-feeding, ask a health professional before use. In case of overdose, get medical help or contact a Poison Control Center right away. If condition worsens, seek medical attention.

**KEEP OUT OF REACH OF CHILDREN**

Do not use if tamper evident seal is broken or missing.

Store in a cool place after opening.

† Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.



NDC 83027-0118-1

# CELLULAR OXYGENATOR

C95 (reorder code)

**Active Ingredients:** Cactus Grandiflorus 4x. Ascorbicum Acidum 6x. Nicotinamidum 6x. Pyridoxinum Hydrochloricum 6x. Thiaminum Hydrochloricum 6x. Magnesium Gluconicum Dihydricum 8x. Riboflavinum 8x. Magnesia Phosphorica 10x. Adenosinum Triphosphoricum Dinatrum 12x. Alpha-Lipoicum Acidum 12x. Anthrachinonum 12x. Coenzyme A 12x. Nadidum 12x. Naja Tripudians 12x. Ubidecarenonum (CoQ10) 12x.

**Inactive Ingredients:** Alcohol USP 20%, Purified Water USP.

2 FL. OZ. (60 ml)

**Indication:** Aids in increasing transport and absorption of oxygen into the cell. Beneficial in any and all conditions involving the damaging effect of oxidation which also increases free radical pathologies.†

**Directions For Use:** Adults: 2 to 3 sprays orally, three times daily. Children under twelve one half adult dosage. Do not take within 15 minutes of consuming food, beverage or brushing teeth. Consult a physician for use in children under 12 years of age.



MANUFACTURED EXCLUSIVELY FOR NUTRITIONAL SPECIALTIES, INC. PO BOX 97227 PITTSBURGH, PA 15229 www.phpltd.com rev. 1.1

## CELLULAR OXYGENATOR

cactus grandiflorus, ascorbicum acidum, nicotinamidum, pyridoxinum hydrochloricum, thiaminum hydrochloricum, magnesium gluconicum dihydricum, riboflavinum, magnesia phosphorica, adenosinum triphosphoricum dinatrum, alpha-lipoicum acidum, anthrachinonum, coenzyme a, nadidum, naja tripudians, ubidecarenonum (coq10) spray

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:83027-0118
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>SELENICEREUS GRANDIFLORUS STEM</b> (UNII: 7114SV0MYK) (SELENICEREUS GRANDIFLORUS STEM - UNII:7114SV0MYK)	SELENICEREUS GRANDIFLORUS STEM	4 [hp_X] in 1 mL
<b>ASCORBIC ACID</b> (UNII: PQ6CK8PD0R) (ASCORBIC ACID - UNII:PQ6CK8PD0R)	ASCORBIC ACID	6 [hp_X] in 1 mL
<b>NIACINAMIDE</b> (UNII: 25X5118RD4) (NIACINAMIDE - UNII:25X5118RD4)	NIACINAMIDE	6 [hp_X] in 1 mL
<b>PYRIDOXINE HYDROCHLORIDE</b> (UNII: 68Y4CF58BV) (PYRIDOXINE - UNII:KV2JZ1BI6Z)	PYRIDOXINE	6 [hp_X] in 1 mL
<b>THIAMINE HYDROCHLORIDE</b> (UNII: M572600E5P) (THIAMINE ION - UNII:4ABT0J945J)	THIAMINE HYDROCHLORIDE	6 [hp_X] in 1 mL
<b>MAGNESIUM GLUCONATE</b> (UNII: T42NAD2KHC) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM GLUCONATE	8 [hp_X] in 1 mL
<b>RIBOFLAVIN</b> (UNII: TLM2976OFR) (RIBOFLAVIN - UNII:TLM2976OFR)	RIBOFLAVIN	8 [hp_X] in 1 mL
<b>MAGNESIUM PHOSPHATE, DIBASIC TRIHYDRATE</b> (UNII: HF539G9L3Q) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM PHOSPHATE, DIBASIC TRIHYDRATE	10 [hp_X] in 1 mL
<b>ADENOSINE TRIPHOSPHATE DISODIUM</b> (UNII: 5L51B4DR1G) (ADENOSINE TRIPHOSPHATE - UNII:8L70Q75FXE)	ADENOSINE TRIPHOSPHATE DISODIUM	12 [hp_X] in 1 mL
<b>ALPHA LIPOIC ACID</b> (UNII: 73Y7P0K73Y) (.ALPHA.-LIPOIC ACID - UNII:73Y7P0K73Y)	ALPHA LIPOIC ACID	12 [hp_X] in 1 mL
<b>ANTHRAQUINONE</b> (UNII: 030MS0JBDO) (ANTHRAQUINONE - UNII:030MS0JBDO)	ANTHRAQUINONE	12 [hp_X] in 1 mL

UNII:030MS0JBDO)	ANTI BRAQUINONE	in 1 mL
<b>COENZYME A</b> (UNII: SAA04E81UX) (COENZYME A - UNII:SAA04E81UX)	COENZYME A	12 [hp_X] in 1 mL
<b>NADIDE</b> (UNII: 0U46U6E8UK) (NADIDE - UNII:0U46U6E8UK)	NADIDE	12 [hp_X] in 1 mL
<b>NAJA NAJA VENOM</b> (UNII: ZZ4AG7L7VM) (NAJA NAJA VENOM - UNII:ZZ4AG7L7VM)	NAJA NAJA VENOM	12 [hp_X] in 1 mL
<b>UBIDECARENONE</b> (UNII: EJ27X76M46) (UBIDECARENONE - UNII:EJ27X76M46)	UBIDECARENONE	12 [hp_X] in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83027-0118-1	60 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	11/21/2023	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		11/21/2023	

**Labeler** - Nutritional Specialties, Inc. (032744609)

Revised: 11/2023

Nutritional Specialties, Inc.