

**RIMMEL BB CREAM 9-IN-1 SKIN PERFECTING SUPER MAKEUP LIGHT - avobenzone, octinoxate, octisalate, and octocrylene cream**  
**RIMMEL BB CREAM 9-IN-1 SKIN PERFECTING SUPER MAKEUP MEDIUM - avobenzone, octinoxate, octisalate, and octocrylene cream**  
**Rimmel Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

## **Drug Facts**

### **Active ingredients**

Avobenzone 2.8%

Octinoxate 4%

Octisalate 4%

Octocrylene 2%

### **Purpose**

Sunscreen

Sunscreen

Sunscreen

Sunscreen

### **Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

### **Warnings**

#### **For external use only**

**Do not use** on damaged or broken skin.

**When using this product** keep out of eyes, Rinse with water to remove.

**Stop use and ask a doctor if** rash occurs.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

### **Directions**

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum value of 15 SPF

or high and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long - sleeved shirts, pants, hats, and sunglasses
- Children under 6 months of age: ask a doctor

### **Other information**

Protect the product in this container from excessive heat and direct sun.

### **Inactive ingredients**

water, dicaprylyl carbonate, mica, cyclopentasiloxane, glycerin, behenyl alcohol, alcohol, isodecyl neopentanoate, butyrospermum parkii (shea) butter, methyl methacrylate crosspolymer, behenth-25, glyceryl stearate, acrylates/C12-22 alkyl methacrylate copolymer, aluminum dimyristate, ascorbyl glucoside, BHT, citric acid, disodium stearyl glutamate, glycyrrhiza glabra (licorice) root extract, pentylene glycol, tetrasodium EDTA, tocopherol, triethoxycaprylylsilane, xanthan gum, phenoxyethanol, fragrance, titanium dioxide, iron oxides.

### **Questions or comments?**

Call **1-800-715-4023**

9:00 am to 5:00 pm ET

Monday - Friday

### **Principal Display Panel - 30 mL Bottle Light Label**

**RIMMEL  
LONDON**

**BB**

**CREAM**

Beauty Balm

**9-IN-1**

SKIN PERFECTING  
SUPER MAKEUP

**BROAD SPECTRUM**

**SPF25 SUNSCREEN**

**LIGHT**

1 fl oz 30 ml



Skin perfecting super makeup with 9-in-1 results:

- 1) Primes
- 2) Moisturises
- 3) Helps Minimise the Appearance of Pores
- 4) Conceals
- 5) Covers
- 6) Smoothes
- 7) Mattifies
- 8) Brightens
- 9) Helps Protect. Lasts all day.

BAR CODE AREA  
25 x 10mm

DIST., RIMMEL INC.  
NEW YORK, N.Y. 10118  
MADE IN MONACO

**Drug Facts** ▶

Peel back for more information. ▶

**Drug Facts** (continued)

**Active ingredients Purpose**  
Avobenzone 2.8% Sunscreen  
Octinoxate 4% Sunscreen  
Octisalate 4% Sunscreen  
Octocrylene 2% Sunscreen

**Uses** • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**  
**For external use only.**  
**Do not use** on damaged or broken skin.

**When using this product** keep out of eyes. Rinse with water to remove. ▶

**Drug Facts** (continued)

**Stop use and ask a doctor** if rash occurs.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
For sunscreen use:  
• apply liberally 15 minutes before sun exposure • reapply at least every 2 hours  
• use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum value of ▶

**Drug Facts** (continued)

15 SPF or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • Children under 6 months of age: ask a doctor

**Other information**  
Protect the product in this container from excessive heat and direct sun.

**Inactive ingredients**  
water, dicaprylyl carbonate, mica, cyclopentasiloxane, glycerin, behenyl alcohol, alcohol, isodecyl neopentanoate, butyrospermum parkii (shea) butter, methyl ▶

**Drug Facts** (continued)

methacrylate crosspolymer, beheneth-25, glyceryl stearate, acrylates/C12-22 alkyl methacrylate copolymer, aluminum dimyristate, ascorbyl glucoside, BHT, citric acid, disodium stearoyl glutamate, glycyrrhiza glabra (licorice) root extract, pentylene glycol, tetrasodium EDTA, tocopherol, triethoxycaprylylsilane, xanthan gum, phenoxyethanol, fragrance, titanium dioxide, iron oxides.

**Questions or comments?**  
Call 1-800-715-4023  
9:00 am to 5:00 pm ET  
Monday – Friday

Principal Display Panel - 30 mL Bottle Medium Label

RIMMEL  
LONDON  
BB

**CREAM**

Beauty Balm

**9-IN-1**

SKIN PERFECTING  
SUPER MAKEUP

**BROAD SPECTRUM**

**SPF25 SUNSCREEN**

**MEDIUM**

1 fl oz 30 ml



Skin perfecting super makeup with 9-in-1 results:

- 1) Primes
- 2) Moisturises
- 3) Helps Minimise the Appearance of Pores
- 4) Conceals
- 5) Covers
- 6) Smoothes
- 7) Mattifies
- 8) Brightens
- 9) Helps Protect. Lasts all day.

BAR CODE AREA  
25 x 10MM

DIST., RIMMEL INC.  
NEW YORK, N.Y. 10118  
MADE IN MONACO

**Drug Facts** ▶

Peel back for more information. ↶

**Drug Facts** (continued)

**Active ingredients Purpose**  
Avobenzone 2.8% Sunscreen  
Octinoxate 4% Sunscreen  
Octisalate 4% Sunscreen  
Octocrylene 2% Sunscreen

**Uses** • helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**  
**For external use only.**  
**Do not use** on damaged or broken skin.

**When using this product** keep out of eyes. Rinse with water to remove. ▶

**Drug Facts** (continued)

**Stop use and ask a doctor** if rash occurs.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
For sunscreen use:  
• apply liberally 15 minutes before sun exposure • reapply at least every 2 hours  
• use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum value of ▶

**Drug Facts** (continued)

15 SPF or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • Children under 6 months of age: ask a doctor

**Other information**  
Protect the product in this container from excessive heat and direct sun.

**Inactive ingredients**  
water, dicaprylyl carbonate, mica, cyclopentasiloxane, glycerin, behenyl alcohol, alcohol, isodecyl neopentanoate, butyrospermum parkii (shea) butter, methyl ▶

**Drug Facts** (continued)

methacrylate crosspolymer, beheneth-25, glyceryl stearate, acrylates/C12-22 alkyl methacrylate copolymer, aluminum dimyristate, ascorbyl glucoside, BHT, citric acid, disodium stearoyl glutamate, glycyrrhiza glabra (licorice) root extract, pentylene glycol, tetrasodium EDTA, tocopherol, triethoxycaprylylsilane, xanthan gum, phenoxyethanol, fragrance, titanium dioxide, iron oxides.

**Questions or comments?**  
Call 1-800-715-4023  
9:00 am to 5:00 pm ET  
Monday – Friday

**RIMMEL BB CREAM 9-IN-1 SKIN PERFECTING SUPER MAKEUP LIGHT**  
avobenzone, octinoxate, octisalate, and octocrylene cream

**Product Information**

|                                |                |                           |                |
|--------------------------------|----------------|---------------------------|----------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:76485-1070 |
| <b>Route of Administration</b> | TOPICAL        |                           |                |

**Active Ingredient/Active Moiety**

| <b>Ingredient Name</b>   | <b>Basis of Strength</b> | <b>Strength</b> |
|--|--------------------------|-----------------|
| AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)       | AVOBENZONE               | 0.9 g in 30 mL  |
| OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)       | OCTINOXATE               | 1.3 g in 30 mL  |
| OCTISALATE (UNII: 4X49 Y0596 W) (OCTISALATE - UNII:4X49 Y0596 W)   | OCTISALATE               | 1.3 g in 30 mL  |
| OCTOCRYLENE (UNII: 5A68 WGF6 WM) (OCTOCRYLENE - UNII:5A68 WGF6 WM) | OCTOCRYLENE              | 0.6 g in 30 mL  |

**Inactive Ingredients**

| <b>Ingredient Name</b>                         | <b>Strength</b> |
|--|-----------------|
| WATER (UNII: 059QF0KO0R)                       |                 |
| DICAPRYLYL CARBONATE (UNII: 609A3V1SUA)        |                 |
| MICA (UNII: V8A1AW0880)                        |                 |
| CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)            |                 |
| GLYCERIN (UNII: PDC6A3C0OX)                    |                 |
| DOCOSANOL (UNII: 9G1OE216XY)                   |                 |
| ALCOHOL (UNII: 3K9958V90M)                     |                 |
| ISODECYL NEOPENTANOATE (UNII: W60VYE24XC)      |                 |
| SHEA BUTTER (UNII: K49155WL9Y)                 |                 |
| METHYL METHACRYLATE (UNII: 196OC77688)         |                 |
| BEHENETH-25 (UNII: 0G17KJ5M7P)                 |                 |
| GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)       |                 |
| ALUMINUM DIMYRISTATE (UNII: J2KA067N9O)        |                 |
| ASCORBYL GLUCOSIDE (UNII: 2V52R0NHXW)          |                 |
| BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)    |                 |
| CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)     |                 |
| DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M) |                 |
| LICORICE (UNII: 61ZBX54883)                    |                 |
| PENTYLENE GLYCOL (UNII: 50C1307PZG)            |                 |
| EDETATE SODIUM (UNII: MP1J8420LU)              |                 |
| TOCOPHEROL (UNII: R0ZB2556P8)                  |                 |
| TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)     |                 |
| XANTHAN GUM (UNII: TTV12P4NEE)                 |                 |
| PHENOXYETHANOL (UNII: HIE492ZZ3T)              |                 |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP)            |                 |
| FERRIC OXIDE RED (UNII: 1K09F3G675)            |                 |

**Packaging**

| <b>#</b> | <b>Item Code</b> | <b>Package Description</b>                           | <b>Marketing Start Date</b> | <b>Marketing End Date</b> |
|----------|------------------|--|-----------------------------|---------------------------|
| 1        | NDC:76485-1070-1 | 30 mL in 1 BOTTLE; Type 0: Not a Combination Product | 05/01/2014                  |                           |

## Marketing Information

| Marketing Category      | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|-------------------------|--|----------------------|--------------------|
| OTC monograph not final | part352                                  | 05/01/2014           |                    |

## RIMMEL BB CREAM 9-IN-1 SKIN PERFECTING SUPER MAKEUP MEDIUM

avobenzone, octinoxate, octisalate, and octocrylene cream

### Product Information

|                         |                |                    |                |
|-------------------------|----------------|--------------------|----------------|
| Product Type            | HUMAN OTC DRUG | Item Code (Source) | NDC:76485-1071 |
| Route of Administration | TOPICAL        |                    |                |

### Active Ingredient/Active Moiety

| Ingredient Name  | Basis of Strength | Strength       |
|--|-------------------|----------------|
| AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)   | AVOBENZONE        | 0.9 g in 30 mL |
| OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)   | OCTINOXATE        | 1.3 g in 30 mL |
| OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)   | OCTISALATE        | 1.3 g in 30 mL |
| OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM) | OCTOCRYLENE       | 0.6 g in 30 mL |

### Inactive Ingredients

| Ingredient Name                                | Strength |
|--|----------|
| WATER (UNII: 059QF0KO0R)                       |          |
| DICAPRYLYL CARBONATE (UNII: 609A3V1SUA)        |          |
| MICA (UNII: V8A1AW0880)                        |          |
| CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)            |          |
| GLYCERIN (UNII: PDC6A3C0OX)                    |          |
| DOCOSANOL (UNII: 9G1OE216XY)                   |          |
| ALCOHOL (UNII: 3K9958V90M)                     |          |
| ISODECYL NEOPENTANOATE (UNII: W60VYE24XC)      |          |
| SHEA BUTTER (UNII: K49155WL9Y)                 |          |
| METHYL METHACRYLATE (UNII: 196OC77688)         |          |
| BEHENETH-25 (UNII: 0G17KJ5M7P)                 |          |
| GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)       |          |
| ALUMINUM DIMYRISTATE (UNII: J2KA067N9O)        |          |
| ASCORBYL GLUCOSIDE (UNII: 2V52R0NHXW)          |          |
| BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)    |          |
| CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)     |          |
| DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M) |          |
| LICORICE (UNII: 61ZBX54883)                    |          |
| PENTYLENE GLYCOL (UNII: 50C1307PZG)            |          |
| EDETATE SODIUM (UNII: MP1J8420LU)              |          |
| TOCOPHEROL (UNII: R0ZB2556P8)                  |          |
| TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)     |          |
| XANTHAN GUM (UNII: TTV12P4NEE)                 |          |
| PHENOXYETHANOL (UNII: HIE492ZZ3T)              |          |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP)            |          |

FERRIC OXIDE RED (UNII: 1K09F3G675)

### Packaging

| # | Item Code        | Package Description                                  | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:76485-1071-1 | 30 mL in 1 BOTTLE; Type 0: Not a Combination Product | 05/01/2014           |                    |

### Marketing Information

| Marketing Category      | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|-------------------------|--|----------------------|--------------------|
| OTC monograph not final | part352                                  | 05/01/2014           |                    |

**Labeler** - Rimmel Inc. (949791073)

### Establishment

| Name                  | Address | ID/FEI    | Business Operations                 |
|-----------------------|---------|-----------|-------------------------------------|
| Coty Lancaster S.A.M. |         | 401011325 | MANUFACTURE(76485-1070, 76485-1071) |

Revised: 9/2016

Rimmel Inc.