RITE AID ZINC SPF 50 - octocrylene, zinc oxide lotion Rite Aid

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredients

Octocrylene 4.0%, Zinc Oxide 5.0%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use

on damaged or broken skin

When using this product

keep out of eyes. Rinse with water to remove

Stop use and ask a doctor

if rash occurs

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away

• May stain some fabrics

Directions

- apply liberally 15 minutes before sun exposure
- reapply: after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours
- **Sun Protection Measures**. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. 2 p.m.
- wear long-sleeve shirts, pants, hats and sunglasses
- children under 6 months of age: Ask a doctor

Inactive ingredients

Water, Ethylhexyl Stearate, Diisopropyl Adipate, Cetyl Dimethicone, Polyglyceryl-4 Isostearate,

Cetyl PEG/PPG-10/1 Dimethicone, Hexyl Laurate, Beeswax, Isohexadecane, Sodium Chloride, Hydrogenated Castor Oil, Silica, Triethoxycaprylylsilane, Dimethicone, Tocopherol, Disodium EDTA, Aloe Barbadensis Leaf Juice Powder, Sodium Ascorbyl Phosphate, Phenoxyethanol, Methylparaben, Propylparaben.

Other information

• protect this product from excessive heat and direct sun

Principal Display Panel

11822-1405-1

RITE AID

RENEWAL

sunscreen

with

Vanishing Zinc

BROAD SPECTRUM

SPF 50

UVA/UVB Protection

Water Resistant (80 minutes)

Dermatologist Tested


Face Nose Ears

50

NET WT.

1 OZ. (28.5 g)





RITE AID ZINC SPF 50

octocrylene, zinc oxide lotion

P	rod	luct	Info	orma	tion
---	-----	------	------	------	------

Product TypeHUMAN OTC DRUGItem Code (Source)NDC:11822-1405

Route of Administration TOPICAL

Active Ingredient/Active Moiety

, , , , , , , , , , , , , , , , , , ,		
Ingredient Name	Basis of Strength	Strength
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	4 g in 100 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	5 g in 100 g

Inactive Ingredients	
Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
ETHYLHEXYL STEARATE (UNII: EG3PA2K3K5)	
DIISOPROPYL ADIPATE (UNII: P7E6 YFV72X)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820 DPX33S7)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
YELLOW WAX (UNII: 2ZA36H0S2V)	
ISO HEXADECANE (UNII: 918 X10 UF1E)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
HYDRO GENATED CASTOR OIL (UNII: ZF94AP8MEY)	
SILICON DIO XIDE (UNII: ETJ7Z6 XBU4)	
TRIETHO XYCAPRYLYLSILANE (UNII: LDC331P08E)	
DIMETHICO NE (UNII: 92RU3N3Y1O)	
TOCOPHEROL (UNII: R0ZB2556P8)	
EDETATE DISO DIUM (UNII: 7FLD9 1C86K)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
SODIUM ASCORBYL PHOSPHATE (UNII: 836 SJG51DR)	
PHENO XYETHANOL (UNII: HIE492ZZ3T)	
METHYLPARABEN (UNII: A2I8 C7HI9 T)	
PROPYLPARABEN (UNII: Z8 IX2SC1OH)	

Packaging				
# Item Code	Package Description	Marketing Start Date	Marketing End Date	
1 NDC:11822-1405-	28.5 g in 1 BLISTER PACK; Type 0: Not a Combination Product	04/05/2016		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph not final	part352	0 1/0 7/20 16		

Labeler - Rite Aid (014578892)

Revised: 1/2016 Rite Aid