

MILK FEVER DRENCH- oral calcium drench liquid

Radix Laboratories, Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).

Milk Fever

• CONTENTS (grams/360ml):

- Calcium Chloride (as anhydrous).....10.0g
- Phosphates.....6.2g
- Potassium.....4.5g
- Magnesium (as Chloride 6 H₂O USP)....3.0g
- Total Calcium Ions = 45 gms

• Inactives:

- HEC, Molasses, Purified Water, Sodium Benzoate

• MEq VALUES:

- Calcium.....2252 MEq
- Magnesium.....246 MEq
- Phosphate.....66.0 MEq
- Potassium.....120 MEq

INDICATIONS:

- A supplemental source of calcium, phosphorus, magnesium, and potassium as an oral follow-up to milk fever therapy in cattle.

Storage:

- Store at controlled room temperature between 59°F to 86°F (15°C -30°C).

Warning:

1. SHAKE WELL BEFORE USE
2. Administer with care to avoid aspiration.

Dosage and administration:

- Administer orally at the rate of 1 fluid ounce per 100 pounds animal body weight or as directed by your veterinarian.
- No milk withdrawal
- No slaughter withdrawal
- Keep away from children.

Current Milk Fever Label

NDC# 50480-097-36

CONTENTS (per 360 mL):

Calcium Chloride (as anhydrous)	125.0 g.
Phosphates	6.2 g.
Magnesium(as Chloride · 6H ₂ O)	3.0 g.
Potassium	4.5 g.

Total Calcium ions = 45 gms.
Inactives: HEC, molasses, purified water and sodium benzoate.

MEq VALUES:

Calcium	2252 MEq
Phosphate	66.0 MEq
Magnesium	246 MEq
Potassium	80.5 MEq

INDICATIONS:
A supplemental source of Calcium, Phosphorus, Magnesium and Potassium as an oral follow-up to milk fever therapy in cattle.

TAKE TIME HEAD LABEL INSTRUCTIONS

Radix
Labs

MILK FEVER DRENCH
Molasses Flavored
with 35%
Calcium Chloride

KEEP OUT OF REACH OF CHILDREN
FOR ANIMAL USE ONLY

360 mL (12 Fl. oz.)

PRECAUTIONS:

- 1) SHAKE WELL BEFORE USE.
- 2) Administer with care to avoid aspiration.

STORAGE:
Store at controlled room temperature between 59°F to 86°F (15°C to 30°C)

MANUFACTURED BY:
Radix Laboratories, Inc.
1334 International Drive
Eau Claire, WI 54701
1-800-927-2349

DOSAGE & ADMINISTRATION:
Administer orally at the rate of 1 fl. oz. Per 100 lbs. animal body weight or as directed by your veterinarian.
-No milk withdrawal.
-No slaughter withdrawal.

File image



Milk Fever 360 ml

MILK FEVER DRENCH

oral calcium drench liquid

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:50480-097
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CALCIUM CHLORIDE (UNII: M4I0D6VV5M) (CALCIUM CATION - UNII:2M83C4R6ZB)	CALCIUM CHLORIDE	125 g in 360 mL
SODIUM HYPOPHOSPHITE (UNII: 8TU1537O43) (HYPOPHOSPHITE ION - UNII:238U65NZ04)	SODIUM HYPOPHOSPHITE MONOHYDRATE	6.2 g in 360 mL
MAGNESIUM CHLORIDE (UNII: 02F3473H9O) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM CHLORIDE	3.0 g in 360 mL
POTASSIUM CHLORIDE (UNII: 660YQ98I10) (POTASSIUM CATION - UNII:295O53K152)	POTASSIUM CHLORIDE	4.5 g in 360 mL

Inactive Ingredients

Ingredient Name	Strength
Water (UNII: 059QF0K00R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50480-097-36	12 in 1 CARTON		
1		360 mL in 1 BOTTLE, PLASTIC		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/27/2013	

Labeler - Radix Laboratories, Inc. (108500091)

Revised: 12/2014

Radix Laboratories, Inc.