

NU-FORCE- 1% iodine solution solution
Tetradyne LLC

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).

NU-FORCE

USE DIRECTIONS:

Use at full strength, do not dilute.

For post-dipping: Dip Entire teat in **NU-FORCE**. Allow to air dry. If solution in cup becomes visibly dirty or cloudy, then replenish with **NU-FORCE** at full strength. Do not return unused product to original container.

This product does not contain NPE (Nonylphenol Ethoxylate) Surfactants

PROTECT FROM FREEZING

IF FROZEN: SHAKE VIGOROUSLY
AFTER THAWING

WARNING: CONTAINS IODINE.

Avoid contamination of food. Avoid contact with eyes. Not for internal use. Not for human use.

KEEP OUT OF REACH OF CHILDREN!

OBSERVE LABEL DIRECTIONS

FIRST AID:

INTERNAL: If swallowed, do not induce vomiting.

Drink large quantities of water. See physician immediately.

EYES: Flush eyes with clear water for 15 minutes.

If irritated, obtain medical guidance.

GET MEDICAL ATTENTION IMMEDIATELY.

NU-FORCE

BARRIER TEAT DIP

This product, when properly used, is effective as an aid in reducing the spread of organisms which may cause mastitis.

Active Ingredient.....1.00% Available Iodine (provides 10,000 ppm titratable iodine)

pH.....Minimum 4.0

Emollients.....10% Glycerin

Lot#:

Exp. Date:

Net contents:

Manufactured For:

Tetradyne LLC
PO Box 17003

NU-FORCE™

BARRIER TEAT DIP

USE DIRECTIONS:
Use at full strength, do not dilute.

For post-dipping: Dip entire teat in NU-FORCE. Allow to air dry. If solution in cup becomes visibly dirty or cloudy, then replenish with NU-FORCE at full strength. Do not return unused product to original container.

This product, when properly used, is effective as an aid in reducing the spread of organisms which may cause mastitis.



OBSERVE LABEL DIRECTIONS

Active Ingredient . . . 1.00% Available Iodine
(Provides 10,000 ppm titratable iodine)
pH Minimum 4.0
Emollients 10% Glycerin

WARNING: CONTAINS IODINE.

Avoid contamination of food. Avoid contact with eyes. Not for internal use. Not for human use.

KEEP OUT OF REACH OF CHILDREN!

FIRST AID

INTERNAL: If swallowed, do not induce vomiting. Drink large quantities of water. See physician immediately.

EYES: Flush eyes with clear water for 15 minutes. If irritated, obtain medical guidance.

GET MEDICAL ATTENTION IMMEDIATELY.



PROTECT FROM FREEZING
IF FROZEN: SHAKE
VIGOROUSLY AFTER THAWING

Lot #: _____

Exp. Date: _____

Net Contents: _____



Manufactured For:
TETRADYNE
TURLOCK, CA 95380 • MEMPHIS, TN 38107

11/05/2014

NU-FORCE

1% iodine solution solution

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:66399-906
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
IODINE (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	IODINE	10.41 g in 1 L
GLYCERIN (UNII: PDC6A3C0OX) (GLYCERIN - UNII:PDC6A3C0OX)	GLYCERIN	104.86 g in 1 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	NDC:66399-906			

1	NDC:66399-906-01	3.78 L in 1 JUG		
2	NDC:66399-906-02	18.9 L in 1 PAIL		
3	NDC:66399-906-03	56.7 L in 1 DRUM		
4	NDC:66399-906-04	113.4 L in 1 DRUM		
5	NDC:66399-906-05	207.9 L in 1 DRUM		
6	NDC:66399-906-06	945 L in 1 CONTAINER, FLEXIBLE INTERMEDIATE BULK		
7	NDC:66399-906-07	1039.5 L in 1 CONTAINER, FLEXIBLE INTERMEDIATE BULK		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/10/2014	

Labeler - Tetradyne LLC (130969293)

Revised: 11/2015

Tetradyne LLC