

ENDIT ZINC OXIDE SKIN PROTECTION- zinc oxide ointment
EndIt Laboratories, Inc.

Endit zinc oxide skin protection

Drug Facts

Active Ingredient

Zinc Oxide 20%

Purpose

Skin Protectant

Uses

- Helps treat and prevent rash associated with diaper use, incontinence, or exposure to feces and urin, Protects chafed skin due to diaper rash and helps seal out wetness.

Warnings

For external use only.

When using this product

do not get in eyes.

Stop use and ask a doctor if

- Condition worsens.
- Symptoms last more than 7 days or clear up and occur again within a few days.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For treatment of diaper rash:

- Change wet and soiled diapers promptly.
- Cleanse the diaper area (perineum, buttocks, lower abdomen, and inner thighs), and allow to dry.
- Apply liberally as often as necessary with each diaper change, especially at bedtime or anytime when exposure to soiled diapers (feces, and/or urine) may be prolonged.

Inactive Ingredients

Boric Acid, Calamine, Cornstarch, Juniper Tar, Lanolin, Resorcinol, White Petrolatum

Package Labeling: 56.7 g



The best rash-ending ointment for over 50 years!

Thank you for your interest in our product, Endli! We feel that you will be pleased with its results. We take enormous pride in being able to give you this assurance.

A handwritten signature in black ink, appearing to read "W. Douglas Roycroft".

W. Douglas Roycroft, R.Ph

Original Formulator

W. Douglas Roycroft's

ENDITI!

Zinc Oxide Skin Protectant

Net Wt. 2 oz (56.7 g)

Drug Facts

<i>Active Ingredient</i>	<i>Purpose</i>
Zinc Oxide 20%.....	Skin Protectant

Uses

- Helps treat and prevent rash associated with diaper use, incontinence, or exposure to feces and urine. Protects chafed skin due to diaper rash and helps seal out wetness.

Warnings

For external use only.

When using this product do not get in eyes.

Stop use and ask a doctor if

- Condition worsens.
- Symptoms last more than 7 days or clear up and occur again within a few days. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For treatment of diaper rash:

- Change wet and soiled diapers promptly.
- Cleanse the diaper area (perineum, buttocks, lower abdomen, and inner thighs), and allow to dry.
- Apply liberally as often as necessary with each diaper change, especially at bedtime or anytime when exposure to soiled diapers (feces, and/or urine) may be prolonged.

Inactive Ingredients

Boric Acid, Calamine, Cornstarch, Juniper Tar, Lanolin, Resorcinol, White Petrolatum

DISTRIBUTED BY:

ENDIT LABORATORIES, INC.
407 LIGHTWOOD LN.
SHALLOTTE, NC 28470
www.endit.com

TO REPORT A SERIOUS

ADVERSE EVENT CONTACT
1-910-754-6611

MADE IN USA

Package Labeling:113.4 g



3 ||| 64068 ||| 00004 ||| 5



**The best rash-ending
ointment for over 50 years!**

**Thank you for your interest in
our product, EndIt! We feel
that you will be pleased with
its results. We take enormous
pride in being able to give
you this assurance.**

A handwritten signature in black ink, appearing to read "W. Douglas Roycroft".

W. Douglas Roycroft, R.Ph

Original Formulator



W. Douglas Roycroft's

ENDITI

ORIGINAL PHARMACIST FORMULA

Zinc Oxide Skin Protectant

Net Wt. 4 oz (113.4 g)

Drug Facts

Active Ingredient

Zinc Oxide 20%.....

Purpose

Skin Protectant

Uses

- Helps treat and prevent rash associated with diaper use, incontinence, or exposure to feces and urine. Protects chafed skin due to diaper rash and helps seal out wetness.

Warnings

For external use only.

When using this product do not get in eyes.

Stop use and ask a doctor if

- Condition worsens.
- Symptoms last more than 7 days or clear up and occur again within a few days. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For treatment of diaper rash:

- Change wet and soiled diapers promptly.
- Cleanse the diaper area (perineum, buttocks, lower abdomen, and inner thighs), and allow to dry.
- Apply liberally as often as necessary with each diaper change, especially at bedtime or anytime when exposure to soiled diapers (feces, and/or urine) may be prolonged.

Inactive Ingredients

Boric Acid, Calamine, Cornstarch, Juniper Tar, Lanolin, Resorcinol, White Petrolatum

DISTRIBUTED BY:

ENDIT LABORATORIES, INC.
407 LIGHTWOOD LN.
SHALLOTTE, NC 28470
www.endit.com

TO REPORT A SERIOUS
ADVERSE EVENT CONTACT
1-910-754-6611

MADE IN USA



**The best rash-e
ointment for over 5**

**Thank you for your
our product, EndIt! V
that you will be plea
its results. We take
pride in being able t
you this assurance.**

A handwritten signature in blue ink, appearing to read 'W. Douglas Roycroft'.

W. Douglas Roycroft, R.Ph

Original Formulator

**Enduring
50 Years!**

**interest in
We feel
used with
enormous
to give**

h

W. Douglas Roycroft's

ENDITE!

ORIGINAL PHARMACIST FORMULA

Zinc Oxide Skin Protectant

Net Wt. 8 oz (227 g)

Drug Facts

Active Ingredient

Zinc Oxide 20%.....

Purpose

Skin Protectant

Uses

- Helps treat and prevent rash associated with diaper use, incontinence, or exposure to feces and urine. Protects chafed skin due to diaper rash and helps seal out wetness.

Warnings

For external use only.

When using this product do not get in eyes.

Stop use and ask a doctor if

- Condition worsens.
- Symptoms last more than 7 days or clear up and occur again within a few days. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For treatment of diaper rash:

- Change wet and soiled diapers promptly.
- Cleanse the diaper area (perineum, buttocks, lower abdomen, and inner thighs), and allow to dry.
- Apply liberally as often as necessary with each

diaper change, especially at bedtime or anytime when exposure to soiled diapers (feces, and/or urine) may be prolonged.

Inactive Ingredients

Boric Acid, Calamine, Cornstarch, Juniper Tar, Lanolin, Resorcinol, White Petrolatum

DISTRIBUTED BY: TO REPORT A SERIOUS
ENDIT LABORATORIES, INC. ADVERSE EVENT CONTACT
407 LIGHTWOOD LN. 1-910-754-6611
SHALLOTTE, NC 28470
www.endit.com **MADE IN USA**

ENDIT ZINC OXIDE SKIN PROTECTION

zinc oxide ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:64068-500
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	200 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
BORIC ACID (UNII: R57ZHV85D4)	
STARCH, CORN (UNII: O8232NY3SJ)	
JUNIPER TAR (UNII: 1Q84T0P2G3)	
LANOLIN (UNII: 7EV65EAW6H)	
RESORCINOL (UNII: YUL4LO94HK)	
WHITE PETROLATUM (UNII: B6E5W8RQJ4)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:64068-500-	56.7 g in 1 JAR; Type 0: Not a Combination	08/08/2022	

1	01	Product	08/09/2022	
2	NDC:64068-500-02	113.4 g in 1 JAR; Type 0: Not a Combination Product	08/09/2022	
3	NDC:64068-500-03	227 g in 1 JAR; Type 0: Not a Combination Product	08/09/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M016	08/09/2022	

Labeler - EndIt Laboratories, Inc. (065285207)

Revised: 1/2026

EndIt Laboratories, Inc.