GOOD SENSE ANTACID- aluminum hydroxide, magnesium hydroxide, simethicone suspension

L. Perrigo Company

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Perrigo Antacid Drug Facts

Active ingredients (in each 10 mL)

Aluminum hydroxide (equiv. to dried gel, USP) 400 mg Magnesium hydroxide 400 mg Simethicone 40 mg

Purpose

Antacid

Antigas

Uses

for the relief of

- acid indigestion
- heartburn
- sour stomach
- upset stomach associated with these symptoms
- pressure and bloating commonly referred to as gas

Warnings

Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet

Ask a doctor or pharmacist before use if you are

presently taking a prescription drug. Antacids may interact with certain prescription drugs.

When using this product

do not take more than 80 mL in a 24-hour period, or use the maximum dosage for more than 2 weeks, except under the advice and supervision of a physician

Keep out of reach of children.

Directions

- shake well before using
- only use the dose cup provided
- adults and children 12 years and older: take 10 mL to 20 mL four times a day or as directed by a physician
- do not take more than 80 mL in 24 hours or use the maximum dosage for more than 2 weeks
- children under 12 years: consult a physician

Other information

- each 10 mL contains: magnesium 175 mg
- does not meet USP requirements for preservative effectiveness
- store at 20-25°C (68-77°F)
- protect from freezing

Inactive ingredients

butylparaben, flavor, hypromellose, microcrystalline cellulose and carboxymethylcellulose sodium, peppermint oil, propylparaben, purified water, saccharin sodium, simethicone emulsion, sorbitol, sorbitol solution

Questions or comments?

1-800-719-9260

Principal Display Panel

Regular Strength

Advanced Antacid

Antacid & Antigas

Fast Relief

Heartburn

Acid Indigestion

Pressure

Bloating (Gas)

Mint-Flavor

100% SATISFACTION GUARANTEED

12 FL OZ (355 mL)



Drug Facts

DO NOT USE IF PRINTED NECKBAND IS Broken or MISSING



	•
Active ingredients (in each 10 mL) Purpos	
Aluminum hydroxide (equiv. to dried gel, USP) 400 mgAntac	id
Magnesium hydroxide 400 mgAntac	id
Simethicone 40 mgAntig	

- **Uses** for the relief of acid indigestion heartburn sour stomach upset stornach associated with these symptoms
- pressure and bloating commonly referred to as gas

Warnings

Ask a doctor before use if you have ■ kidney disease ■ a magnesium-restricted diet. Ask a doctor or pharmacist before use if you are presently taking a prescription drug. Antacids may interact with certain prescription drugs.

When using this product do not take more than 80 mL in a 24-hour period, or use the maximum dosage for more than 2 weeks, except under the advice and supervision of a physician

Keep out of reach of children.

- Directions shake well before using only use the dose cup provided adults and children 12 years and older: take 10 mL to 20 mL four times a day or as directed by a physician
- do not take more than 80 mL in 24 hours or use the maximum dosage for more than 2 weeks
- children under 12 years: consult a physician

Other information

- each 10 rnL contains: magnesium 175 mg
- does not meet USP requirements for preservative effectiveness store at 20-25°C (68-77°F) protect from freezing

Inactive ingredients butylparaben, flavor, hypromellose, microcrystalline cellulose and carboxymethylcellulose sodium, peppermint oil, propylparaben, purified water, saccharin sodium, simethicone emulsion, sorbitol, sorbitol solution

Drug Facts (continued)

Questions or comments? 1-800-719-9260

Gluten Free Distributed By



Allegan, MI 49010

:85140 C2 B6

GOOD SENSE ANTACID

aluminum hydroxide, magnesium hydroxide, simethicone suspension

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0113-0851
Route of Administration	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
ALUMINUM HYDRO XIDE (UNII: 5QB0T2IUN0) (ALUMINUM HYDRO XIDE - UNII:5QB0T2IUN0)	ALUMINUM HYDRO XIDE	400 mg in 10 mL
MAGNESIUM HYDRO XIDE (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6 V3LHY838, HYDRO XIDE ION - UNII:9159 UV381P)	MAGNESIUM HYDRO XIDE	400 mg in 10 mL
DIMETHICO NE (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O)	DIMETHICONE	40 mg in 10 mL

Inactive Ingredients		
Ingredient Name	Strength	
SILICON DIO XIDE (UNII: ETJ7Z6 XBU4)		
BUTYLPARABEN (UNII: 3QPI1U3FV8)		
CARBOXYMETHYLCELLULOSE SODIUM (UNII: K679 OBS 311)		
HYPROMELLOSES (UNII: 3NXW29V3WO)		
CELLULOSE, MICRO CRYSTALLINE (UNII: OP1R32D61U)		
PROPYLPARABEN (UNII: Z8IX2SC1OH)		
WATER (UNII: 059QF0KO0R)		
SACCHARIN SO DIUM (UNII: SB8 ZUX40 TY)		
SORBITOL (UNII: 506T60A25R)		
PEPPERMINT OIL (UNII: AV092KU4JH)		

Product Characteristics			
Color	WHITE (opaque)	Score	
Shape		Size	
Flavor	MINT	Imprint Code	
Contains			

Packaging				
# Item Code	Package Description	Marketing Start Date	Marketing End Date	
1 NDC:0113-0851-40	355 mL in 1 BOTTLE; Type 0: Not a Combination Product	02/04/2003		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part332	02/04/2003	

Labeler - L. Perrigo Company (006013346)

Revised: 7/2019 L. Perrigo Company