

CHEM-STAR BARRIER 112 - iodine and heptanoic acid solution
MEDA Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

KEEP OUT OF REACH OF CHILDREN

NOT FOR HUMAN USE

WARNING

Causes eye irritation. Wash skin thoroughly after handling.
Does not contain Nonylphenol Ethoxylate (NPE)

DIRECTIONS FOR USE

IMPORTANT: Do not further dilute with water or mix with any other teat dips. If product in dip cup becomes visibly dirty, discard contents and replenish with fresh product. Do not reuse or return any unused product to the original container.

Pre-Milking/Prepping: Using proper cleaning procedures, wash teats with appropriate udder wash solution or pre-dip/spray each teat prior to milking. Teats should then be dried with single-service towels.

Post-Milk Dipping: Using fresh Chem-Star Barrier 112, dip each teat full-length into the teat dip cup. Do not wipe. Allow to air dry. Do not turn cows out in freezing weather until the product is completely dry.

Expanded Usage: When freshening cows, begin dipping teats twice daily for about 10 days before calving.

PRECAUTION: Chem-Star Barrier 112 is not intended to cure or help the healing of chapped or irritated teats. As with any germicide, irritation or sensitization may occur in sensitive animals. In case of teat irritation or chapping, have the condition examined and, if necessary, treated by a veterinarian.

FIRST AID

Eye Contact: Rinse with plenty of water.

Skin Contact: Rinse with water.

If Swallowed: Rinse mouth. Get medical attention if symptoms occur.

If Inhaled: Get medical attention if symptoms occur.

**FOR EMERGENCY MEDICAL INFORMATION IN USA OR CANADA,
CALL: 1-800-328-0026.**

**FOR EMERGENCY MEDICAL INFORMATION WORLDWIDE,
CALL: 1-651-222-5352 (IN THE USA).**

Principal Display Panel and Representative Label

6301606

18.9 L (5 US GAL)

Barrier Teat Dip

CHEM-STAR™

Barrier 112™

An Aid in Reducing the Spread of Organisms

Which May Cause Mastitis

ACTIVE INGREDIENTS:

Iodine.....1.0%
 Heptanoic Acid.....0.4%
SKIN CONDITIONING SYSTEM:
 (contains glycerin, propylene glycol).....11.0%
INERT INGREDIENTS:..... 87.6%
TOTAL:.....100.0%

MEDA

S12274 Liegel Court
 Sprint Green, Wisconsin 53588
 © 2015 • All rights reserved

Made in United States - 761513/5300/0615


Teat Dip

Formula ingredients contain no Phosphorus

MANUFACTURED FOR AND DISTRIBUTED BY MILKING EQUIPMENT DEALERS ASSOCIATION, INC.

6301606

18.9 L (5 US GAL)



Barrier 112™

An Aid in Reducing the Spread of Organisms Which May Cause Mastitis

ACTIVE INGREDIENTS:
 Iodine.....1.0%
 Heptanoic Acid..... 0.4%
SKIN CONDITIONING SYSTEM:
 (contains glycerin, propylene glycol).....11.0%
INERT INGREDIENTS:..... 87.6%
TOTAL:.....100.0%

KEEP OUT OF REACH OF CHILDREN

NOT FOR HUMAN USE

WARNING

Causes eye irritation. Wash skin thoroughly after handling.
 Does not contain Nonylphenol Ethoxylate (NPE)

FIRST AID

Eye Contact: Rinse with plenty of water.
Skin Contact: Rinse with water.
If Swallowed: Rinse mouth. Get medical attention if symptoms occur.
If Inhaled: Get medical attention if symptoms occur.
FOR EMERGENCY MEDICAL INFORMATION IN USA OR CANADA, CALL: 1-800-328-0026.
FOR EMERGENCY MEDICAL INFORMATION WORLDWIDE, CALL: 1-651-222-5352 (IN THE USA).

DIRECTIONS FOR USE

IMPORTANT: Do not further dilute with water or mix with any other teat dips. If product in dip cup becomes visibly dirty, discard contents and replenish with fresh product. Do not reuse or return any unused product to the original container.
Pre-Milking/Prepping: Using proper cleaning procedures, wash teats with appropriate udder wash solution or pre-dip/spray each teat prior to milking. Teats should then be dried with single-service towels.
Post-Milk Dipping: Using fresh Chem-Star Barrier 112, dip each teat full-length into the teat dip cup. Do not wipe. Allow to air dry. Do not turn cows out in freezing weather until the product is completely dry.
Expanded Usage: When freshening cows, begin dipping teats twice daily for about 10 days before calving.
PRECAUTION: Chem-Star Barrier 112 is not intended to cure or help the healing of chapped or irritated teats. As with any germicide, irritation or sensitization may occur in sensitive animals. In case of teat irritation or chapping, have the condition examined and, if necessary, treated by a veterinarian.



S12274 Liegel Court
 Spring Green, Wisconsin 53588
 © 2015 - All rights reserved
 Made in United States - 761513/5300/0615



Formula ingredients contain no Phosphorus.



Teat Dip

MANUFACTURED FOR AND DISTRIBUTED BY MILKING EQUIPMENT DEALERS ASSOCIATION, INC.

CHEM-STAR BARRIER 112

iodine and heptanoic acid solution

Product Information				
Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:59511-448	
Route of Administration	TOPICAL			
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
IODINE (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)		IODINE	10 mg in 1 mL	
HEPTANOIC ACID (UNII: THE3YNP39D) (HEPTANOIC ACID - UNII:THE3YNP39D)		HEPTANOIC ACID	4 mg in 1 mL	
Inactive Ingredients				
Ingredient Name			Strength	
GLYCERIN (UNII: PDC6A3C0OX)				
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)				
WATER (UNII: 059QF0KO0R)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59511-448-16	18900 mL in 1 PAIL		
2	NDC:59511-448-17	56800 mL in 1 DRUM		
3	NDC:59511-448-21	208200 mL in 1 DRUM		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved drug other		07/30/2015		

Labeler - MEDA Inc. (830359597)

Revised: 2/2020

MEDA Inc.