#### AIR- air gas DJB Gas Services, Inc.

#### Air

Air, Compressed UN1002

Air, USP CAS: 132259-10-0

Rx only

WARNING: Administration of this gas mixture may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of gas mixtures and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects and the precautions to be taken.

DANGER CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION.

Do not handle until all safety precautions have been read and understood. Use and store only outdoors or in a well-ventilated place. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 degrees C (125 degrees F). Read and follow the Safety Data Sheet (SDS) before use.

FIRST AID: IF ACCIDENTLY INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention.

DJB

Volume: 213 cf

DO NOT REMOVE THIS PRODUCT LABEL

For Medical Use Only.

Label # Air110717 11/05/17 Ver. 3.90

DJB Gas Services, Inc. 1177 Swaner Road Salt Lake City, UT, 84104 (801) 908-7800



Air, USP CAS: 132259-10-0

Rx only

WARNING: Administration of this gas mixture may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of gas mixtures and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects and the precautions to be taken.

DANGER CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION.

Do not handle until all safety precautions have been read and understood. Use and store only outdoors or in a well-ventilated place. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 degrees C (125 degrees F). Read and follow the Safety Data Sheet (SDS) before use.

FIRST AID: IF ACCIDENTLY INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention.

1111

DO NOT REMOVE THIS PRODUCT LABEL.

### **AIR**

air gas

Product Informat	tion
------------------	------

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:43621-004

Route of Administration RESPIRATORY (INHALATION)

# Active Ingredient/Active Moiety Ingredient Name Basis of Strength OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065) OXYGEN (UNII: S88TT14065) OXYGEN 210 mL in 1 L

	Packaging			
7	# Item Code	Package Description	Marketing Start Date	Marketing End Date
	NDC:43621- 004-01	6031.5 L in 1 CYLINDER; Type 0: Not a Combination Product	11/07/2017	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA205712	11/07/2017	

## **Labeler -** DJB Gas Services, Inc (053129180)

Establishment				
Name	Address	ID/FEI	<b>Business Operations</b>	
DJB Gas Services, Inc		053129180	manufacture(43621-004)	

Revised: 10/2024 DJB Gas Services, Inc