POVIDONE-IODINE PREP PAD MEDIUM STERILE- povidone-iodine pad cloth Zhejiang Xingheng Medical Supplies Co., Ltd.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

81636-006 Povidone-Iodine Pad

Povidone-lodine 10% w/w (equivalent to iodine 1%)

Antiseptic

For external use only.

- Clean the affected area
- Apply product on the area 1-3times daily and discard
- May be covered with a sterile bandage when dry

Do not use:

- in the eyes.
- apply over large areas of the body.
- on individuals who are allergic or sensitive to iodine.

Stop use and consult a doctor

- if the condition persists or gets worse.
- for use longer than 1week.

Ask a doctor in case of deep or puncture wounds, animal bites & serious burns.

If swallowed, get medical help or contact Poison Control Center right away.

Sodium Bicarbonate, Polysorbate 20, Polyethylene Glycol 400, Potassium Iodate, Water Apply topically as needed to cleanse intendend area

Apply the product to the skin, take the injection or puncture site as the center, slowly rotate from the inside to the outside, and gradually apply the product for two times, the disinfection area should be more than 5cmx5cm, and the action time should be1min.

Use for preparation of skin prior to injection apply the product to the skin, take the injection or puncture site as the center, slowly rotate from the inside to the outside, and gradually apply the product for two times, the disinfection area should be more than 5cmx5cm, and the action time should be 1min. Please clean before disinfection.

NDC: XXXXX-XXXX-X

Povidone Iodine **Prep Pad**

10% Povidone lodine USP For Professional and Hospital Use

1ea



Zhejiang Xingheng Medical Supplies Co., Ltd NO.6, Weiliu Road, Ditian Fuction ,Xiaoshun Town, Yuetan Villiage, Ditian Fuction, Jindong Zone, Jinhua, Zhejiang (Inside Of Jinhua Quanlei Toy Co., Ltd)

Drug Facts
Active ingredient
Povidone lodine USP,10% w/w
(equivalent to 1% titratable iodine Use: First aid to help prevent infe and burns

Warnings For external use only · apply over large areas of the bo are allergic or sensitive to iodine. doctor • if the condition persists than 1week. • Ask a doctor in ca wounds, animal bites serious burn children. If swallowed, get medic Control Center right away. Clean the affected Directions

area 1-3times daily and discard • bandage when dry

Inactive ingredients Sodium Bio Polyethylene Glycol 400, Potassiu

----- TEAR

LOT:

MFD:

POVIDONE-IODINE PREP PAD MEDIUM STERILE

povidone-iodine pad cloth

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:81636-006	
Route of Administration	TOPICAL			

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
POVIDONE-IODINE (UNII: 85H0HZU99M) (IODINE - UNII:9679TC07X4)	IODINE	10 g in 100 g	

Inactive Ingredients			
Ingredient Name	Strength		
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	0.01 g in 100 g		
POTASSIUM IODATE (UNII: 1139E44NHL)	0.01 g in 100 g		
POLYSORBATE 20 (UNII: 7T1F30V5YH)	0.01 g in 100 g		
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	0.01 g in 100 g		
WATER (UNII: 059QF0KO0R)	89.96 g in 100 g		

Packaging				
#	ltem Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:81636- 006-01	100 in 1 CARTON	08/16/2022	
1		100 in 1 BOX		
1		5.5 g in 1 POUCH; Type 2: Prefilled Drug Delivery Device/System (syringe, patch, etc.)		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph not final	part333A	08/16/2022		

Labeler - Zhejiang Xingheng Medical Supplies Co., Ltd. (554554581)

Registrant - Zhejiang Xingheng Medical Supplies Co., Ltd. (554554581)

Establishment				
Name	Address	ID/FEI	Business Operations	
Zhejiang Xingheng Medical Supplies Co., Ltd.		554554581	manufacture(81636-006)	

Revised: 8/2022 Zhejiang Xingheng Medical Supplies Co., Ltd.